



Spare parts for:

## Cooking equipment



Suitable for:

# LINCAT



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# LINCAT

Suitable for:



## Electric hot plates

**3311053 ELECTRIC HOT PLATE 2600W 230V**  
dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



LINCAT EL188

## Electrical gas valves and accessories

**3526284 GAS VALVE UNITROL 7000 BGOR**  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
thermocouple connection 11/32"  
NATURAL GAS pressure switch 5.2"W.C.



LINCAT RK14

**3241707 GREY KNOB  $\varnothing$  30 mm ON-OFF-PILOT**  
for USA MARKET



**3120360 MAGNETIC UNIT UNITROL**  
 $\varnothing$  head 23 mm - length 59 mm  
thermocouple connection 11/32"  
for GAS VALVE UNITROL 7000 BMSER/BMSGOR



**3523082 VALVE MICROSWITCH**  
length 415 mm  
for GAS VALVE UNITROL 7000 BER



**3526238 GAS VALVE PRESSURE SWITCH**  
for NATURAL GAS 3,5"W.C.  
for VALVE GAS UNITROL 7000



**3241929 GREY KNOB  $\varnothing$  30 mm SILK-SCREEN PRINTED**  
for EUROPEAN MARKET



**3440125 VALVE MICROSWITCH**  
length 300 mm  
for GAS VALVE UNITROL



**3526283 VALVE MICROSWITCH**  
length 450 mm  
for GAS VALVE UNITROL





## Energy regulators

- 3350024 ENERGY ADJUSTER**  
 contact capacity 240V 13A  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction



LINCAT EN10

- 3350046 ENERGY REGULATOR**  
 contact capacity 240V 15A  
 square pin 3.2x3.2 mm  
 complete with screen-printed knob  
 for various applications



LINCAT EN27

## Incandescent lamps and neon lamps

- 3221664 HALOGEN LAMP INFRARED R7s 500W 240V**  
 length 220 mm



LINCAT LA210

## Indicator lights

- 3221132 GREEN INDICATOR LAMP 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



LINCAT NE43

- 3221137 ORANGE INDICATOR LAMP 250V**  
 $\varnothing$  head 14 mm -  $\varnothing$  hole 12 mm - 120°C



LINCAT NE37

## Lamp receptacles and spare parts

- 3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V**  
 lamp glass  $\varnothing$  72 mm  
 mounting hole  $\varnothing$  68 mm  
 max temperature 300°C



LINCAT LA87

- 3221351 GASKET LAMP RECEPTACLE  $\varnothing$  79.5 mm**





Suitable for:

**3221349 GLASS F.OVEN RECEPTACLE LAMP  $\varnothing$  73 mm**  
thread  $\varnothing$  63 mm - overall height 45 mm



**5059251 LAMP FOR OVEN E14 40W 230V**  
max. temperature 500°C  
dimensions 67x25 mm



**3221314 OVEN HALOGEN LAMP E14 60W 230V**  
dimensions 80x26 mm



**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



**3221140 OVEN LAMP E14 40W 230V**  
max temperature 300°C



# LINCAT

Suitable for:

**5026552 HALOGEN LAMP E14 40W 230V**  
dimensions 80x26 mm



**3221649 LAMP RECEPTACLE WITH GLASS E14**  
WITHOUT BULB  
lamp glass  $\varnothing$  72 mm  
mounting hole  $\varnothing$  68 mm  
max temperature 300°C



**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN




**3221063 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN





## Motors

**3240512 MOTOR WITH FAN 32W 230V 50Hz 0,27A**  
 TYPE R2K150-AC01-15  
 fan  $\varnothing$  150 mm



LINCAT FA12

## Pilot burners and accessories

**3020411 PILOT GAS JET  $\varnothing$  0.16 mm**



LINCAT JE32

**3020410 PILOT GAS JET  $\varnothing$  0.26 mm**



LINCAT JE31

**3020037 THREE-FLAME PRINTED PILOT BURNER SIT**  
 without sparking plug, gas nozzle and gasket  
 thermocouple fitting included



LINCAT P127

**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
 thread M10x1 mm



**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
 thread M10x1



**3020541 NOZZLE FOR PILOT BURNER 0.35 mm**



**5035324 NOZZLE FOR PILOT FLAME  $\varnothing$  0.18 mm**





Suitable for:


**3020111 OLIVE FOR 4 mm ø PIPE**



**3020112 OLIVE FOR 6 mm ø PIPE**



**3020557 PILOT JET ø 0.20 mm**



**3020040 PILOT JET ø 0.30 mm**



**4053669 PILOT JET ø 0,75 mm**



**3020077 PIPE FITTING ø 4 mm  
thread M10x1**



# LINCAT

Suitable for:


**3348036 OLIVE FOR 4 mm ø PIPE  
for model PEL 21-22**



**3020086 PILOT GASKET**



**3020157 PILOT JET ø 0.25 mm**




**3020041 PILOT JET ø 0.41 mm**



**3020187 PILOT NOZZLE ø 0.51 mm**



**3348029 PIPE FITTING ø 4 mm  
thread M10x1  
for model PEL 21-22**





Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



**3001003** ROUND SPARKING PLUG  $\varnothing$  7x44 mm  
male faston M4x1 mm  
total length 65 mm



**3020124** SPARKING PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



## LINCAT

Suitable for:

**3020294** ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm



**3020060** SPARKING PLUG ROUND  $\varnothing$  7x44 mm  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020365** SPARKING PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



## Relays


**3351602** POWER RELAY FINDER 65.31.8.230.0300  
230V 50/60Hz  
1 contact NO 30A



LINCAT CO09


## Rotary switches

**5030542** SELECTOR SWITCH 0-1 POSITIONS  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



LINCAT SW58

**3057073** SELECTOR SWITCH 0-1 0-1 POSITIONS  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



LINCAT SW42



Suitable for:

# LINCAT



Suitable for:

**3057205 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



LINCAT SW14

## Switches

**3319252 BIPOLAR SWITCH BLACK 16A 250V**  
16(4)A 250V - max. temperature 120°C  
mounting hole 22x30 mm



LINCAT SW34

**3319780 BLOCK CONNECTION WHITE 30x22 mm**



**3319779 BLOCK CONNECTIONS BLACK 30x22 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



## Thermocouples and accessories

**3440039 THERMOCOUPLE SIT M9x1 150 cm**



**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



LINCAT TC23



Suitable for:

**3440035 THERMOCOUPLE SIT M9x1 60 cm.**



LINCAT TC13

Suitable for:

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



## Thermostats


**3444616 BULB CONNECTION M12 HOLE  $\varnothing$  6 mm**  
stuffing gland M9x1 - washer  $\varnothing$  7.7 mm  
gasket  $\varnothing$  7.8 mm - thickness 5 mm



LINCAT GL66

**2101415 SINGLE-PHASE THERMOSTAT 130-190°C**

D-shaped pin 6x4.6 mm  
capillary length 1250 mm - 16A 250V  
bulb  $\varnothing$  6x120 mm




LINCAT TH10

LINCAT TH69

**2111771 SINGLE-PHASE THERMOSTAT 130-190°C**

D-shaped pin 6x4.6 mm  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x117 mm




LINCAT TH10

LINCAT TH69

**3444789 SINGLE-PHASE THERMOSTAT 230°C**


with manual reset  
capillary length 1050 mm  
bulb  $\varnothing$  6x96 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1



LINCAT TH51

**2101069 SINGLE-PHASE THERMOSTAT 30-93°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



LINCAT TH27

**2101404 SINGLE-PHASE THERMOSTAT 32-110°C**

D-shaft  $\varnothing$  6x4.6 mm  
capillary 870 mm - 16A 240V  
bulb  $\varnothing$  6x100 mm - adapter nipple bland M9x1



LINCAT TH34

**3444361 SINGLE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 950 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm




LINCAT TH107

LINCAT TH12

**2101246 SINGLE-PHASE THERMOSTAT 82°-96°C**

D-shaft  $\varnothing$  6x4.6 mm  
capillary 870 mm  
bulb  $\varnothing$  6 x 147 mm - adapter nipple M9x1



LINCAT TH09




Suitable for:

# LINCAT



**2111537 THERMOSTAT SINGLE-PHASE 130-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm  
 bulb  $\varnothing$  6x117 mm - with stuffing gland fitting M9x1  
 with tank sealing fitting complete M12x1




LINCAT TH29

**3744097 THERMOSTAT SINGLE-PHASE 240°C**  
 complete with cut-off thermocouple  
 manual reset  
 covered capillary length 860 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm - with adapter nipple gland M10x1




LINCAT TH44

**3744110 THREE-PHASE THERMOSTAT 100-350°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1800 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm



LINCAT TH39

**2101244 THREE-PHASE THERMOSTAT 130°-190°C**  
 D-shaft  $\varnothing$  6x4.6 mm  
 capillary 880 mm - 10A 400V  
 bulb  $\varnothing$  6x220 mm




LINCAT TH24

**2111694 THREE-PHASE THERMOSTAT 225°C**  
 with manual reset  
 capillary 830 mm



LINCAT TH19

**2102268 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 870 mm - 10A 400V  
 bulb  $\varnothing$  6x110 mm




LINCAT TH25

LINCAT TH61

LINCAT TS41

**3444694 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 880 mm  
 bulb  $\varnothing$  6x77 mm




















LINCAT TH32

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [www.lfircambi724.mobi](http://www.lfircambi724.mobi)  
[info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
-  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
-  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
-  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
-  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
-  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
-  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
-  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
-  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
-  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
-  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
-  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
-  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
-  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
-  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
-  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)