



Spare parts for:

## Cooking equipment



Suitable for:

# MORICE



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# MORICE



Suitable for:

## Burners, flame spreaders and accessories

**3025751 COMPLETE BURNER MOUNTING DISTANCE 120 mm**  
4000-6000 Kcal/h  
height 48 mm -  $\varnothing$  80 mm - pipe  $\varnothing$  27 mm



MORICE

**3500192 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,90 mm**



**3025585 FLAME SPREADER  $\varnothing$  80 mm**



MORICE

**3025696 COMPLETE BURNER MOUNTING DISTANCE 175 mm**  
4000-6000 Kcal/h  
height 48 mm -  $\varnothing$  80 mm - pipe  $\varnothing$  27 mm



MORICE

**3500192 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,90 mm**



**3500185 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,20 mm**



**3025584 FLAME SPREADER  $\varnothing$  73 mm**



MORICE

**3025679 GAS BURNER SUPPORT GR5  $\varnothing$  27 mm**



**3500185 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,20 mm**



**3025584 FLAME SPREADER  $\varnothing$  73 mm**



MORICE



Suitable for:

**3025585 FLAME SPREADER  $\varnothing$  80 mm**



MORICE

**3025761 COMPLETE BURNER MOUNTING DISTANCE 175 mm**  
5000-7000 Kcal/h  
height 40 mm -  $\varnothing$  80 mm - pipe  $\varnothing$  27 mm



MORICE

**3500193 CONICAL GAS NOZZLE M17x1  $\varnothing$  2,00 mm**



**3025603 FLAME SPREADER  $\varnothing$  80 mm**



MORICE

**3025705 COMPLETE BURNER MOUNTING DISTANCE 185 mm**  
4000-6000 Kcal/h  
height 49.2 mm -  $\varnothing$  88 mm  
for Kitchen (MORICE) RF0055003



MORICE BR0095

**3500191 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,80 mm**



# MORICE

Suitable for:

**3025679 GAS BURNER SUPPORT GR5  $\varnothing$  27 mm**



**3500185 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,20 mm**



**3025584 FLAME SPREADER  $\varnothing$  73 mm**



MORICE

**3025679 GAS BURNER SUPPORT GR5  $\varnothing$  27 mm**



**3500186 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,30 mm**



MORICE IN0477

**3025618 FLAME SPREADER  $\varnothing$  88 mm**



MORICE BR0097



Suitable for:

# MORICE



**3025704 COMPLETE BURNER MOUNTING DISTANCE 190 mm**  
2000-3500 Kcal/h  
height 44.2 mm - ø 54.5 mm  
for Kitchen (MORICE) FR0055003



MORICE BR0101

MORICE BR0101-1


**3500187 CONICAL GAS NOZZLE M17x1 ø 1,40 mm**



**3500182 CONICAL GAS NOZZLE M17x1 ø 1,00 mm**



**3025617 FLAME SPREADER ø 54.5 mm**  
for Kitchen (MORICE) TRAITOGAZ RECH2FX



MORICE BR0103

**3025706 COMPLETE BURNER MOUNTING DISTANCE 205 mm**  
6500-9000 Kcal/h  
height 47.2 mm - ø 110.5 mm  
for Kitchen (MORICE) RF0055003



MORICE BR0107

**3025619 FLAME SPREADER ø 110.5 mm**  
for Kitchen (MORICE) TRAITOGAZ RECH2FX



MORICE BR0109

**3025721 COMPLETE BURNER MOUNTING DISTANCE 270 mm**  
10000 Kcal/h - height 100 mm - ø 145 mm  
for Hot plate gas (MORICE)  
for Pot stove gas (MORICE) RE0015-1 - RE0045-1  
RE0046-1 - RE0047-1 - RE0048-1



MORICE BR0079

**3025672 FLAME SPREADER ø 145 mm**  
for Hot plate gas (MORICE)  
for Pot stove gas (MORICE) RE0015-1 - RE0045-1  
RE0046-1 - RE0047-1 - RE0048-1



MORICE DM1249

**3025619 FLAME SPREADER ø 110.5 mm**  
for Kitchen (MORICE) TRAITOGAZ RECH2FX



MORICE BR0109

**3025672 FLAME SPREADER ø 145 mm**  
for Hot plate gas (MORICE)  
for Pot stove gas (MORICE) RE0015-1 - RE0045-1  
RE0046-1 - RE0047-1 - RE0048-1




MORICE DM1249



Suitable for:

**3025617 FLAME SPREADER  $\varnothing$  54.5 mm**  
for Kitchen (MORICE) TRAITOGAZ RECH2FX



MORICE BR0103

Suitable for:

**3025584 FLAME SPREADER  $\varnothing$  73 mm**



MORICE

**3025585 FLAME SPREADER  $\varnothing$  80 mm**



MORICE

**3025603 FLAME SPREADER  $\varnothing$  80 mm**



MORICE

**3025618 FLAME SPREADER  $\varnothing$  88 mm**



MORICE BR0097

## Capacitors, electrical

**3068083 CAPACITOR ELECTRICAL 16 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  35xh71 mm



MORICE DE0084

## Contact thermostats

**3444978 CONTACT THERMOSTAT 45 $^{\circ}$ C 230V**  
a riarmo automatico



MORICE DE0670



Suitable for:

# MORICE



Suitable for:

## Contactors

**3454005 CONTACTOR ABB A16-30-10**  
 17A 400V 7.5Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



MORICE DE0209

**3446222 CONTACTOR SIEMENS MINI 3TG1010-0AL2**  
 8.4A 400V 4Kw - coil 230V 50/60Hz  
 4 normally open contacts



MORICE DE0140

## Drain taps and accessories

**3359327 3 WAY TAP  $\varnothing$  3/8"FF**  
 nickel plated brass - 90° perforation  
 operating pressure 20 bar  
 with 1/2" reduction piece  
 for Bratt pan (MORICE)



MORICE RB0930

## Drip trays for kitchens and ovens

**3311058 BURNER DRIP TRAY**  
 external size 300x330 mm  
 6000 Kcal  
 for Pot stove gas (MORICE)



MORICE DV8240-1

**3311059 BURNER DRIP TRAY**  
 external size 330x440 mm  
 10000 Kcal  
 for Pot stove gas (MORICE)



MORICE DV8241-1

MORICE DV8241/1

## Electric hot plates

**3311096 ELECTRIC HOT PLATE  $\varnothing$  180 mm 2000W 230V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



MORICE PQ0781

**3311097 ELECTRIC HOT PLATE  $\varnothing$  180 mm 2000W 400V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



MORICE PQ0782




Suitable for:

Suitable for:

**3311100 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top

**3311101 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Hot plate electric (MORICE) RE40010003  
for Hot plate electric (MORICE) RE40010003



MORICE PQ0783

MORICE PQ0784

**3311064 ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top

**3311074 ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
tilting plate  
terminal block electric connections  
for electric cooking top



MORICE 052199

MORICE PQ0839

**3311065 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top

**3311075 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
tilting plate  
terminal block electric connections  
for electric cooking top



MORICE PQ0786


MORICE RS0963

MORICE PQ0840

## Electrical gas valves and accessories

**3526175 VALVE 822 NOVA 230V 50Hz**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
gas inlet max. pressure 60 mbar  
outlet pressure range  
3÷30 mbar  
room temperature 0÷60°C  
power supply 230V 50Hz

**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MORICE RB0983



Suitable for:

**3526099 COIL 24V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



# MORICE



Suitable for:

**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526102 ELECTRIC COUPLING WITH CABLE**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3020083 NUT & OLIVE  $\varnothing$  4 mm**



**3020084 NUT & OLIVE  $\varnothing$  6 mm**



**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526075 STRAIGHT FLANGE  $\varnothing$  1/2"**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526076 STRAIGHT FLANGE  $\varnothing$  3/4"**  
complete with screws and O-Ring  
for valves SIT 820-Honeywell V4400-V4600-VR4605P








## Energy regulators

**3350024 ENERGY ADJUSTER**  
 contact capacity 240V 13A  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction



MORICE DE0952

**3350031 ENERGY ADJUSTER**  
 contact capacity 400V 7A  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Boiling pan (MORICE)  
 for Bratt pan (MORICE)



MORICE DE0953

## Fryer baskets and accessories

**3055545 FRYER BASKET 285x235x140 mm**  
 made of chrome-plated iron  
 for Fryer (MORICE) FR40640006



MORICE DM0824

**3055597 FRYER BASKET 370x235x140 mm**  
 made of chrome-plated iron  
 for Fryer (MORICE)



MORICE DM0825

## Fuses

**3049016 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
 250V 2A



MORICE DE0302

**3049022 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
 250V 10A



MORICE DE0839

## Gas taps and accessories

**3348142 GAS TAP STN3R**  
 with pilot flame  
 fittings  $\varnothing$  3/8" M  
 pin length 17 mm  
 square pin 7x7 mm  
 for Crêpe pan (MORICE) RE0037



MORICE RB0927

**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
 thread M10x1 mm





Suitable for:

**3348182 GAS FITTING NUT AND OLIVE  $\varnothing$  12 mm**



**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



# MORICE

Suitable for:


**3348037 OLIVE FOR PILOT PIPE  $\varnothing$  6 mm  
for model PEL 21-22-25**



**3348143 GAS TAP 22S/O**  
complete with connections and olives  
with pilot flame  
horizontal flange  
fittings M20x1.5 mm  
thermocouple connection M9x1  
pin length 16 mm  
square pin 7x7 mm



**3348017 CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22**



MORICE RB1003

**3348019 CAP WITH PIN  $\varnothing$  10x9 mm  
pin length 26 mm  
for model PEL 22**




**5014757 CONNECTION PIPE  $\varnothing$  6 mm  
thread M10x1 mm**



**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22**



**3348023 HORIZONTAL FLANGE  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22**





Suitable for:

**3348025 HORIZONTAL FLANGE CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22




**3348037 OLIVE FOR PILOT PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-25



**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5  
for model PEL 22



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



## MORICE

Suitable for:

**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22




**3182009 MAGNETIC UNIT PEL BIG HEADED**  
 $\varnothing$  head 15.5 mm -  $\varnothing$  end 14 mm - length 44 mm  
for PEL tap model 22-24



**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5  
for model PEL 22



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1  
for model PEL 21-22



**3348038 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 22





Suitable for:

# MORICE




Suitable for:

**3348141 GAS TAP 22S/V**  
 complete with connections and olives  
 with pilot flame  
 with vertical flange  
 fittings M20x1.5 mm  
 thermocouple connection M9x1  
 square pin 7x7 mm




MORICE RB1005

**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
 pin length 26 mm  
 for model PEL 22



**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 26 mm  
 for model PEL 22



**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
 thread M10x1 mm



**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22



**3348023 HORIZONTAL FLANGE  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22



**3348025 HORIZONTAL FLANGE CONICAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
 thread M18x1 mm  
 for model PEL 20-21-22



**3348059 MAGNET PROTECTION NUT M9x1**  
 thread M18x1mm  
 for model PEL 20-21-22



**3182009 MAGNETIC UNIT PEL BIG HEADED**  
 $\varnothing$  head 15.5 mm -  $\varnothing$  end 14 mm - length 44 mm  
 for PEL tap model 22-24







Suitable for:


**3348037 OLIVE FOR PILOT PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-25



**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5  
for model PEL 22



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1




## MORICE

Suitable for:


**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5  
for model PEL 22



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1  
for model PEL 21-22



**3348038 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 22



## Gas valves and accessories

**3523023 MINISIT VALVE FOR FRYER 50 $\div$ 190 $^{\circ}$ C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0 $\div$ 60 $^{\circ}$ C  
length capillary 1200 mm  
bulb  $\varnothing$  5x95 mm  
with an elbow flange  $\varnothing$  3/8" F



**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M





Suitable for:

**5058320 FITTING FOR HOSE  $\varnothing$  10 mm**  
thread M14x1,5 mm



**3182003 MAGNETIC UNIT SIT**  
 $\varnothing$  head 25 mm -  $\varnothing$  end 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



**3523038 MINISIT ELBOW FLANGE  $\varnothing$  1/2"**  
with screws and "O" ring



**3001070 MINISIT PIEZO IGNITER**  
a  $\varnothing$  22 mm hole is required for the assembly  
male faston  $\varnothing$  2.4 mm



**3523042 MINISIT SENSING ELEMENT  $50 \pm 190^\circ\text{C}$**   
capillary length 1200 mm  
bulb  $\varnothing$  5x95 mm



**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



# MORICE

Suitable for:

**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**




**3523047 MINISIT COVER**




**3523037 MINISIT ELBOW FLANGE  $\varnothing$  3/8"**  
with screws and "O" ring



**3001071 MINISIT PIEZO IGNITER WITH COVER**  
male faston 2.4 mm



**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**





Suitable for:

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
for model PEL 23



**3523091 MINISIT VALVE FOR OVEN 70÷310°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1300 mm  
bulb  $\varnothing$  4x75 mm  
without cover, knob and flanges



MORICE

**5058320 FITTING FOR HOSE  $\varnothing$  10 mm**  
thread M14x1,5 mm



**3182003 MAGNETIC UNIT SIT**  
 $\varnothing$  head 25 mm -  $\varnothing$  end 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



## MORICE

Suitable for:

**3348044 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 20 - 21



**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
 $\varnothing$  internal thread 3/8" F -  $\varnothing$  external thread 1/2" F  
for MINISIT flange




**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



**3523047 MINISIT COVER**





Suitable for:

**3523038 MINISIT ELBOW FLANGE  $\phi$  1/2" F**  
with screws and "O" ring



**3001070 MINISIT PIEZO IGNITER**  
a  $\phi$  22 mm hole is required for the assembly  
male faston  $\phi$  2.4 mm



**3523061 NUT  $\phi$  1/4"x6 mm**



**3020082 OLIVE FOR 12 mm  $\phi$  PIPE**



**3348044 PIPE OLIVE  $\phi$  10 mm**  
for model PEL 20 - 21



**3523036 REDUCTION STRAIGHT  $\phi$  3/8" F -  $\phi$  1/2" F**  
in brass with internal and external thread  
 $\phi$  internal thread 3/8" F -  $\phi$  external thread 1/2" F  
for MINISIT flange



## MORICE

Suitable for:

**3523037 MINISIT ELBOW FLANGE  $\phi$  3/8"**  
with screws and "O" ring



**3001071 MINISIT PIEZO IGNITER WITH COVER**  
male faston 2.4 mm



**3523060 OIL SEAL FITTING  $\phi$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020079 PIPE FITTING  $\phi$  12 mm**  
thread  $\phi$  3/8" M



**3348041 PIPE OLIVE  $\phi$  16 mm**  
for model PEL 23








## Grids for kitchen

**3185215 GRILL 320x290 mm**  
height 13 mm  
for Pot stove (MORICE)



MORICE GI9037

MORICE PQ8755

MORICE 5755-1


**3185216 PAN SUPPORT GRID 330x440 mm**  
for Pot stove gas (MORICE)



MORICE GI9036

MORICE 5756-1

**3185194 PAN SUPPORT GRID 440x330 mm**  
for Pot stove gas (MORICE)



MORICE PQ0757

MORICE 5757-1

## Handles

**3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN



MORICE LF-3242042

## Heating elements

**3455199 FINNED HEATING ELEMENT 250W 230V**  
length 240 mm - wings 25x50 mm  
fittings M14x1.5 mm



MORICE

**3455129 FASTENING BRACKET 25x50 mm - 2PCS**  
for finned heating elements



**3455127 ALUMINUM CAP**  
for finned heat.element connection 25x50 mm



**3455128 HEATING ELEMENT SLIDEWAY WITH WINGS**






Suitable for:

**3455299 FINNED HEATING ELEMENT 500W 230V**  
length 300 mm - wings 25x50 mm  
fittings M14x1.5 mm



MORICE RS0880

**3455129 FASTENING BRACKET 25x50 mm - 2PCS**  
for finned heating elements



Suitable for:

**3455127 ALUMINUM CAP**  
for finned heat.element connection 25x50 mm



**3455128 HEATING ELEMENT SLIDEWAY WITH WINGS**



**3455202 HEATING ELEMENT FINNED 1500W 230V**  
length 440 mm - fins 40x80 mm  
fittings  $\varnothing$  24 mm - screw connections M6



MORICE RS0892

**3455170 HEATING ELEMENT 1000W 230V**  
length 455 mm - width 95 mm  
height 60 mm  
for Hot plate electric (MORICE)



MORICE RS0909

**3455125 HEATING ELEMENT 1100W 230V**  
length 325 mm - width 250 mm  
flange 80x27 mm  
for Fryer (MORICE) FT4037



MORICE RS0863

MORICE RS0965

MORICE RS965

**3455163 HEATING ELEMENT 1150W 230V**  
for DECK AND CEILING  
length 735 mm - width 128 mm  
fittings M12x1 mm  
for Oven under cooktop electric (MORICE)



MORICE RS0889

**3455062 HEATING ELEMENT 1200W 230V**  
length 395 mm - width 60 mm  
fittings M12x1 mm  
for Grill electric (MORICE)  
for Oven under cooktop electric (MORICE)



MORICE RS0911

**3455209 HEATING ELEMENT 1950W 230V**  
length 455 mm - width 105 mm  
fittings M12x1 mm  
for Grill electric (MORICE)  
for Lava rock grill electric (MORICE)  
for Grill (MORICE) GR40013



MORICE RS0884

MORICE RS0890



Suitable for:

# MORICE



**3455058 HEATING ELEMENT 2000W 230V**  
length 535 mm - width 100 mm  
height 75 mm  
for Grill electric (MORICE)



MORICE RS0856

Suitable for:

**3455063 HEATING ELEMENT 2000W 230V**  
length 385 mm - width 210 mm  
fittings M10x1 mm  
for Salamander electric (MORICE)



MORICE RS0867

**3455167 HEATING ELEMENT 2000W 230V**  
length 355 mm - width 205 mm  
overall height 90 mm - fittings M12x1 mm  
for Salamander electric (MORICE)



MORICE RS0918

**3455220 HEATING ELEMENT 2000W 400V**  
length 340 mm - width 210 mm  
height 45 mm - fittings M12x1 mm  
for Salamander electric (MORICE) SA4003



MORICE RS0920

**3455059 HEATING ELEMENT 2250W 230V**  
length 590 mm - width 110 mm  
fittings M12x1 mm  
for Grill electric (MORICE)



MORICE RS0864

**3455171 HEATING ELEMENT 2400W 230V**  
length 365 mm - width 200 mm  
height 100 mm  
for Boiling pan electric (MORICE)




MORICE RS0878

**3455092 HEATING ELEMENT 2500W 220V**  
length 475 mm - width 150 mm  
height 70 mm  
for Bratt pan electric (MORICE) 26



MORICE RS0855

**3455168 HEATING ELEMENT 2600W 230V**  
length 430 mm - width 280 mm  
fittings M12x1 mm  
operating ambient: immersion  
for Bain-marie electric (MORICE) - Series 750  
Series 900



MORICE RS0908



Suitable for:

# MORICE



**3455172 HEATING ELEMENT 5500W 230V**  
length 560 mm - width 185mm  
height 40 mm  
for Bratt pan electric (MORICE)



MORICE RS0960

Suitable for:

**3455165 HEATING ELEMENT 650W 230V**  
length 700 mm - width 80 mm  
fittings  $\varnothing$  1/4"  
operating ambient: dry



MORICE RS0922

**3455162 HEATING ELEMENT 7000W 230/400V**  
immersed length 335 mm  
flange external  $\varnothing$  72 mm  
with O-ring



MORICE RS0961

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



MORICE DM0578

**3455060 HEATING ELEMENT 800W 230V**  
length 545 mm - width 110 mm  
fittings M12x1 mm  
for Oven under cooktop electric (MORICE)



MORICE RS0888

**3455061 HEATING ELEMENT 850W 220/380V**  
length 420 mm - width 40 mm  
fittings M12x1 mm  
operating ambient: immersion  
for Bain-marie electric (MORICE)



MORICE RS0905

## Indicator lights

**3221547 GREEN INDICATOR LAMP 24V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
wire connection length 190 mm  
nichel plated brass case



MORICE

**3221544 GREEN INDICATOR LAMP 400V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
wire connection length 190 mm  
nichel plated brass case



MORICE DE0581





Suitable for:

**3221514 INDICATOR LIGHT RED 250V**  
 head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
 wire connection length 190 mm  
 nichel plated brass case



MORICE


Suitable for:

**3221546 ORANGE INDICATOR LAMP 24V**  
 head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
 wire connection length 190 mm  
 nichel plated brass case



MORICE

**3221543 ORANGE INDICATOR LAMP 400V**  
 head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
 wire connection length 190 mm  
 nichel plated brass case



MORICE

**3221548 RED INDICATOR LAMP 24V**  
 head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
 wire connection length 190 mm  
 nichel plated brass case



MORICE

**3221545 RED INDICATOR LAMP 400V**  
 head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
 wire connection length 190 mm  
 nichel plated brass case



MORICE

## Injectors

**3500180 CONICAL GAS NOZZLE M17x1  $\varnothing$  0,90 mm**



MORICE IN0483

**3500184 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,15 mm**



MORICE IN0488

**3500186 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,30 mm**



MORICE IN0477

**3500190 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,70 mm**



MORICE IN0513



Suitable for:

# MORICE



Suitable for:

## Knobs

**3241727 BLACK KNOB**  
D shaft hole 6x4,6 mm  
for thermostat



MORICE DM1155

MORICE DM1155-1

**3241728 BLACK KNOB**  
square hole 7x7 mm  
for GAS TAP



MORICE DM1155-2

MORICE DM1155/2

**3241566 BLACK KNOB ø 50 mm 0-1-2-3**  
D shaft hole 6x4.6 mm  
for EGO energy regulator



MORICE DE0203

**3241741 BLACK KNOB ø 50 mm 100-350°C**  
D shaft hole 6x4.6 mm  
for EGO thermostat



MORICE TH1077

**3241870 BEZEL RING NUT ø 52 mm**  
chrome plated metal Bezel  
for EGO thermostate knob



MORICE

**3241733 BLACK KNOB ø 73 mm**  
square hole 7x7 mm  
for GAS TAP



MORICE DM1152

MORICE DM1152-1

**7103790 KNOB**  
foro a mezzaluna 10x8 mm  
for Bratt pan (MORICE)



MORICE DM21191

## Lamp receptacles and spare parts

**3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V**  
lamp glass ø 53 mm  
mounting hole ø 36 mm  
max temperature 300°C



MORICE

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions ø 48x38x5 mm  
for OVEN





Suitable for:

**3221232 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  53 mm**  
thread  $\varnothing$  33 mm - overall height 32 mm



**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



## MORICE

Suitable for:

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



---

## Lava rock

**3310009 CERAMIC TILES PACKAGE 40 PCS**  
40 tiles  
for Grill (MORICE)



MORICE DM0850-1

---

## Level regulators

**3351088 LEVEL REGULATOR 230V**  
temporized - model C2AICNRVA1FLT



MORICE DE0960

---

## Motors

**3240512 MOTOR WITH FAN 32W 230V 50Hz 0,27A**  
TYPE R2K150-AC01-15  
fan  $\varnothing$  150 mm



MORICE DE0684



Suitable for:

# MORICE



Suitable for:

## OR and ORM gaskets

**3186014 O-RING GASKET 06225 EPDM  $\phi$  67 mm**



MORICE DM0578

## Pilot burners and accessories

**3020416 LPG NOZZLE FOR PILOT BURNER**  
fitting F5x7.5 mm



MORICE DM1186

**3020417 NATURAL GAS NOZZLE FOR PILOT BURNER**  
fitting F5x7.5 mm




MORICE DM1185

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet  $\phi$  0.20 mm  
with 2 positions bracket  
for Boiling pan (MORICE) MA0001000100




MORICE RB1004

**3020292 BRACKET PILOT BURN. SUPPORT 47x40x15 mm**  
for burner  $\phi$  90 mm



**3020293 BRACKET PILOT BURN. SUPPORT 65x50x45 mm**  
for burner  $\phi$  115 mm



**3020291 BRACKET PILOT BURN. SUPPORT 85x45x55 mm**  
for burner  $\phi$  135 mm



**5014757 CONNECTION PIPE  $\phi$  6 mm**  
thread M10x1 mm



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**





Suitable for:

4058525 NOZZLE FOR PILOT BURNER  $\varnothing$  0.30 mm



3020084 NUT & OLIVE  $\varnothing$  6 mm



3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE  
for model PEL 21-22



3020108 ONE-FLAME DEFLECTOR



3020308 PILOT ASSEMBLY WITH NOZZLE  $\varnothing$  0.40 mm



3020054 PILOT JET  $\varnothing$  0.20 mm



3020055 PILOT JET  $\varnothing$  0.35 mm



# MORICE

Suitable for:

3020083 NUT & OLIVE  $\varnothing$  4 mm



3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE



3020081 OLIVE FOR 6 mm  $\varnothing$  PIPE



3020097 PILOT AERATION REGULATOR  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



3020115 PILOT CAP 1 FLAME



3020156 PILOT JET  $\varnothing$  0.25 mm



5015516 PILOT NOZZLE  $\varnothing$  0.40 mm







Suitable for:

**3500269 PILOT NOZZLE  $\varnothing$  0.45 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm**



**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F**



# MORICE

Suitable for:

**3020092 PILOT SUPPORT BRACKET LH 92x55x45 mm  
for mounting of pilot assembly**



**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm  
male faston M4x1 mm  
total length 65 mm**



**3020124 SPARKING PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm**





Suitable for:

**3020365 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



## MORICE



Suitable for:

**3020100 TWO-POSITION BRACKET**



**3020101 TWO-POSITION BRACKET CLAMP**



**3020428 PILOT BURNER LPG**  
with protection  
with nozzle  $\varnothing$  0.148 mm



MORICE DM1159

**3020427 PILOT BURNER NATURAL GAS**  
with protection  
with nozzle  $\varnothing$  0.25 mm



MORICE DM1158

**3020403 PILOT BURNER 6CH14-6 3 FLAMES**  
with LPG and NATURAL GAS nozzles



MORICE DM1164

**3020411 PILOT GAS JET  $\varnothing$  0.16 mm**



**3020410 PILOT GAS JET  $\varnothing$  0.26 mm**



**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



MORICE RB0664

**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
thread M10x1 mm





Suitable for:

5048713 DEFLECTOR 3 FLAMES



4058525 NOZZLE FOR PILOT BURNER  $\varnothing$  0.30 mm



3020084 NUT & OLIVE  $\varnothing$  6 mm



3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE  
for model PEL 21-22



3020097 PILOT AERATION REGULATOR  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



3020054 PILOT JET  $\varnothing$  0.20 mm



3020055 PILOT JET  $\varnothing$  0.35 mm



# MORICE

Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020083 NUT & OLIVE  $\varnothing$  4 mm



3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE



3020081 OLIVE FOR 6 mm  $\varnothing$  PIPE



3020308 PILOT ASSEMBLY WITH NOZZLE  $\varnothing$  0.40 mm



3020156 PILOT JET  $\varnothing$  0.25 mm



5015516 PILOT NOZZLE  $\varnothing$  0.40 mm





Suitable for:

3500269 PILOT NOZZLE  $\varnothing$  0.45 mm



3020106 PILOT WITH 0.25 mm  $\varnothing$  JET



3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



5033138 PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



5027953 PIPE OLIVE  $\varnothing$  4 mm  
for COPRECI CAL3200



3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm  
male faston M4x1 mm  
total length 65 mm



## MORICE

Suitable for:


3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



3020294 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm



3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F





Suitable for:

**3020124 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020110 THREE-FLAME DEFLECTOR**



**3020104 THREE-POSITION BRACKET CLAMP**



## MORICE



Suitable for:

**3020365 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020103 THREE-POSITION BRACKET**




## Rotary switches

**3057027 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
rear hole for thermostat




MORICE DE0197

**3057254 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Bain-marie electric (MORICE) - Series 900  
for Fryer electric (MORICE) - Series 900  
for Pasta cooker electric (MORICE) - Series 900




MORICE DE0204

**3057306 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



MORICE DE0205


**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



MORICE DE0785



**3057024 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



MORICE DE0781

## Solenoid valves

**3120408 SOLEN. VALVE T&P 1 WAY 90°**  
 230V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet  $\varnothing$  13.5 mm



MORICE DE0290

## Switches

**3319362 BIPOLAR SWITCH GREEN 16A 250V**  
 16(4)A 250V - with indicator lamp  
 silk-screen printing 0 - I  
 max temperature 120°C  
 mounting hole 22x30 mm



MORICE DE3055

**3319780 BLOCK CONNECTION WHITE 30x22 mm**



**3319779 BLOCK CONNECTIONS BLACK 30x22 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
 external dimensions 29x36 mm  
 for switches with mounting hole 22x30 mm





Suitable for:

# MORICE



**3319504 BLACK 3 POLES PUSH-BUTTON 6A 250V**  
for IGNITER  
with cap  
mounting hole 25x15 mm



MORICE DE0040-1

Suitable for:

**3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V**  
1 contact NO



MORICE DE1108


**3319505 ON-OFF PLUG WITH SWITCH 10A 250V**  
built-in plug  
mounting hole 27x42 mm



MORICE DE0206

MORICE DE0836

**3319509 ON/OFF SWITCH CASE SIEMENS**  
with support




MORICE DE1091

**3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V**  
1 contact NO



MORICE DE1108

**3319508 SINGLE-POLE LEVER SWITCH 15A 250V**  
with plate  
threaded coupling  $\varnothing$  12 mm  
ON-OFF function



MORICE DE0206(250V)

**3319686 START-STOP STRIP**  
for lever switches-reversers



**3319685 SWITCH PROTECTION CAP**  
for lever switches-reversers





**Thermocouples and accessories**

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



MORICE RB0712

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**



MORICE RB0712


**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



MORICE RB0712

**Thermostatic gas valves**

**3345018 THERMOSTATIC TAP 25ST**  
 operating temperature 100-300°C  
 connections M16x1.5 mm  
 thermocouple connection M9x1  
 bulb  $\varnothing$  6x75 mm  
 capillary length 1200 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm



MORICE RB1216

**5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
 thread M10x1 mm



**3348037 OLIVE FOR PILOT PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22-25




**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
 for model PEL 21-22



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
 thread M20x1.5  
 for model PEL 22





Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5  
for model PEL 20-21



**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1  
for model PEL 21-22



**3348038** PIPE OLIVE  $\varnothing$  10 mm  
for model PEL 22




# MORICE



Suitable for:

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5  
for model PEL 22



**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



**3348044** PIPE OLIVE  $\varnothing$  10 mm  
for model PEL 20 - 21




## Thermostats

**3241870** BEZEL RING NUT  $\varnothing$  52 mm  
chrome plated metal Bezel  
for EGO thermostate knob



MORICE

**3444974** SINGLE-PHASE THERMOSTAT 100-615°C  
complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm




MORICE DE0254

**3444903** SINGLE-PHASE THERMOSTAT 220°C  
with manual reset  
capillary length 900 mm  
bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M9x1  
for Fryer (MORICE)



MORICE TH1120

**3444970** SINGLE-PHASE THERMOSTAT 230°C  
with manual reset  
capillary length 1800 mm  
bulb  $\varnothing$  6x75 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1




MORICE TH0108



Suitable for:

**3444510 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 850 mm - 16A 250V  
 bulb  $\varnothing$  6x138 mm - w/ stuffing gland fitting M9x1  
 with complete tank sealing fitting M12x1



MORICE TH1081


Suitable for:

**3444964 SINGLE-PHASE THERMOSTAT 60°C**  
 with automatic reset  
 capillary length 1800 mm - 16A 250V  
 bulb  $\varnothing$  6x135 mm



MORICE TH1123

**3744068 SINGLE-PHASE THERMOSTAT 60-200°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1  
 with complete tank joint M12x1  
 for Fryer (MORICE)



MORICE FT4040

**3241870 BEZEL RING NUT  $\varnothing$  52 mm**  
 chrome plated metal Bezel  
 for EGO thermostate knob



MORICE

**3241637 BLACK KNOB  $\varnothing$  50 mm 60°-200°C**  
 D shaft hole 6x4.6 mm  
 for EGO thermostat




**3444900 THERMOSTAT SINGLE-PHASE 85-175°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1  
 with tank sealing fitting M12x1  
 for Fryer electric (MORICE) FT4040  
 for Fryer (MORICE) FT4033



MORICE TH1112

MORICE TH112

**3744062 THREE-PHASE THERMOSTAT 100-350°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1470 mm - 16A 400V  
 bulb  $\varnothing$  6x75 mm  
 for Bain-marie (MORICE)  
 for Boiling pan (MORICE)  
 for Fry top (MORICE)  
 for Oven under cooktop (MORICE)  
 for Bratt pan (MORICE) ST4020



MORICE TH1088






Suitable for:

# MORICE



## 3444972 THREE-PHASE THERMOSTAT 240°C

with manual reset  
capillary length 2300 mm  
bulb  $\varnothing$  6x88 mm



MORICE TH1087

Suitable for:

## 3444088 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x140 mm - with stuffing gland fitting M9x1



MORICE TH1084

## 3444694 THREE-PHASE THERMOSTAT 50-300°C


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm



MORICE TH1086

## 3444594 THREE-PHASE THERMOSTAT 65-200°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1




MORICE TH1079

## Timers

### 3446149 TIMER 15 MINUTES S43V

mechanical timer with sound alarm  
manual winding cycle 15 minutes  
complete with screenprinted plate and knob  
size  $\varnothing$  60x27 mm  
for Fryer (MORICE) FRIT14ST



MORICE DE0659

### 3446154 TIMER 60 MINUTES S43V

mechanical timer with sound alarm  
manual winding cycle 60 minutes  
complete with screenprinted plate and knob  
size  $\varnothing$  60x27 mm



MORICE DE0656

## Wire pan supports

### 3120384 REDUCER MOKA 167x167 mm

for Pot stove gas (MORICE) RE0007-1 - RE0007-2  
RE0045-1 - RE0046-1 - RE0047-1 - RE0048-1






















MORICE PQ-0758

MORICE PQ5758-1

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [www.lfircambi724.mobi](http://www.lfircambi724.mobi)  
[info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
-  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
-  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
-  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
-  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
-  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
-  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
-  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
-  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
-  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
-  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
-  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
-  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
-  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
-  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
-  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)