



Spare parts for:

Cooking equipment



Suitable for:

RATIONAL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

RATIONAL



Suitable for:


Axial motors

3240519 AXIAL FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



RATIONAL

3240600 FAN GRID 119x119 mm
distance between mounting holes 145 mm




3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



RATIONAL 31011008

Buzzers

3397302 ALARM BELL 220V



RATIONAL 30060101

Cable glands

3050312 PRESSURE FITTING PG9



RATIONAL 40070600



Castors, rollers and accessories

3346083 SWIVELLING WHEEL
with ZINC-PLATED supports
dimension \varnothing 125x30 mm - load capacity 80 Kg
pin hole \varnothing 12 mm



RATIONAL 20050501
RATIONAL 20050606

RATIONAL 20050502

RATIONAL 20050604

3346173 SWIVELLING WHEEL
with ZINC-PLATED supports
dimensions \varnothing 100x30 mm
pin hole \varnothing 13 mm



RATIONAL 20050401

3346080 SWIVELLING WHEEL WITH BRAKE
with ZINC-PLATED supports
dimension \varnothing 125x30 mm - load capacity 80 Kg
pin hole \varnothing 12 mm



RATIONAL 20050600

Clamps

3449408 DOUBLE-WIRE CLAMP 14.4-15.1 - 100 PCS
for hoses \varnothing 14.4÷15.1 mm



RATIONAL 20660527

3449451 HOSE CLAMP 10-16
for pipes \varnothing 10÷16 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



RATIONAL 20660205

3449462 HOSE CLAMP 12-20
for pipes \varnothing 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



RATIONAL 20660202

3449464 HOSE CLAMP 20-32
for pipes \varnothing 20÷32 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



RATIONAL 20660506



Suitable for:

RATIONAL



3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



RATIONAL 20660503

RATIONAL 20660519

3449454 HOSE CLAMP 32-50
for pipes \varnothing 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



RATIONAL 20660507

RATIONAL 20660519

3449455 HOSE CLAMP 40-60
for pipes \varnothing 40÷60 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



RATIONAL 20660504

3449456 HOSE CLAMP 50-70
for pipes \varnothing 50÷70 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



RATIONAL 20660300

3449476 HOSE CLAMP 70-90
for pipes \varnothing 70÷90 mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



RATIONAL 20660505

Contactors

3397401 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz
0.55Kw / 1÷1.6A
3 normally open contacts



RATIONAL 30310105

RATIONAL 30310106

3397403 AUXILIARY CONTACT AEG HS9.11
6A
1 normally open contact
1 normally closed contact



RATIONAL 30310102

RATIONAL 30310108

Suitable for:

3397402 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz
1.1Kw / 1.6÷2.5A
3 normally open contacts



RATIONAL 30310107

Suitable for:

3351260 AUXILIARY CONTACT AEG HS05.01
10A
1 normally closed contact



RATIONAL 30280158

3446516 AUXILIARY CONTACT AEG HS7K.01
10A
1 normally closed contact



RATIONAL 30280561

5021314 AUXILIARY CONTACT AEG HS8.K11
1 contact NO
1 contact NC



RATIONAL

3397403 AUXILIARY CONTACT AEG HS9.11
6A
1 normally open contact
1 normally closed contact



RATIONAL 30310102

RATIONAL 30310108

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



RATIONAL 4002641V

3454012 CONTACTOR ABB A30-30-10
32A 400V 15Kw - coil 230V 50/60Hz
3 contacts NO
complete with 2 auxiliary contacts NO



RATIONAL

3454042 CONTACTOR ABB A9-30-01
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



RATIONAL

3454048 CONTACTOR ABB A9-30-10
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



RATIONAL




Suitable for:

RATIONAL



3351209 CONTACTOR AEG LS05 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact




RATIONAL 30280104
RATIONAL 30281000

RATIONAL 30280500

RATIONAL 30280501

Suitable for:

3351260 AUXILIARY CONTACT AEG HS05.01
 10A
 1 normally closed contact




RATIONAL 30280158

3351261 AUXILIARY CONTACT AEG HS05.10
 10A
 1 normally open contact



3351210 CONTACTOR AEG LS05 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact




RATIONAL 30280504

3351260 AUXILIARY CONTACT AEG HS05.01
 10A
 1 normally closed contact



RATIONAL 30280158

3351261 AUXILIARY CONTACT AEG HS05.10
 10A
 1 normally open contact



3351220 CONTACTOR AEG LS11K 25A 400V 11Kw
 coil 230V 50/60Hz
 3 contacts NO
 no auxiliary contact



RATIONAL 30280510



Suitable for:

Suitable for:

3351221 CONTACTOR AEG LS15K 32A 230V 16Kw
 coil 230V 50/60Hz
 3 normally open contacts
 no auxiliary contact



RATIONAL 30280512

RATIONAL 30280554

3446516 AUXILIARY CONTACT AEG HS7K.01
 10A
 1 normally closed contact



RATIONAL 30280561

3351222 CONTACTOR AEG LS22K 50A 230V 22Kw
 coil 230V 50/60Hz
 3 normally open contacts
 no auxiliary contact



RATIONAL 30280513

RATIONAL 30280558

3351223 CONTACTOR AEG LS30K 65A 230V 30Kw
 coil 230V 50/60Hz
 3 normally open contacts
 no auxiliary contact



RATIONAL 30280515

3351211 CONTACTOR AEG LS4K 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact



RATIONAL 30280506

RATIONAL 30280551

3446516 AUXILIARY CONTACT AEG HS7K.01
 10A
 1 normally closed contact



RATIONAL 30280561

3454032 AUXILIARY CONTACT AEG HS7K.10
 1 NO contact



RATIONAL 30280560

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



RATIONAL 30250550

RATIONAL 30280507

RATIONAL 30280550

3446516 AUXILIARY CONTACT AEG HS7K.01
 10A
 1 normally closed contact



RATIONAL 30280561



Suitable for:

3454032 **AUXILIARY CONTACT AEG HS7K.10**
1 NO contact



RATIONAL



Suitable for:

RATIONAL 30280560

3351217 **CONTACTOR AEG LS7K 18A 230V 7.5Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



RATIONAL 30280508

RATIONAL 30280552

RATIONAL 30280557

3351218 **CONTACTOR AEG LS7K 18A 230V 7.5Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



RATIONAL 30280509

3351219 **CONTACTOR AEG LS7K 18A 230V 7.5Kw**
coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact



RATIONAL 30280517

RATIONAL 4003689

5021314 **AUXILIARY CONTACT AEG HS8.K11**
1 contact NO
1 contact NC



RATIONAL

Electrical gas valves and accessories

3526102 **ELECTRIC COUPLING WITH CABLE**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



RATIONAL 30390205



Electronic controllers

- 3445375 CONTROLLER ELIWELL ID PLUS 902**
 230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



RATIONAL 4001360

- 3445156 PROBE NTC PVC 3000 mm**
 temperature range -30°+80°C
 bulb ø 6x40 mm



- 3445167 PROBE NTC TPE IP68 1500 MM**
 temperature range -50°+110°C
 bulb ø 5x20 mm watertight



- 3445154 PROBE NTC TPE STEEL IP68 3000 MM**
 temperature range -40°+110°C
 bulb ø 6x40 mm watertight



- 3445379 PROBE PT1000 1500 MM IP68**
 temperature range -50°+110°C
 bulb ø 6x20 mm watertight



- 3445157 PROBE NTC PVC 1500 mm**
 temperature range -30°+80°C
 bulb ø 6x40 mm



- 3445028 PROBE NTC PVC 4000 mm**
 temperature field -30°+80°C
 bulb ø 6x20 mm



- 3445335 PROBE NTC TPE IP68 3000 MM**
 temperature range -50°+110°C
 bulb ø 5x20 mm watertight



- 3445184 PROBE NTC TPE STEEL 1500 MM IP68**
 temperature range -40°+110°C
 bulb ø 6x40 mm watertight



- 3445380 PROBE PT1000 3000 MM IP68**
 temperature range -50°+110°C
 bulb ø 6x20 mm watertight





Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



RATIONAL



Suitable for:

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



3445913 SILICONE PROBE NTC 1500 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445155 SILICONE PROBE NTC 3000 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range -55+150°C
bulb ø 6x40 mm



3445959 SILICONE PTC PROBE 5000 mm
temperature range -55+150°C
bulb ø 6x40 mm



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



Feet

3313016 ADJUSTABLE S/STEEL FOOT ø 1" x h 80 mm
with plastic support for tubular foot 40x40 mm
adjustable height 23÷58 mm
max load 400 Kg





Fuses

3049020 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 6.3A



RATIONAL 30190200

3049065 DELAY FUSE \varnothing 6.3x32 mm - 10 PCS
250V 6.3A



RATIONAL 40010224

5048166 MORSETTO PORTAFUSIBILI \varnothing 6x32 mm
600V 10A



RATIONAL 40011283

3049049 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 2A



RATIONAL 30190120

3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 4A



RATIONAL 30190112

3049034 QUICK ACTING FUSE \varnothing 6.3x32 mm - 10 PCS
500V 10A



RATIONAL 40010225

Gaskets and seals

3786614 GASKET FOR OVEN LAMP RECEPTACLE
dimensions 48x41x3 mm



RATIONAL 50120535

Glues

3392003 RED SILICONE SUPERSIL 60 ml
temperature max +350°C
STRONG ADHESION
excellent for the sealing of parts exposed to
high temperatures, OVENS, MOTORS, STOVES, BOILERS
suitable as sealer for OVEN GASKETS



RATIONAL 50060200

RATIONAL 50060207



Suitable for:

RATIONAL



Suitable for:

Hose reels

7105034 HOUSING FOR SHOWER BLACK



RATIONAL 5000549

Hydraulic piping

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
operating temperature -40+100°C



RATIONAL 20670300

RATIONAL 20670301

RATIONAL 20670315

RATIONAL 21101017

Incandescent lamps and neon lamps

3221250 HALOGEN LAMP NEUTRAL G4 10W 12V
max. temperature 250°C



RATIONAL 30240201

RATIONAL 30240201P

3221252 NEON LAMP FOR OVEN Ba15d 7W 230V
dimensions \varnothing 16x35 mm
for OVEN



RATIONAL 30250306

3221067 NEON LAMP FOR OVEN E10 2W 230V
dimensions \varnothing 10x28 mm
for OVEN



RATIONAL 30240300

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



RATIONAL 30240200

3221253 OVEN LAMP E14 6/10W 230V
dimensions \varnothing 16x52 mm



RATIONAL 30250304

3221251 OVEN LAMP T10 2W 24V
dimensions \varnothing 10x28 mm



RATIONAL 30240210

RATIONAL 30250210

Suitable for:

Suitable for:

3221258 OVEN NEON LAMP Ba9s 1.5mA 230V
dimensions \varnothing 10x28 mm



RATIONAL 30240301

Indicator lights

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



RATIONAL


3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



RATIONAL

Interference suppression filters

3351240 INTERFERENCE SUPPR.FILTER AEG EB05-A240
72-240V



RATIONAL 30350517

3351242 INTERFERENCE SUPPRESSION FILTER AEG LR3K
130-250V



RATIONAL 30350509

RATIONAL 30350519

Ironmongery (screws,nuts,washers)

1528013 BLIND HEXAGONAL NUT M6
stainl. steel -height 16 mm -UNI 5721 - DIN 1587



RATIONAL 11060360

3528010 FLAT WASHER M6
 \varnothing internal/external 6,4/12 mm - thickness 1,6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



RATIONAL 13060120

3528135 HEXAGONAL NUT HIGH M5
stainless steel - UNI 5587 - ISO 4033



RATIONAL 11050121

3528018 HEXAGONAL NUT M14 SHORT
brass - UNI 5589 - DIN 936 - ISO 4035



RATIONAL 30041406



Suitable for:

RATIONAL



3528202 HEXAGONAL NUT M6 SHORT
stainless steel - UNI 5589 - DIN 936 - ISO 4035



RATIONAL 11060220

1528030 MID HEXAGONAL NUT M6
stainless steel - UNI 5588 - DIN 934 - ISO 4032



RATIONAL 11060160

RATIONAL 11060803

Knobs

2103439 MANOPOLA ø 50 mm 50-80°C
foro mezzaluna 6x4,6 mm



RATIONAL 30130114

Lamp receptacles and spare parts

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions ø 48x38x5 mm
for OVEN



RATIONAL 30250003


RATIONAL 50120509

3221232 GLASS FOR OVEN LAMP RECEPTACLE ø 53 mm
thread ø 33 mm - overall height 32 mm



RATIONAL 30250002

3221311 LAMP RECEPTACLE E14 25W 230V
mounting hole ø 36 mm
max temperature 300°C



RATIONAL

3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V
lamp glass ø 53 mm
mounting hole ø 36 mm
max temperature 300°C



RATIONAL 30230501

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions ø 48x38x5 mm
for OVEN



RATIONAL 30250003

RATIONAL 50120509



Suitable for:

3221232 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 53 mm
thread \varnothing 33 mm - overall height 32 mm



RATIONAL 30250002

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN




RATIONAL



Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



RATIONAL 30240200

3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C



RATIONAL 30230502

RATIONAL 30230506

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN



RATIONAL 30250003

RATIONAL 50120509

3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 53x44x3 mm



3186522 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 40x30x2 mm



3786614 GASKET FOR OVEN LAMP RECEPTACLE
dimensions 48x41x3 mm



RATIONAL 50120535

3221233 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 42 mm
thread \varnothing 33 mm - overall height 26 mm





Suitable for:

2101372 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 38 mm
max temperature 300°C




RATIONAL



Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



RATIONAL 30240200

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



Microswitches

3240437 MAGNET FOR MICROSWITCH 25x12x9 mm



RATIONAL 30161412

3240436 MAGNETIC MICRO SWITCH MK12
with cable 4000 mm - head 32x15 mm



RATIONAL 30161408

RATIONAL 30161415

3240437 MAGNET FOR MICROSWITCH 25x12x9 mm



RATIONAL 30161412

3240054 MICROSWITCH 83731 5A 250V
with cable length 500 mm



RATIONAL 30161400

RATIONAL 30161403

RATIONAL 30161407



Probes

- 7106182 THERMOCOUPLE PROBE**
 2 threads
 200 mm probe length
 silicone cable length 4000 mm



RATIONAL 4000624

Relays

- 3351102 TIME LIMIT RELAY 80.11 16A 240V 50/60Hz**
 1 switching contact
 slow release on excitation



RATIONAL 30350453

- 3351109 TIME LIMIT RELAY 80.41 16A 240V 50/60Hz**
 multifunctional
 1 control contact



RATIONAL 30350402

- 3351116 TIME LIMIT RELAY 83.11 24/240V 50/60Hz**
 1 switching contact
 slow release on excitation
 timer 0.05" ÷ 10h



RATIONAL 30350401

Solenoid valves

- 3120274 COIL MÜLLER 220/240V 50/60Hz**
 max. temperature 90°C
 with cable length 2000 mm



RATIONAL 30020324

RATIONAL 30020325

RATIONAL 30020329



Suitable for:

RATIONAL

Suitable for:



Solenoid valves

3120009 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



RATIONAL 30020331

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%





Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



RATIONAL

Suitable for:



3120011 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



RATIONAL 30020330

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%





Suitable for:

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



RATIONAL



Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



RATIONAL 30020315

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%





Suitable for:

3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



RATIONAL

Suitable for:

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



Tangential and radial fans

3526962 TANGENTIAL FAN 120 mm LH
25W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



RATIONAL 31011004

Terminals and electrical connectors

3051010 FASTON 100 PCS PACKING UNIT
nickel-plated metal made
flat faston 6.3 mm
for cable section from ø 1 to 2.5 mm
max temperature +300°C



RATIONAL 40020100



Suitable for:

RATIONAL



Suitable for:


Thermostats

3241870 BEZEL RING NUT \varnothing 52 mm
chrome plated metal Bezel
for EGO thermostate knob



RATIONAL

40K0662 THERMOSTAT SINGLE-PHASE 100-470°C
complete with selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 1100 mm
bulb \varnothing 4x225 mm



RATIONAL 4000799

3444540 SINGLE-PHASE THERMOSTAT 0-110°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1400 mm
bulb \varnothing 6x140 mm



RATIONAL 33060301

3444959 THREE-PHASE THERMOSTAT 220°C
with manual reset
capillary length 1000 mm
bulb \varnothing 6x90 mm





















RATIONAL 4000673

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us