




Spare parts for:

Cooking equipment



Suitable for:

SAGI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

SAGI



Suitable for:

Air regulators

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SAGI 33A0970

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



SAGI 32M7130

SAGI 32V5790

Ball valves and accessories

3526693 WATER VALVE \varnothing 1"MF
ball valve
heavy series with PN 25 total passage
aluminium lever



SAGI 33D0890

SAGI 33D1740

Bearings

1063901 BEARING 6204 DDU NSK
external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm



SAGI 3103840

3063122 BEARING 6204 2RSH SKF
external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm



SAGI 3103840




Bodies

5013080 "U" PROFILE FOR 140x32x20 MM



SAGI 35U8210

5013078 FRONT PANEL FIREPLACE 550x270 MM



SAGI 35D4820

5013079 REAR PANEL FIREPLACE 550x270 MM



SAGI 35D4810

Bulb sheathes

3187006 THERMOSTAT SHEATHING \varnothing 1/2"
bulb length 105 mm



SAGI 30Q1070

3186138 ASBESTOS FREE FLAT GASKET \varnothing 30x21x2 mm



3743651 BULB SHEATH RING NUT \varnothing 1/2"



3786547 GASKET FLAT EPDM \varnothing 24x16x3 mm
for bulb holder sheathing



SAGI 3151880

SAGI 37Q2840

3187050 LOCK NUT \varnothing 1/2"
with milled seat for gasket
with gasket \varnothing 26 mm





Suitable for:

Suitable for:

5001215 THERMOSTAT SHEATHING \varnothing 1/4"
complete with fixing nut and washer
bulb length 240 mm



SAGI 30Q0150

Burners, flame spreaders and accessories

3025749 BURNER \varnothing 130 mm 7.5kW



SAGI 34A2050

SAGI 34A2051

SAGI 34A2052

3025218 BURNER \varnothing 110 mm
for new series



SAGI 34A1390

SAGI 34A1391

3025747 BURNER \varnothing 110 mm 5.5/6 kW



SAGI 34A2030

SAGI 34A2032

3025261 BURNER \varnothing 110 mm 7Kw



SAGI 3019380

3025272 BURNER \varnothing 130 mm 10KW



SAGI 3019360

3025219 BURNER \varnothing 140 mm
for new series



SAGI 34A1400

SAGI 34A1401

3025263 BURNER \varnothing 80 mm 4KW



SAGI 3057600


3025217 BURNER \varnothing 90 mm
for new series



SAGI 34A1380

Suitable for:

3025160 BURNER CAP \varnothing 110 mm
for second series



SAGI 34A1131

SAGI 34A1132

SAGI 34A1133

3025156 BURNER SUPPORT \varnothing 22 mm
thread M20x1.5 mm - jet hole M10x1
for burner \varnothing 60-90-110 mm



SAGI 36D0070

Suitable for:

3025218 BURNER \varnothing 110 mm
for new series



SAGI 34A1390

SAGI 34A1391

3025220 BURNER SUPPORT \varnothing 35 mm
jet hole M10x1
for burner \varnothing 90-110-140 mm
for new series



SAGI 36D2771

3025162 BURNER CAP \varnothing 140 mm
for new series



SAGI 34A1141

3025220 BURNER SUPPORT \varnothing 35 mm
jet hole M10x1
for burner \varnothing 90-110-140 mm
for new series



SAGI 36D2771

3025219 BURNER \varnothing 140 mm
for new series



SAGI 34A1400

SAGI 34A1401

3025158 BURNER CAP \varnothing 90 mm
for second series



SAGI 34A1121

SAGI 34A1122

SAGI 34A1123

3025217 BURNER \varnothing 90 mm
for new series



SAGI 34A1380



Suitable for:

3025156 BURNER SUPPORT \varnothing 22 mm
thread M20x1.5 mm - jet hole M10x1
for burner \varnothing 60-90-110 mm



SAGI 36D0070

SAGI



Suitable for:

3025220 BURNER SUPPORT \varnothing 35 mm
jet hole M10x1
for burner \varnothing 90-110-140 mm
for new series



SAGI 36D2771

3025676 BURNER SUPPORT
internal hole \varnothing 33 mm



SAGI 34A2070

SAGI 34A2071

3025156 BURNER SUPPORT \varnothing 22 mm
thread M20x1.5 mm - jet hole M10x1
for burner \varnothing 60-90-110 mm



SAGI 36D0070

3025220 BURNER SUPPORT \varnothing 35 mm
jet hole M10x1
for burner \varnothing 90-110-140 mm
for new series



SAGI 36D2771

3025257 BURNER TRAVERSE



SAGI 35M2880

3025746 FLAME SPREADER \varnothing 110 mm 5.5/6kW



SAGI 34A2040

3025747 BURNER \varnothing 110 mm 5.5/6 kW



SAGI 34A2030

SAGI 34A2032

3025676 BURNER SUPPORT
internal hole \varnothing 33 mm



SAGI 34A2070

SAGI 34A2071

3025690 JET HOLDER FITTING \varnothing 35 mm
jet hole M5x1



SAGI 34A2020



Suitable for:

3186657 RED SILICONE O-RING 02187



SAGI 3152040

3025260 FLAME SPREADER ø 110 mm 7Kw



SAGI 3019390

3025676 BURNER SUPPORT
internal hole ø 33 mm



SAGI 34A2070

SAGI 34A2071

3186657 RED SILICONE O-RING 02187



SAGI 3152040

3025259 VENTURI WITH NOZZLE HOLDER 7Kw



SAGI 6013760

SAGI 6013761

3025271 FLAME SPREADER ø 130 mm 10KW



SAGI 3019370

SAGI



Suitable for:

3025745 VENTURI FOR BURNER ø 110 mm 5.5/6kW
internal hole ø 12.5 mm



SAGI 34A2010

3025261 BURNER ø 110 mm 7Kw



SAGI 3019380

3025690 JET HOLDER FITTING ø 35 mm
jet hole M5x1



SAGI 34A2020

3025744 VENTURI FOR BURNER ø 110 mm 7.5Kw
internal hole ø 14.5 mm



SAGI 34A2000

3025272 BURNER ø 130 mm 10KW



SAGI 3019360



Suitable for:

3186657 RED SILICONE O-RING 02187



SAGI 3152040

3025748 FLAME SPREADER ø 130 mm 7.5kW



SAGI 34A2060

3025676 BURNER SUPPORT
internal hole ø 33 mm



SAGI 34A2070

SAGI 34A2071

3186657 RED SILICONE O-RING 02187



SAGI 3152040

3025262 FLAME SPREADER ø 80 mm 4KW



SAGI 3057610

3025304 VENTURI WITH NOZZLE HOLDER 4KW



SAGI 6020730


SAGI 6020731

SAGI



Suitable for:

3025258 VENTURI WITH NOZZLE HOLDER 10KW



SAGI 6014830

SAGI 6014831

3025749 BURNER ø 130 mm 7.5kW



SAGI 34A2050

SAGI 34A2051

SAGI 34A2052

3025690 JET HOLDER FITTING ø 35 mm
jet hole M5x1



SAGI 34A2020

3025744 VENTURI FOR BURNER ø 110 mm 7.5Kw
internal hole ø 14.5 mm



SAGI 34A2000

3025263 BURNER ø 80 mm 4KW



SAGI 3057600



Suitable for:

3025690 JET HOLDER FITTING \varnothing 35 mm
jet hole M5x1



SAGI 34A2020

Suitable for:

3025745 VENTURI FOR BURNER \varnothing 110 mm 5.5/6kW
internal hole \varnothing 12.5 mm




SAGI 34A2010

3025744 VENTURI FOR BURNER \varnothing 110 mm 7.5Kw
internal hole \varnothing 14.5 mm



SAGI 34A2000

3025258 VENTURI WITH NOZZLE HOLDER 10KW



SAGI 6014830

SAGI 6014831


3025304 VENTURI WITH NOZZLE HOLDER 4KW



SAGI 6020730

SAGI 6020731

3025259 VENTURI WITH NOZZLE HOLDER 7Kw



SAGI 6013760

SAGI 6013761

Cables for piezo igniters

5021577 EARTHING CABLE 620 mm
with faston 3x0.8 mm for ignition
with faston slot \varnothing 4 mm



SAGI 32A0441

5031826 IGNITION CABLE 1200 MM
with faston 3x0.8 mm for ignition
with faston \varnothing 2.4 mm for plug
for ALPHA-DELTA-GAMMA-BIFRONTI



SAGI 32A2360

SAGI 32A2361

5061197 IGNITION CABLE 1600 MM
with faston 3x0.8 mm for ignition
with faston \varnothing 2.4 mm for plug



SAGI 32A3080

3001039 IGNITION CABLE 900 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal 3x0.8 mm for plug



SAGI 32A0891



Suitable for:

SAGI



5017499 IGNITION CABLE 900 MM
 with faston 3x0.8 mm for ignition
 with faston \varnothing 2.4 mm for plug
 for ALPHA-DELTA-GAMMA-BIFRONTE



SAGI 32A2540

SAGI 32A2541

Suitable for:

3001019 IGNITION LEAD 1000 mm
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 2.4 mm for electrode



SAGI 32A2550

5008988 IGNITION LEAD 1200 mm
 with faston 3x0.8 for ignition
 with faston 3x0.8 mm for sparkling plug



SAGI 32A0061

SAGI 32A0390

5028857 IGNITION LEAD 1600 mm
 with faston 3x0.8 for ignition
 with faston 3x0.8 mm for sparkling plug



SAGI 3011720

3001017 IGNITION LEAD 600 mm
 with faston 6.35x0.8 mm for ignition
 with faston \varnothing 4 mm for electrode



SAGI 32A0051

SAGI 32A0210

Capacitors, electrical

3068087 CAPACITOR ELECTRICAL 35 μ F
 450V 50/60Hz - \varnothing 45xh91 mm



SAGI 32V5980

3068079 CAPACITOR ELECTRICAL 8 μ F
 450V 50/60Hz - \varnothing 30xh71 mm



SAGI 32Z2490


Cast iron hot plates

3312005 COOKING PLATE - DISK \varnothing 225 mm
 made of cast iron



SAGI 3044740

3312061 RIBBED PLATE 385x320 mm
 made of cast iron



SAGI PRS

Suitable for:

Suitable for:

3312062 SMOOTH PLATE 385x320 mm
made of cast iron



SAGI PLS

Circlips

1250023 RADIAL SEEGER RING \varnothing 5 mm
stainless steel - external \varnothing 11.3 - thickness 0.7
UNI 7434 - DIN 6799



SAGI 3120460

Clamps

3449451 HOSE CLAMP 10-16
for pipes \varnothing 10÷16 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



SAGI 36E4320

3449452 HOSE CLAMP 16-25
for pipes \varnothing 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



SAGI 3140230

3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



SAGI 3140220

3449470 HOSE CLAMP 32-50
for pipes \varnothing 32÷50 mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



SAGI 3140300



Suitable for:

SAGI



Suitable for:

Contact thermostats

5039001 CONTACT THERMOSTAT 50°C
with automatic reset



SAGI 3093940

5030497 CONTACT THERMOSTAT 70°C 10A 250V
with automatic reset



SAGI 3008880

Contactors

3446562 CONTACTOR LOVATO BF0901A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact




SAGI 3100940

SAGI 32V5290

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



3446587 CONTACTOR LOVATO BF2600A
coil 26A 230V 50/60Hz 13Kw
3 normally open contacts
no auxiliary contact



SAGI 3110890

SAGI 32Z2091

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



3446588 CONTACTOR LOVATO BF3200A
coil 32A 230V 50/60Hz 16Kw
3 normally open contacts
no auxiliary contact



SAGI 3100930

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



Suitable for:

3446558 CONTACTOR LOVATO BGF0901A
 9A 400V 4Kw - coil 230V 50/60Hz
 3 NO contacts
 1 NC auxiliary contact



SAGI 32Z3512

Suitable for:

3446557 CONTACTOR LOVATO BG0901A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally closed auxiliary contact



SAGI 32V6550

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



SAGI 32V1880

3446227 AUXILIARY CONTACT LOVATO G218
 10A
 1 contact NO
 1 contact NC



5023908 CONTACTOR SIEMENS 3RT1025-1AL20
 17A 400V 7.5Kw - coil 230V 50/60Hz
 3 normally open contacts



SAGI 32Z9250

5059050 AUXILIARY CONTACT SIEMENS 3RH1921
 1 contact normally open
 1 contact normally closed



5068368 HEAT RELAY LOVATO 0.6-1 A
 RF9-1
 1 contact NO
 1 contact NC



SAGI 32V6950

5024564 HEAT RELAY LOVATO 0.9-1.5 A
 RF9.1V5
 1 contact NO
 1 contact NC



SAGI 32V1010

SAGI 32Z0930


Cooking baskets and accessories

3055149 DRAINING STAND 650x340 mm
 handle height: 175 mm
 made of STAINLESS steel



SAGI 36A2301

3055328 FALSE BOTTOM 340x330 mm
 handle height 185 mm
 made of STAINLESS steel



SAGI 36A2590

SAGI 36A2591




Suitable for:

SAGI



5031632 FALSE BOTTOM 500x297x110 mm
iron plated




SAGI 36A4640

SAGI 36A4641

SAGI 36A4642

Suitable for:

5000111 FALSE BOTTOM 500x297x80 mm
iron plated



SAGI 36A4630

SAGI 36A4631

3055108 PASTA COOKER BASKET 105x100x150 mm
made of stainless steel



SAGI C1011

SAGI 3012120

5017419 PASTA COOKER BASKET 225x270x200 mm
made of STAINLESS STEEL



SAGI C2327

5019584 PASTA COOKER BASKET 270x145x200 MM
stainless steel



SAGI C2715

3055107 PASTA COOKER BASKET 290x100x150 mm
made of stainless steel



SAGI 36A2580

SAGI 36A2581

SAGI 36A2582

3055109 PASTA COOKER BASKET 295x180x150 mm
made of stainless steel



SAGI C2028

SAGI 3012130

SAGI 51AL961

3055110 PASTA COOKER BASKET 300x280x150 mm
made of stainless steel



SAGI C3028

SAGI 3012140

5023501 PASTA COOKER BASKET 302x95x200 mm
made of stainless steel



SAGI C0930

SAGI 3240680

5057932 PASTA COOKER BASKET 305x230x200 MM
stainless steel



SAGI C3023

5038550 PASTA COOKER BASKET 306x115x205 mm
in STAINLESS STEEL



SAGI C3011

5030420 PASTA COOKER BASKET 308x275x200 MM
stainless steel



SAGI C2830

Suitable for:

3055190 PASTA COOKER BASKET 450x260x200 mm
made of STAINLESS steel



SAGI C4627

Suitable for:

5030023 PASTA COOKER BASKET 93x93x200 MM
stainless steel



SAGI C0909

Drain assembly

3316127 DRAIN ASSEMBLY CROSS
external \varnothing 51 mm
for SINKS



SAGI 33D1010

Drain hoses

5050177 COUPLING FOR DRAIN TAP \varnothing 1"MM
 \varnothing side outlet 32 mm - bracket 87x42 mm
distance between holes 70 mm - height fitting 190



SAGI 3067450

SAGI 3067451

5018022 DRAIN HOSE \varnothing 1"MM
length 195 mm



SAGI 35X0270

5018024 DRAIN HOSE \varnothing 1"MM
length 45 mm



SAGI 35X3830

5057153 DRAIN PIPE \varnothing 40x290 mm
internal \varnothing 38 mm



SAGI 3066510

SAGI 3066511

5058417 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 38 mm - length 200 mm - bayonet joint



SAGI 3AZ0100

SAGI 3212440



Suitable for:

SAGI



Suitable for:

Drain taps and accessories

- 3356092 DRAIN OFF TAP DIA 3/4 F.**
 TECO BLOCK safety handle
 tap body in brass CW617N UNI 12165
 chrome plated superficial finish
 Hostaform handle with metal core
 operating temperature 120°C max
 operating pressure 4 bar max



SAGI 3072720

- 3356004 DRAIN TAP ø 1" F**
 TAPERED SEAL - fixed connection ø 1" F
 for BOILING PAN



SAGI 33D0980

- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



- 3186009 ASBESTOS FREE FLAT GASKET ø 45x33x2 mm**



- 1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature -45°/+120°
 beige color - NSF approval H1
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline





Suitable for:

3356029 HANDLE FOR DRAIN TAP
for drain tap \varnothing 3/4" and 1"



3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to $+120^{\circ}\text{C}$
from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily



SAGI



Suitable for:

3180061 TAPE FOR JOINT SEALING LOCTITE 55 - 150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3356106 DRAIN TAP \varnothing 1" F
outlet internal \varnothing 25 mm



SAGI A023020

SAGI 3111510

SAGI 33D1760

3243142 O-RING 04118 EPDM



SAGI 33D1980

SAGI 33D1980+3029350

3225001 DRAIN TAP LEVER \varnothing 1" F



SAGI 35G7250

5058417 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 38 mm - length 200 mm - bayonet joint



SAGI 3AZ0100

SAGI 3212440

3356047 DRAIN TAP \varnothing 1" MF



SAGI 33D1980

SAGI 33D1980+3029350

5054493 "T" FITTING OF BRASS \varnothing 1" F



SAGI 3067420



Suitable for:

5022048 "T" FITTING OF CAST IRON Ø 1" F



SAGI 33Q2030

5018022 DRAIN HOSE Ø 1" M
length 195 mm



SAGI 35X0270

5061849 ELBOW FITTING OF CAST IRON Ø 1" F



SAGI 33Q2930

3356005 DRAIN TAP Ø 1" 1/4 F TECNO
TAPERED SEAL - fixed connection Ø 1" 1/4 F
with gasket
for BOILING PAN



SAGI 33D0080

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



SAGI

Suitable for:

5050177 COUPLING FOR DRAIN TAP Ø 1" M M
Ø side outlet 32 mm - bracket 87x42 mm
distance between holes 70 mm - height fitting 190



SAGI 3067450

5018024 DRAIN HOSE Ø 1" M
length 45 mm



SAGI 3067451

SAGI 35X3830



3186240 ASBESTOS FREE FLAT GASKET Ø 46x38x2 mm
for drain tap Ø 1" 1/2



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline





Suitable for:

3242189 HANDGRIP FOR DRAIN TAP
for DRAIN TAP \varnothing 1"1/2F e 1"1/4F



3180061 TAPE FOR JOINT SEALING LOCTITE 55 - 150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



SAGI



Suitable for:

3356128 PIN \varnothing 5x30 mm
complete with blind nut



3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



3359123 DRAIN TAP \varnothing 18 mm



SAGI 33D2130

SAGI 33D2131

3356100 DRAIN TAP \varnothing 2" F TECNO
GASKET SEAL - with swivel nut \varnothing 2" F



SAGI 33D0600

3356101 CAP FOR DRAIN TAP
for DRAIN TAP \varnothing 2" OLD MODEL



3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
for drain tap \varnothing 2" old model



SAGI 37Q4070


3356016 DRAIN NIPPLE \varnothing 2"x80 mm
in brass





Suitable for:

3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



5015573 GASKET FLAT ASBE. FREE \varnothing 61x48x2 mm
for drain tap \varnothing 2"



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3180061 TAPE FOR JOINT SEALING LOCTITE 55 - 150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



SAGI

Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



3186199 GASKET INTERNAL EPDM FOR TAPS
NSF APPROVED
for DRAIN TAP \varnothing 1"1/4 and 1"1/2



3242191 PIN M6x40
for DRAIN TAP \varnothing 2"OLD MODEL



3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to $+120^{\circ}\text{C}$
from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily





Suitable for:

3186241 VITON O-RING 06212
for DRAIN TAP ø 2" OLD MODEL AND
TECNO NEW MODEL



SAGI 3152331


3356104 DRAIN TAP ø 2" F TECNO
TAPERED SEALING - with swivel nut ø 2" F



SAGI 33D2290

SAGI 33D2291

3242190 DRAIN TAP HANDGRIP
for DRAIN TAP ø 2" OLD MODEL
AND FOR TECNO NEW MODEL



5015573 GASKET FLAT ASBE. FREE ø 61x48x2 mm
for drain tap ø 2"



SAGI



Suitable for:

3186242 ASBESTOS FREE FLAT GASKET ø 61x46x2 mm
for drain tap ø 2" old model



SAGI 37Q4070

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline





Suitable for:

3242191 PIN M6x40
for DRAIN TAP Ø 2"OLD MODEL



SAGI



Suitable for:

3180061 TAPE FOR JOINT SEALING LOCTITE 55 - 150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily




3225001 DRAIN TAP LEVER Ø 1" F



SAGI 35G7250

5017286 OUTLET TAP Ø 3/4" F
with turning nut Ø 3/4" F



SAGI 33D0853

Electric hot plates

3311096 ELECTRIC HOT PLATE Ø 180 mm 2000W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



SAGI 32G0030

3311097 ELECTRIC HOT PLATE Ø 180 mm 2000W 400V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



SAGI 32G0290

SAGI 32G1320

Suitable for:


3311169 ELECTRIC HOT PLATE \varnothing 200 mm 1700W 230V
 faston electric connections
 complete with energy adjuster
 for glass-ceramic cooking top



SAGI 3080080

Suitable for:

3311100 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 230V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



SAGI 32G0020


3311101 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 400V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



SAGI 32G0300

SAGI 32G1330


3311087 ELECTRIC HOT PLATE \varnothing 250 mm 2500W 230V
 faston electric connections
 complete with energy regulation
 for glass-ceramic cooking top



SAGI 3007650

SAGI 3080070

3455404 ELECTRIC HOT PLATE OCTAGONAL \varnothing 300 mm
 3400/1400W 230V
 faston electric connections
 complete with energy regulation
 for glass-ceramic cooking top



SAGI 3037491

3311053 ELECTRIC HOT PLATE 2600W 230V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



SAGI 3018350

3311054 ELECTRIC HOT PLATE 2600W 400V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



SAGI 32G2860

3311062 ELECTRIC HOT PLATE 3000W 230V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



SAGI 32G1201



Suitable for:

3311063 ELECTRIC HOT PLATE 3000W 400V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



SAGI 32G0930

SAGI 32G1090

Suitable for:

3311064 ELECTRIC HOT PLATE 4000W 230V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



SAGI 32G1210

SAGI 32G1211

3311065 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



SAGI 32G0940

SAGI 32G1080

Electrical cables

3390042 CABLE FOR CIRCUIT BOARD CONNECTION
length: 1500 mm



SAGI 32A2290

Electrical gas valves and accessories

3030001 COUPLING ELECTRIC WITH CABLE
for valve sit 824 NOVA-826 NOVA-836 TANDEM



SAGI 32A2340

2110618 DOUBLE COIL FOR VALVE
230V 50Hz
for VALVE 840 SIGMA-848 SIGMA



SAGI 3188170

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SAGI 32A2330

3526092 ELETTROSIT VALVE \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 220/240V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



SAGI 33A0590

SAGI 6000640

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETTROSIT VALVE



3526106 STRAIGHT FLANGE \varnothing 1/2"
 with screws and "O" ring
 for ELETTROSIT VALVE



3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SAGI 33A0020

3526100 COIL 220V
 for VALVE ELETTROSIT



3001008 PIEZO IGNITER
 a \varnothing 14 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETTROSIT VALVE



3526138 VALVE PROTECTION 72x44 mm



SAGI 37Q1200



Suitable for:

SAGI



Suitable for:

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



SAGI 33A0530

3526100 COIL 220V
 for VALVE ELETTROSIT



3526137 BUTTON FOR ELETTROSIT VALVE 46 mm



3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETTROSIT VALVE



3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm
 for switching on/off buttons



3001008 PIEZO IGNITER
 a \varnothing 14 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



3526136 SPRING FOR PUSH-BUTTON



3526106 STRAIGHT FLANGE \varnothing 1/2"
 with screws and "O" ring
 for ELETTROSIT VALVE



3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETTROSIT VALVE




3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SAGI 33A0020

3526066 HONEYWELL VALVE V4400C \varnothing 3/4"FF 220V
 inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 60 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz



SAGI 33A0450

3526078 ELBOW FLANGE \varnothing 3/4"
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526076 STRAIGHT FLANGE \varnothing 3/4"
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



Suitable for:

3526077 ELBOW FLANGE \varnothing 1/2"
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526075 STRAIGHT FLANGE \varnothing 1/2"
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P




3526124 KNOB EXTENSION LENGTH 67 mm
 for VALVE 820 NOVA-824 NOVASIT



SAGI 3227400

SAGI 33G0620

3526123 RUBBER PROTECTION FOR EUROSIT VALVE



SAGI 3152280

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETROSIT-820 NOVA-824 NOVASIT



SAGI 33A0020



Suitable for:

SAGI



3526145 VALVE NOVASIT \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection 9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range
 2÷50 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz



SAGI 33A0930

3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



Suitable for:

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3030001 COUPLING ELECTRIC WITH CABLE
 for valve sit 824 NOVA-826 NOVA-836 TANDEM



3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SAGI 32A2340

3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526124 KNOB EXTENSION LENGTH 67 mm
 for VALVE 820 NOVA-824 NOVASIT



SAGI 32A2330

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
 for valve SIT NOVASIT 820



SAGI 3227400

SAGI 33G0620

3020083 NUT & OLIVE \varnothing 4 mm





Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SAGI 33A0020

3526138 VALVE PROTECTION 72x44 mm



SAGI 37Q1200

SAGI

Suitable for:

3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



SAGI 33A0130





Suitable for:

SAGI



3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz



SAGI 33A0460

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



Suitable for:

3526270 VALVE 820 NOVA EXTENSION
 D shaft \varnothing 10x8 mm



3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



5047586 EXTENSION FOR VALVE 820 NOVA
 D-shaped pin \varnothing 10x8 mm



SAGI 32A2330

3241141 EXTENSION FOR 820 NOVA VALVE
 D-shaped pin 10x8 mm
 for OVEN- FRYER



3526124 KNOB EXTENSION LENGTH 67 mm
 for VALVE 820 NOVA-824 NOVASIT



SAGI 3227400

SAGI 33G0620



Suitable for:

3241142 KNOB GASKET \varnothing 44 mm



3020083 NUT & OLIVE \varnothing 4 mm



3001008 PIEZO IGNITER

a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm




3526075 STRAIGHT FLANGE \varnothing 1/2"

complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



5012595 VALVE EXTENSION 820 NOVA

D-shaped pin \varnothing 6x4.6 mm



3526269 VALVE 820 NOVA EXTENSION

D shaft \varnothing 10x8 mm



SAGI

Suitable for:

3182008

MAGNETIC UNIT SIT

\varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



3020084

NUT & OLIVE \varnothing 6 mm



3526103

PROTECTING COVER


for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526076

STRAIGHT FLANGE \varnothing 3/4"

complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526096

VALVE MICROSWITCH

maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SAGI 33A0020





Suitable for:

SAGI



2101992 VALVE 840 SIGMA \varnothing 3/4"MM
 inlet \varnothing 3/4" M - outlet \varnothing 3/4" M
 max. pressure of inlet gas 60 mbar
 calibration field of outlet pressure
 2÷50 mbar
 room temperature 0÷60°C
 power supply 220V 60Hz



SAGI 3041070

Suitable for:

2110618 DOUBLE COIL FOR VALVE
 230V 50Hz
 for VALVE 840 SIGMA-848 SIGMA



SAGI 3188170

2102533 VALVE 840 SIGMA \varnothing 3/4"MM
 inlet \varnothing 3/4" M - outlet \varnothing 3/4" M
 gas inlet maximum pressure 60 mbar
 calibration range of outlet pressure
 2÷50 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz



SAGI 3011580

2110618 DOUBLE COIL FOR VALVE
 230V 50Hz
 for VALVE 840 SIGMA-848 SIGMA



SAGI 3188170

Electronic boxes

5051671 CONTROL BOX ECM113
 model BRAHMA - 100/240V 50/60Hz 15VA
 dimensions 107x80 mm



SAGI 3128260



Electronic controllers

3445136 THERMOSTAT EK342A TCJ
 power supply 230Vac 50/60Hz
 thermostat setting range -0+600°C
 ceiling and deck dual temperature setting
 2 relay outputs 6(2)A 250V for heating elements
 1 relay output 6(2)A 250V for heating
 1 relay output 6(2)A 250V for chamber light
 inbuilt alarm buzzer
 room temperature 0+55°C
 thermocouple TCJ type probe (not included)
 connections by screwed terminal block
 front dimensions 72x144x79 mm
 mounting hole 138x67 mm
 with cooking timer - steam control
 ex EC8-342-J220



3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit ±0.75% below 0°C
 response time 30 sec
 bulb ø 6x100 mm



SAGI

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved




3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



SAGI 32Z3470


Electronic printed-circuit boards

3390164 CONTROL CIRCUIT BOARD 230V 105x90 mm



SAGI 32Z9090

3390041 CONTROL ELECTRONIC BOARD 96x61 mm



SAGI 32V0780

3390042 CABLE FOR CIRCUIT BOARD CONNECTION
 length: 1500 mm




SAGI 32A2290



Suitable for:

3390164 CONTROL CIRCUIT BOARD 230V 105x90 mm



SAGI 32Z9090

3390043 THERMOCOUPLE PROBE TCJ
bulb \varnothing 6x70 mm- threaded connection \varnothing 10 mm
silicone tube length 600 mm



SAGI

Suitable for:

3399042 STICKING CONTROL PLATE 97x60 mm




SAGI 37M8560



SAGI 32V0030

5034957 MOTHERBOARD 120x86 mm



SAGI 3076840

Energy regulators


3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



SAGI 32Z0170

SAGI 32Z0171

3350035 ENERGY ADJUSTER
contact capacity 230V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



SAGI 3008300

Fans for motors

3240106 IMPELLER \varnothing 160 mm
thickness 35 mm
12 blades - hole \varnothing 8 mm



SAGI 32M0370



Feet

5029806 ADJUSTABLE S/STEEL FOOT Ø 2" x h 145 MM
adjustable height 145÷230 mm



SAGI 3313390

SAGI 36C2970

Filters

3160342 DRAIN-FILTER STAINLESS STEEL 76x76 mm



SAGI 3033400
SAGI 35S5900

SAGI 3278360

SAGI 35Q6690

3160264 PAN FILTER S/STEEL



SAGI 30Q0450

3160462 WATER FILTER Ø 1/2"FF



SAGI 35Q2780

3160007 WATER FILTER Ø 3/4"FF



SAGI 33Q6090

SAGI 33Q6091

SAGI 35Q2790

Fittings

5054493 "T" FITTING OF BRASS Ø 1" F



SAGI 3067420

5022048 "T" FITTING OF CAST IRON Ø 1" F



SAGI 33Q2030

5061849 ELBOW FITTING OF CAST IRON Ø 1" F



SAGI 33Q2930

3349353 ELBOW FITTING 1/4" M Ø 8/6 NICKEL



SAGI 3016150



Suitable for:

SAGI




3349352 ELBOW FITTING 1/8" M \varnothing 8/6 NICKEL



SAGI 3014470

Suitable for:

5013264 FITTING \varnothing 3/8" F-1/2" M



SAGI 33Q2570

SAGI 33Q2571

3349342 NICHEL-PL.HOSE-END FITTING \varnothing 1/4" M \varnothing 7



SAGI 3007980

SAGI 33Q6640

3349355 NICHEL-PL.T-FITTING \varnothing 1/8" F-1/8" F-1/8" F



SAGI 3003770

3349320 NICHEL-PLATED FITTING \varnothing 1/2" M-1/2" M



SAGI 3071310

3349330 NICHEL-PLATED FITTING \varnothing 1/4" M-1/8" F



SAGI 3040920

3349318 NICHEL-PLATED FITTING \varnothing 1/8" M-1/8" M



SAGI 3005480

5074928 OLIVE FOR PIPE \varnothing 14 MM
external \varnothing 16.5 mm - height 10 mm



SAGI 36Q0310

Fryer baskets and accessories

3055329 FALSE BOTTOM 430x310 mm
height 195 mm
in plated iron



SAGI 36A2320

3055215 FRYER BASKET 285x190x115 mm
made of chrome-plated iron



SAGI 36A2640

3055278 FRYER BASKET 285x190x115 mm
made of chrome-plated iron



SAGI 36A3480

SAGI 36A3481

3055330 FRYER BASKET 285x225x115 mm
made of chrome-plated iron



SAGI 3007210

SAGI 3007220

SAGI 36A5350

Suitable for:

3055169 FRYER BASKET 310x210x130 mm
made of chrome-plated iron



SAGI 36A1300

Suitable for:

3055214 FRYER BASKET 370x150x120 mm
made of chrome-plated iron



SAGI 36A2340

3055216 FRYER BASKET 370x150x120 mm
made of chrome-plated iron



SAGI 36A2020

3055217 FRYER BASKET 370x150x120 mm
made of chrome-plated iron



SAGI 36A3491

5013267 FRYER BASKET 370x300x120 MM
out of chrome plated iron



SAGI C3830AD

Fuses

3049073 QUICK ACTING FUSE \varnothing 10x38 mm - 10 PCS
500V 10A



SAGI 32V6210

3049043 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 500mA



SAGI 3201540

3049046 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 1A



SAGI 3200020



Suitable for:

SAGI



Suitable for:

Gas burners

3023262 BURNER \varnothing 27x507 mm
made of STAINLESS steel



SAGI 34A0880

5026655 BURNER \varnothing 375x200 mm
made of stainless steel



SAGI 34A2520

SAGI 34A2521

3023116 BURNER \varnothing 40x560 mm
height 140 mm
made of STAINLESS steel



SAGI 34A1461

5008651 BURNER \varnothing 50x450 mm
total length 458 mm
made of STAINLESS STEEL



SAGI 34A2310

3023261 BURNER \varnothing 50x510 mm
overall length 580 mm
made of STAINLESS steel



SAGI 34A0810

5052182 BURNER \varnothing 50x540 mm
total length 590 mm
made of STAINLESS STEEL



SAGI 3014710

5026759 BURNER \varnothing 528x170 mm
made of stainless steel



SAGI 34A0350

3023181 BURNER 1050x350 mm
made of STAINLESS steel



SAGI 34A1630

SAGI 34A1631

3023004 BURNER 335x28 mm
overall length 345 mm
made of stainless steel



SAGI 34A0230

3023185 BURNER 360x300 mm 12kW
overall length 545 mm
made of chrome-plated iron



SAGI 34A0900

Suitable for:

3023179 BURNER 450x650 mm
made of chrome-plated iron



SAGI 34A0730

Suitable for:

5009489 BURNER 570x665 MM
stainless steel



SAGI 34A1430

SAGI 34A1431

3023109 BURNER 580x220 mm
made of stainless steel



SAGI 34A2081

3023186 BURNER 585x270 mm
made of chrome-plated iron



SAGI 34A1840

3500349 INJECTOR HOLDER



SAGI 3035340
SAGI 33Q3361

SAGI 33Q2530

SAGI 33Q2531

3183049 NUT ϕ 3/8"



SAGI 36Q1110

3023117 BURNER 600x300 mm
made of chrome-plated iron



SAGI 34A0580

SAGI 34A1490

3023119 BURNER 610x245 MM
stainless steel



SAGI 34A1520

3023263 BURNER 760x360 mm
made of STAINLESS steel



SAGI 34A1880

3023120 BURNER 765x360 mm
made of STAINLESS steel



SAGI 34A1370



Suitable for:

SAGI



3023187 VERTICAL BURNER 300x74 mm 8kW
made of STAINLESS steel



SAGI 3007720

SAGI 34A2120

Suitable for:

3023141 VERTICAL BURNER 305x55 mm m
made of chrome-plated iron



SAGI 34A1670

Gas hoses

5003303 FLEX. HOSE STAINLESS STEEL ø 4mm 1200mm
with connections and olives ø 4 mm




SAGI 3105190+...
SAGI 36Q1000

SAGI 35X4750
SAGI 36Q1040

SAGI 35Z5670

5013481 GAS HOSE ø 10 mm 400 mm



SAGI 3014320

SAGI 35Z2120

SAGI 35Z2130

5013047 GAS HOSE ø 10 mm 800 mm
with 2 olives ø 10 mm
with 2 fittings for hose ø 10 mm thread M20x1.5 mm



SAGI 3029630

SAGI 3029630+...

SAGI 35Z5980

5064340 GAS HOSE ø 12 mm 400 mm



SAGI 3066040

5050402 GAS HOSE ø 12 mm 600 mm



SAGI 3066050

5054596 GAS HOSE ø 12 mm 800 mm



SAGI 3070510

5003277 GAS HOSE ø 4 mm 400 mm
with fitting and olive ø 4 mm



SAGI 3079290+...

SAGI 35Z4980

5000963 PIPE FOR GAS TAPS ø 10 MM



SAGI 35Z4960



5020581 PIPE FOR GAS TAPS Ø 22 MM
external dimensions 770x615x160 mm




SAGI 3003690

SAGI 3003691

Gas taps and accessories

3348070 GAS TAP 20S
with connections and olives
without pilot flame
inlet connections M16x1.5 mm
outlet connection Ø 1/4"
with flow regulator
thermocouple connection M8x1
D-shaped pin Ø 8x6.5 mm
with block shear connector for replacement
of gas tap SIRAL



SAGI 6004730

5014757 CONNECTION PIPE Ø 6 mm
thread M10x1 mm




3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE Ø 6 mm
for model PEL 21-22-25



3348020 CAP WITH PIN Ø 8x6.5 mm
pin length 22 mm
for model PEL 20S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEADED
Ø head 15 mm - Ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



SAGI 32Z1520

3348036 OLIVE FOR 4 mm Ø PIPE
for model PEL 21-22





Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



SAGI 36Q0830

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060

3348016 GAS TAP 21S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M9x1 mm
D-shaped pin \varnothing 8x6.5 mm



SAGI 33D1170

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm




3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



SAGI

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SAGI 36Q0080

3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348085 GAS VALVE BUSHING



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22





Suitable for:

3182011 MAGNETIC UNIT PEL SMALL HEADED
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110




SAGI 32Z1520

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



SAGI 36Q0080

3348073 GAS TAP 21S
with pilot flame
clamp connection pipe ø 21 mm
fitting outlet ø M16x1.5 mm
with flowrate regulator
thermocouple connection 8x1
D-shaped pin ø 8x6.5 mm



SAGI 33D1930

SAGI

Suitable for:

3348037 OLIVE FOR PILOT PIPE ø 6 mm
for model PEL 21-22-25



3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21




SAGI 36Q0830

3020078 PIPE FITTING ø 6 mm
thread M10x1



SAGI 36Q0060

3348021 CAP WITH PIN ø 8x6.5 mm
pin length 22 mm
for model PEL 21S





Suitable for:

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



SAGI 36Q0830

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060

SAGI

Suitable for:

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEADED
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



SAGI 32Z1520

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SAGI 36Q0080




3348001 GAS TAP 22S/O
 with pilot flame
 with conical horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M8x1
 D-shaped pin \varnothing 10x9 mm



SAGI 33A0100

3348019 CAP WITH PIN \varnothing 10x9 mm
 pin length 26 mm
 for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22



3348025 HORIZONTAL FLANGE CONICAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22



3348059 MAGNET PROTECTION NUT M9x1
 thread M18x1mm
 for model PEL 20-21-22




3348017 CAP WITH PIN \varnothing 10x8 mm
 pin length 26 mm
 for model PEL 22



5014757 CONNECTION PIPE \varnothing 6 mm
 thread M10x1 mm



3348023 HORIZONTAL FLANGE \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
 thread M18x1 mm
 for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
 for PEL tap model 22-24



SAGI 32Z1460



Suitable for:


3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0050

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060

3348061 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin \varnothing 10x9 mm



SAGI 33A1040

SAGI



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE




SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0610

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3348038 PIPE OLIVE \varnothing 10 mm
for model PEL 22



SAGI 36Q1700


3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22





Suitable for:

3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348025 HORIZONTAL FLANGE CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25




SAGI

Suitable for:

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3348023 HORIZONTAL FLANGE \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



SAGI 32Z1460

3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590





Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22




SAGI 36Q0050

3020078 PIPE FITTING ø 6 mm
thread M10x1



SAGI 36Q0060


3348069 GAS TAP 22S/V
with pilot flame
with vertical flange
pipe flange connection ø 21 mm
outlet connection M20x1.5 mm
with flow regulator
thermocouple connection M8x1
D-shaped pin ø 10x9 mm



SAGI 33D1990

SAGI 33D1991

3348019 CAP WITH PIN ø 10x9 mm
pin length 26 mm
for model PEL 22




SAGI



Suitable for:

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0610

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22




3348038 PIPE OLIVE ø 10 mm
for model PEL 22



SAGI 36Q1700

3348017 CAP WITH PIN ø 10x8 mm
pin length 26 mm
for model PEL 22



5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm





Suitable for:

3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348025 HORIZONTAL FLANGE CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25




3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



SAGI

Suitable for:

3348023 HORIZONTAL FLANGE \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



SAGI 32Z1460

3020082 OLIVE FOR 12 mm \varnothing PIPE




SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0610





Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22




SAGI 36Q0050

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1




SAGI 36Q0060

3348011 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm




SAGI 33A1530

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35 mm
for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



SAGI



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22




3348038 PIPE OLIVE \varnothing 10 mm
for model PEL 22



SAGI 36Q1700

3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3348027 HORIZONTAL FLANGE \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23






Suitable for:


3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5
for model PEL 23



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1




SAGI 36Q0060

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



5005865 HOSE FITTING \varnothing 14 MM
thread M20x1.5 mm



SAGI 36Q0210

SAGI




Suitable for:

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3348040 PIPE OLIVE \varnothing 12 mm
for model PEL 23



3348042 PIPE OLIVE \varnothing 20 mm
for model PEL 23



5074928 OLIVE FOR PIPE \varnothing 14 MM
external \varnothing 16.5 mm - height 10 mm



SAGI 36Q0310



Suitable for:

SAGI



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0610

Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



SAGI 36Q0830

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0050

3348038 PIPE OLIVE \varnothing 10 mm
for model PEL 22



SAGI 36Q1700

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21




SAGI 36Q0080

3348083 TAP FOR GAS 21S
with pilot flame
connection to hose flange \varnothing 21 mm
connector outlet M16x1.5 mm
thermocouple connection M8x1
D-shaped pin \varnothing 8x6.5 mm



SAGI 3064310

3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22





Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3348037 **OLIVE FOR PILOT PIPE \varnothing 6 mm**
for model PEL 21-22-25



3348043 **PIPE FITTING \varnothing 10 mm**
thread M16x1.5
for model PEL 20-21



SAGI 36Q0830

3020078 **PIPE FITTING \varnothing 6 mm**
thread M10x1



SAGI 36Q0060

SAGI

Suitable for:

3182011 **MAGNETIC UNIT PEL SMALL HEADED**
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110




SAGI 32Z1520

3348036 **OLIVE FOR 4 mm \varnothing PIPE**
for model PEL 21-22



3348029 **PIPE FITTING \varnothing 4 mm**
thread M10x1
for model PEL 21-22



3348044 **PIPE OLIVE \varnothing 10 mm**
for model PEL 20 - 21



SAGI 36Q0080





Suitable for:

SAGI



Suitable for:

Gas valves and accessories

3526258 EUROSIT VALVE FOR FRYER 110÷190°C

with new knob
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm
 RoHS certificated



SAGI 33A2050

SAGI 33A2051

3526260 EUROSIT VALVE CAP



3526127 FLANGE FOR KNOB EXTENSION



SAGI 33A0920

3020083 NUT & OLIVE \varnothing 4 mm



5050401 OLIVE FOR PIPE \varnothing 10 MM external \varnothing 13 mm - height 8 mm



SAGI 3034890

4056009 CAP FOR VALVE EUROSIT



5050400 FITTING FOR OLIVE \varnothing 10 mm thread \varnothing 3/8" M



SAGI 3032790

5021481 GAS OUTLET VALVE FITTING thread \varnothing 3/8" M - M16x1 mm



3020084 NUT & OLIVE \varnothing 6 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590



Suitable for:

3001111 **PIEZO IGNITER EUROSIT**
male faston \varnothing 2.4 mm



SAGI



Suitable for:

3020079 **PIPE FITTING \varnothing 12 mm**
thread \varnothing 3/8" M



SAGI 36Q0710

3526123 **RUBBER PROTECTION FOR EUROSIT VALVE**



SAGI 3152280

3526130 **EUROSIT VALVE FOR OVEN 100÷340°C**
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



SAGI 33A0570

SAGI 33A0571

SAGI 6300479

3526129 **CLASP \varnothing 3x14 mm**
UNI 6873 - DIN 1481 - ISO 8752




SAGI 31Z8930

3526677 **EXTENSION FOR EUROSIT VALVE**
D-shaped pin \varnothing 10x8 mm



4056009 **CAP FOR VALVE EUROSIT**



3526260 **EUROSIT VALVE CAP**



5050400 **FITTING FOR OLIVE \varnothing 10 mm**
thread \varnothing 3/8" M



SAGI 3032790



Suitable for:

3526127 FLANGE FOR KNOB EXTENSION



SAGI 33A0920

3526128 KNOB EXTENSION LENGTH 34 mm
D-shaft \varnothing 8x6.5 mm



SAGI 33Q3480

SAGI 33Q3481

3020083 NUT & OLIVE \varnothing 4 mm



5050401 OLIVE FOR PIPE \varnothing 10 MM
external \varnothing 13 mm - height 8 mm



SAGI 3034890

3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



SAGI 3152280

SAGI

Suitable for:

5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3526125 KNOB EXTENSION 47 mm
D-shaped pin \varnothing 8x6.5 mm



3020084 NUT & OLIVE \varnothing 6 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



SAGI 36Q0710



3526177 EUROSIT VALVE FOR OVEN 100÷340°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x74 mm



SAGI 3041720


SAGI 6018970

SAGI 6300642

3526260 EUROSIT VALVE CAP



4056009 CAP FOR VALVE EUROSIT



5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M



SAGI 3032790

3526127 FLANGE FOR KNOB EXTENSION



5021481 GAS OUTLET VALVE FITTING
 thread \varnothing 3/8" M - M16x1 mm



SAGI 33A0920

5024657 HANDLE EXTENSION LENGTH 49 mm
 D shape pin \varnothing 8x6.5 mm



3020083 NUT & OLIVE \varnothing 4 mm



SAGI 3051660

SAGI 3051661

3020084 NUT & OLIVE \varnothing 6 mm



5050401 OLIVE FOR PIPE \varnothing 10 MM
 external \varnothing 13 mm - height 8 mm



SAGI 3034890



Suitable for:

3020082 OLIVE FOR 12 mm Ø PIPE



SAGI 36Q0030

SAGI 36Q0200


SAGI 36Q1590

**3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" M**



SAGI 36Q0710

3526139 EUROSIT VALVE FOR OVEN 80±320°C
inlet Ø 3/8" F - outlet Ø 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
capillary length 1000 mm
bulb Ø 4x72 mm



SAGI 33A0941

SAGI 6300477

3526260 EUROSIT VALVE CAP



3526127 FLANGE FOR KNOB EXTENSION



SAGI 33A0920

SAGI




Suitable for:

3001111 PIEZO IGNITER EUROSIT
male faston Ø 2.4 mm




3526123 RUBBER PROTECTION FOR EUROSIT VALVE



SAGI 3152280

4056009 CAP FOR VALVE EUROSIT



**5050400 FITTING FOR OLIVE Ø 10 mm
thread Ø 3/8" M**



SAGI 3032790

5021481 GAS OUTLET VALVE FITTING
thread Ø 3/8" M - M16x1 mm





Suitable for:

3526121 **KNOB EXTENSION 42 mm**
D shaft \varnothing 8x6.5 mm



3020084 **NUT & OLIVE \varnothing 6 mm**



3020082 **OLIVE FOR 12 mm \varnothing PIPE**



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3020079 **PIPE FITTING \varnothing 12 mm**
thread \varnothing 3/8" M



SAGI 36Q0710

5050400 **FITTING FOR OLIVE \varnothing 10 mm**
thread \varnothing 3/8" M



SAGI 3032790

5024657 **HANDLE EXTENSION LENGTH 49 mm**
D shape pin \varnothing 8x6.5 mm



SAGI 3051660

SAGI 3051661

SAGI

Suitable for:

3020083 **NUT & OLIVE \varnothing 4 mm**



5050401 **OLIVE FOR PIPE \varnothing 10 MM**
external \varnothing 13 mm - height 8 mm




SAGI 3034890

3001111 **PIEZO IGNITER EUROSIT**
male faston \varnothing 2.4 mm



3526123 **RUBBER PROTECTION FOR EUROSIT VALVE**



SAGI 3152280

3526127 **FLANGE FOR KNOB EXTENSION**



SAGI 33A0920

3526128 **KNOB EXTENSION LENGTH 34 mm**
D-shaft \varnothing 8x6.5 mm



SAGI 33Q3480

SAGI 33Q3481





Suitable for:

SAGI



Suitable for:

3523026 MINISIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 with screw for gas outlet pressure regulation
 capillary length 1050 mm
 button bulb \varnothing 14.4x26 mm
 with an elbow flange \varnothing 3/8"F



SAGI 6000480

5058320 FITTING FOR HOSE \varnothing 10 mm
 thread M14x1,5 mm



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M




3523035 KNOB MINISIT BLACK \varnothing 37 mm



3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT




3523047 MINISIT COVER



SAGI 32Z1490

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"F
 with screws and "O" ring



3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
 with screws and "O" ring



3001070 MINISIT PIEZO IGNITER
 a \varnothing 22 mm hole is required for the assembly
 male faston \varnothing 2.4 mm



3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm





Suitable for:

3523043 **MINISIT SENSING ELEMENT 110±190°C**
capillary length 1050 mm
button bulb ø 13x26 mm



3523062 **O-RING 0119 RED SILICONE**



SAGI 3150390

3020082 **OLIVE FOR 12 mm ø PIPE**



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



SAGI 36Q0080

3523036 **REDUCTION STRAIGHT ø 3/8"F - ø 1/2"F**
in brass with internal and external thread
ø internal thread 3/8"F - ø external thread 1/2"F
for MINISIT flange



SAGI

Suitable for:

3523061 **NUT ø 1/4"x6 mm**



SAGI 36Q0760

3523060 **OIL SEAL FITTING ø 6.5 mm**
internal thread M10x0.75 - external thread M14x1.5



3020079 **PIPE FITTING ø 12 mm**
thread ø 3/8"M



SAGI 36Q0710

3348041 **PIPE OLIVE ø 16 mm**
for model PEL 23





Suitable for:

SAGI



Suitable for:

3523023 MINISIT VALVE FOR FRYER 50÷190°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 length capillary 1200 mm
 bulb \varnothing 5x95 mm
 with an elbow flange \varnothing 3/8"F



SAGI 6000380

5058320 FITTING FOR HOSE \varnothing 10 mm
 thread M14x1,5 mm



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M



3523035 KNOB MINISIT BLACK \varnothing 37 mm



3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT




3523047 MINISIT COVER



SAGI 32Z1490

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
 with screws and "O" ring




3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
 with screws and "O" ring



3001070 MINISIT PIEZO IGNITER
 a \varnothing 22 mm hole is required for the assembly
 male faston \varnothing 2.4 mm



3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm





Suitable for:

3523042 MINISIT SENSING ELEMENT 50÷190°C
capillary length 1200 mm
bulb ø 5x95 mm



3523060 OIL SEAL FITTING ø 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020079 PIPE FITTING ø 12 mm
thread ø 3/8" M



SAGI 36Q0710

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



3523020 MINISIT VALVE FOR OVEN 100÷340°C
inlet ø 1/2" F - outlet ø 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb ø 5x70 mm
with an elbow flange ø 3/8" F



SAGI 33A1030


SAGI 33A1031

SAGI 6000370

SAGI

Suitable for:

3523061 NUT ø 1/4"x6 mm



SAGI 36Q0760

3020082 OLIVE FOR 12 mm ø PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



SAGI 36Q0080

3523036 REDUCTION STRAIGHT ø 3/8" F - ø 1/2" F
in brass with internal and external thread
ø internal thread 3/8" F - ø external thread 1/2" F
for MINISIT flange



2100757 CONNECTION FOR OLIVE ø 16 mm
thread ø 1/2" M





Suitable for:

5058320 FITTING FOR HOSE \varnothing 10 mm
thread M14x1,5 mm




3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



SAGI 32Z1490

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring



3001070 MINISIT PIEZO IGNITER
a \varnothing 22 mm hole is required for the assembly
male faston \varnothing 2.4 mm



3523040 MINISIT SENSING ELEMENT 100 \pm 340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



SAGI

Suitable for:

3523035 KNOB MINISIT BLACK \varnothing 37 mm




3523047 MINISIT COVER




3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring



3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



3523061 NUT \varnothing 1/4"x6 mm



SAGI 36Q0760

3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590





Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



SAGI 36Q0710

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



3523061 NUT \varnothing 1/4"x6 mm



SAGI 36Q0760

3523003 VALVE B3B \varnothing 3/8" MM
with pilot outlet
inlet \varnothing 3/8" M - outlet \varnothing 3/8" M
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷80°C
with thread under the button for ring nut



SAGI 33A0540

3523011 VALVE D3 \varnothing 3/4" FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0÷80°C
with thread for ring nut under the push-button



SAGI 33A0430

SAGI

Suitable for:

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SAGI 36Q0080

3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
 \varnothing internal thread 3/8" F - \varnothing external thread 1/2" F
for MINISIT flange



5050401 OLIVE FOR PIPE \varnothing 10 MM
external \varnothing 13 mm - height 8 mm



SAGI 3034890

3182005 MAGNETIC UNIT SIT
 \varnothing head 19 mm - \varnothing end 14,5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



3020083 NUT & OLIVE \varnothing 4 mm






Suitable for:

SAGI



2101519 VALVE EUROSIT BAIN MARIE 30±100°C
 inlet \varnothing 3/8"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 gas inlet maximum pressure 50 mbar
 calibration field of outlet
 pressure 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 5x122 mm



SAGI 3041770

3526260 EUROSIT VALVE CAP



3526127 FLANGE FOR KNOB EXTENSION



SAGI 33A0920

3241398 GASKET FOR KNOB HOLE \varnothing 8 mm
external \varnothing 70 mm - central hole \varnothing 8 mm




SAGI 3152250

3020083 NUT & OLIVE \varnothing 4 mm



Suitable for:

4056009 CAP FOR VALVE EUROSIT



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8"M



SAGI 3032790

5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8"M - M16x1 mm



5024657 HANDLE EXTENSION LENGTH 49 mm
D shape pin \varnothing 8x6.5 mm



SAGI 3051660

3020084 NUT & OLIVE \varnothing 6 mm

SAGI 3051661





Suitable for:

5050401 OLIVE FOR PIPE Ø 10 MM
external Ø 13 mm - height 8 mm




SAGI 3034890

3001111 PIEZO IGNITER EUROSIT
male faston Ø 2.4 mm




3526123 RUBBER PROTECTION FOR EUROSIT VALVE



SAGI 3152280

5065245 VALVE EUROSIT FOR FRYER 110÷190°C
entrata Ø 3/8" F - uscita Ø 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure setting range 3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb Ø 4x202 mm



SAGI 3041750

3526260 EUROSIT VALVE CAP



SAGI



Suitable for:

3020082 OLIVE FOR 12 mm Ø PIPE



SAGI 36Q0030

SAGI 36Q0200


SAGI 36Q1590

3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" M



SAGI 36Q0710

4056009 CAP FOR VALVE EUROSIT



3241435 EUROSIT VALVE EXTENSION
D shaft Ø 10x8 mm





Suitable for:

3526126 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



SAGI 3032790

5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3020083 NUT & OLIVE \varnothing 4 mm



5050401 OLIVE FOR PIPE \varnothing 10 MM
external \varnothing 13 mm - height 8 mm



SAGI 3034890

3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm



SAGI

Suitable for:

3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



3526127 FLANGE FOR KNOB EXTENSION



SAGI 33A0920

5024657 HANDLE EXTENSION LENGTH 49 mm
D shape pin \varnothing 8x6.5 mm



SAGI 3051660

SAGI 3051661

3020084 NUT & OLIVE \varnothing 6 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



SAGI 36Q0710



Suitable for:

3526123 RUBBER PROTECTION FOR EUROSIT VALVE




SAGI 3152280

5047201 VALVE EUROSIT FRY TOP 40÷280°C
inlet \varnothing 3/8"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
gas inlet maximum pressure 50 mbar
calibration field of outlet
pressure 3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



SAGI 3041730

3526260 EUROSIT VALVE CAP




3526127 FLANGE FOR KNOB EXTENSION



SAGI 33A0920

3241398 GASKET FOR KNOB HOLE \varnothing 8 mm
external \varnothing 70 mm - central hole \varnothing 8 mm




SAGI 3152250

SAGI

Suitable for:



4056009 CAP FOR VALVE EUROSIT



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8"M



SAGI 3032790

5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8"M - M16x1 mm



5024657 HANDLE EXTENSION LENGTH 49 mm
D shape pin \varnothing 8x6.5 mm



SAGI 3051660

SAGI 3051661



Suitable for:

7100207 HEADLESS SCREW HEXAGONAL M5x8
st./steel - conical top
UNI 5927 - DIN 914 - ISO 4027



SAGI 31W0180

3020084 NUT & OLIVE \varnothing 6 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



SAGI 36Q0710

3523025 VALVE MINISIT FOR BAIN MARIE 20÷90°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
max.inlet gas pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
button bulb \varnothing 14.5x19 mm
supplied without lid, knob and flange



SAGI 33A1130

SAGI



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



5050401 OLIVE FOR PIPE \varnothing 10 MM
external \varnothing 13 mm - height 8 mm




SAGI 3034890

3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



SAGI 3152280

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M





Suitable for:

5058320 FITTING FOR HOSE \varnothing 10 mm
thread M14x1,5 mm




3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT




SAGI 32Z1490

3523038 MINISIT ELBOW FLANGE \varnothing 1/2"
with screws and "O" ring



3001070 MINISIT PIEZO IGNITER
a \varnothing 22 mm hole is required for the assembly
male faston \varnothing 2.4 mm



3523061 NUT \varnothing 1/4"x6 mm



SAGI 36Q0760

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5




SAGI

Suitable for:

3523035 KNOB MINISIT BLACK \varnothing 37 mm




3523047 MINISIT COVER



3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
with screws and "O" ring



3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



3523062 O-RING 0119 RED SILICONE



SAGI 3150390

3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590





Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



SAGI 36Q0710

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SAGI

Suitable for:

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SAGI 36Q0080

3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
 \varnothing internal thread 3/8" F - \varnothing external thread 1/2" F
for MINISIT flange



3523926 VALVE MINISIT FRYER 110 \div 190°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 80°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
button bulb \varnothing 14.4x26 mm
without cover, knob and flanges



SAGI 33A0170

SAGI 33A1370

SAGI 33Z0300

5058320 FITTING FOR HOSE \varnothing 10 mm
thread M14x1,5 mm



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M



3523035 KNOB MINISIT BLACK \varnothing 37 mm




3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



SAGI 32Z1490


3523047 MINISIT COVER





Suitable for:

3523038 MINISIT ELBOW FLANGE ϕ 1/2" F
with screws and "O" ring



3001070 MINISIT PIEZO IGNITER
a ϕ 22 mm hole is required for the assembly
male faston ϕ 2.4 mm



3523043 MINISIT SENSING ELEMENT 110 \div 190°C
capillary length 1050 mm
button bulb ϕ 13x26 mm



3523062 O-RING 0119 RED SILICONE



SAGI 3150390

3020082 OLIVE FOR 12 mm ϕ PIPE



SAGI 36Q0030

SAGI 36Q0200

3348044 PIPE OLIVE ϕ 10 mm
for model PEL 20 - 21



SAGI 36Q0080

SAGI



Suitable for:


3523037 MINISIT ELBOW FLANGE ϕ 3/8"
with screws and "O" ring



3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



3523061 NUT ϕ 1/4"x6 mm



SAGI 36Q0760

3523060 OIL SEAL FITTING ϕ 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020079 PIPE FITTING ϕ 12 mm
thread ϕ 3/8" M



SAGI 36Q0710

3348041 PIPE OLIVE ϕ 16 mm
for model PEL 23





Suitable for:

3523036 REDUCTION STRAIGHT \varnothing 3/8"F - \varnothing 1/2"F
in brass with internal and external thread
 \varnothing internal thread 3/8"F - \varnothing external thread 1/2"F
for MINISIT flange



SAGI

Suitable for:



Gaskets and seals

3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
for drain tap \varnothing 2" old model



SAGI 37Q4070

3020134 GASKET \varnothing 8x7x1 mm



SAGI 3152550

5019346 GASKET POT LID
profile dimensions 25x15 mm
white colour
sold per linear metre



SAGI 137AA03


3186451 THERMOSTAT GASKET \varnothing 41 mm
internal hole \varnothing 18 mm - height 15 mm



SAGI 3150270

Gaskets for oven door

5024154 OVEN DOOR GASKET
made of silicone elastomer
profile dimensions 14x7.5 mm
COLOUR BLACK
SOLD PER METRE
for BUILT-IN OVEN series ALPHA-GAMMA



SAGI 3031880

3186362 OVEN GLASS GASKET 1400 mm
made of silicone elastomer
profile dimensions 13x12 mm
welded - COLOUR BLACK



SAGI 37Q2981

SAGI 37Q2982



Glasses

3519006 COMPLETE CHAMBER GLASS
complete with glass and gasket



SAGI 3070970
SAGI 36C2770

SAGI 3070970+3070980+

SAGI 3070980

Glues

5056894 SILICONE SEALANT ADHESIVE 310 MI



SAGI 3041810

Grids for kitchen

3185306 FLUE GRID 800x60 mm



SAGI 35A9090

3185065 GRID 370x370 mm



SAGI 36A2610

3185027 PAN SUPPORT GRID 315x315 mm



SAGI 3185027

SAGI 36A2600

3185098 PAN SUPPORT GRID 390x365 mm



SAGI 36A2001

SAGI 36A2002

SAGI 6029680

Grids for refrigerator-oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



SAGI G610

SAGI 3012000

SAGI 36M3540

3185055 CHROME PLATED GRID GN 2/1 650x530 mm



SAGI G241

SAGI 36A0990



Suitable for:

SAGI



3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm
thickness 7 mm



SAGI G610X

Suitable for:

3185053 STAINLESS STEEL GRID GN 2/1 650x530 mm



SAGI G241X

Handles

3242247 BLACK HANDLE 175x40x20 mm



SAGI 36M2471

3242248 PLASTIC RED SUPPORT FOR HANDLE
distance between fixing holes 20 mm



SAGI 36M2910

3242031 BLACK PLASTIC HANDLE 110 mm
distance between mounting holes 86 mm



SAGI 36M3400

3242032 BLACK PLASTIC HANDLE 420 mm
distance between mounting holes 200 mm



SAGI 36M3390

3242284 CHROME-PLATED HANDLE 296 mm
distance between holes 255 mm - fixing holes M5



SAGI 3010570

SAGI 3010573

SAGI 3010571

SAGI 3107050

SAGI 3010572

SAGI 6300932

3242283 CHROME-PLATED HANDLE 700 mm
distance between holes 660 mm



SAGI 3010561

SAGI 6024150

SAGI 6024151

5062220 HANDLE CHROMED 10 MM
holes mounting distance 87 mm - fixing holes M5



SAGI 3116770

SAGI 3243230

Suitable for:

3242921 LH-RH CATCH WITHOUT LOCK 560 CR

straight handgrip
base length 150x23x30h mm
mounting distance 110 mm



SAGI 36M0470

Suitable for:


3242922 STRIKE FOR DOOR CATCH



SAGI 36M0480

3398021 OVEN DOOR CATCH

distance between holes 47 mm
catch distance 27 mm



SAGI 36M3600

3242248 PLASTIC RED SUPPORT FOR HANDLE


distance between fixing holes 20 mm



SAGI 36M2910

3242111 STRIKE FOR DOOR HANDLE M8

overall length 50.5 mm



SAGI 3108770

Heating elements

3755090 HEATING ELEMENT 1000/1090W 230/240V

length 480 mm - width 35 mm
flange 70x22 mm
upon request nut and washer
operating ambient: dry



SAGI 32G2220

3528238 FLAT WASHER M4

internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



SAGI 3120100

SAGI 3128800

3528232 HEXAGONAL NUT MEDIUM SIZE M4

brass - UNI 5588 - DIN 934 - ISO 4032





Suitable for:

SAGI



5017264 HEATING ELEMENT 1100/1300W 220/240V
external \varnothing 205 mm - fittings \varnothing 1/4"



SAGI 32G3240

Suitable for:

3355526 HEATING ELEMENT 1300W 230V
length 240 mm - width 140 mm
height 90 mm - complete with cables



SAGI 32G1440

SAGI 32G1441

SAGI 32G1580

5028216 HEATING ELEMENT 1450W 230V
length 380 mm - width 250 mm
connections \varnothing 1/4"



SAGI 32G0280

5028004 HEATING ELEMENT 1500/1635W 230/240V
length 410 mm - width 85 mm
height 55 mm



SAGI 32G1921

5034781 HEATING ELEMENT 1500/1635W 230/240V
length 415 mm - width 80 mm



SAGI 32G3350

3455273 HEATING ELEMENT 1500/1780W 230/240V
length 470 mm - width 305 mm
fittings \varnothing 1/4"



SAGI 32G1730

3355160 HEATING ELEMENT 1600W 220V
length 585 mm - width 190 mm
fittings M14x1.5 mm
operating ambient: dry



SAGI 32G0070

SAGI 32G0071

5024866 HEATING ELEMENT 1700/1852W 230/240V
length 420 mm - width 80 mm
height 50 mm



SAGI 32G3210

3755093 HEATING ELEMENT 1700W 400V
length 445 mm - width 80 mm
height 100 mm



SAGI 32G1040

3755537 HEATING ELEMENT 1750/1905W 230/240V
length 495 mm - width 90 mm
height 70 mm



SAGI 32G0251

Suitable for:

Suitable for:

3355269 HEATING ELEMENT 1750W 230V
length 445 mm - width 80 mm
height 55 mm



SAGI 32G1260

SAGI 32G1262

3755248 HEATING ELEMENT 18000/19375W 400/415V
length 380 mm - width 270 mm
flange \varnothing 53.5 mm - with bulb holder sheathing
complete with cables



SAGI 32G2400

1186503 O-RING 0155 RED SILICONE
for exchanger



3186656 HEATING ELEMENT GASKET KIT
consists of 2 silicone OR0152 gaskets
and 1 grease can



SAGI 60A0980

5057116 HEATING ELEMENT 1850/2000W 230/240V
length 660 mm - width 70 mm
height 50 mm - fittings M14x1 mm




SAGI 3143760

3355271 HEATING ELEMENT 2000W 220V
length 470 mm - width 210 mm
fittings M14x1 mm
operating ambient: dry



SAGI 32G1250

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



SAGI 32G1990



Suitable for:

3755089 HEATING ELEMENT 2000W 230V
length 530 mm - width 80 mm
height 80 mm
upon request nut and washer



SAGI 32G2481

3528232 HEXAGONAL NUT MEDIUM SIZE M4
brass - UNI 5588 - DIN 934 - ISO 4032



Suitable for:

3528238 FLAT WASHER M4
internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



SAGI 3120100

SAGI 3128800

3355520 HEATING ELEMENT 2050W 230V
length 275 mm - width 55 mm
height 255 mm - fittings \varnothing 1/4"



SAGI 32G1240

SAGI 32G1241

3755088 HEATING ELEMENT 2200/2400W 230/240V
length 615 mm - width 90 mm
height 100 mm



SAGI 32G2370

SAGI 32G2371

3455274 HEATING ELEMENT 2400/2620W 230/240V
external \varnothing 210 mm - fittings \varnothing 1/4"



SAGI 32G1550

5003301 HEATING ELEMENT 2600/2800W 400/415V
length 460 mm - width 510 mm
flange 100x22 mm



SAGI 32G0151

5000989 HEATING ELEMENT 2600/2830W 230/240V
length 260 mm - width 510 mm
flange 100x22 mm



SAGI 32G1591

3355525 HEATING ELEMENT 2600W 415V
length 305 mm - width 510 mm
flange 100x22 mm



SAGI 32G1621

SAGI 32G1630

SAGI 32W1620

Suitable for:

Suitable for:

3355268 HEATING ELEMENT 2700W 380V
length 340 mm - width 585 mm
flange 100x22 mm




SAGI 32G0950

SAGI 32G0951

SAGI 32G1070

3355161 HEATING ELEMENT 3000W 220V
length 540 mm - width 500 mm
couplings \varnothing 1/4"
operating ambient: immersion



SAGI 32G0280(OLD)

3355105 HEATING ELEMENT 4200W 230/380V
for boiler and wash tank
immersed depth 340 mm
flange external \varnothing 72 mm - with bulb-sheathing
complete with gasket OR \varnothing 67 mm (3186014)



SAGI 32G0230

SAGI 32G0380

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



SAGI 3150430

SAGI 3151960

SAGI 37Q5260

3455275 HEATING ELEMENT 4500/4850W 400/415V
immersed length 320 mm
flange external \varnothing 72 mm
with thermostat probe receptacle



SAGI 32G3270

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



SAGI 3150430

SAGI 3151960

SAGI 37Q5260

3755645 HEATING ELEMENT 4540/4886W 400/415V
immersed length 320 mm
flange external \varnothing 72 mm
with thermostat probe receptacle



SAGI 32G1931

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



SAGI 3150430

SAGI 3151960

SAGI 37Q5260



Suitable for:

SAGI



3355270 HEATING ELEMENT 4540W 220V
 immersed length 325 mm
 flange external \varnothing 72 mm
 with thermostat probe receptacle
 with O-ring



SAGI 32G1300

SAGI 32G1301

Suitable for:

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



SAGI 3150430

SAGI 3151960

SAGI 37Q5260


5005889 HEATING ELEMENT 4700W 400V
 length 480 mm - width 90 mm
 height 310 mm - connections \varnothing 1/4"



SAGI 32G1180

SAGI 32G1181

3355162 HEATING ELEMENT 4800W 220/380V
 length 415 mm - width 420 mm
 fittings \varnothing 1-1/4"
 complete with gasket-nut-cap
 operating ambient: immersion



SAGI 32G0650

3755086 HEATING ELEMENT 6000/6458W 400/415V
 immersed length 485 mm
 flange external \varnothing 72 mm
 with thermostat probe receptacle \varnothing 7 mm
 with O-ring
 upon request nut and washer



SAGI 32G2310

3528238 FLAT WASHER M4
 internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



SAGI 3120100

SAGI 3128800

3528232 HEXAGONAL NUT MEDIUM SIZE M4
 brass - UNI 5588 - DIN 934 - ISO 4032



3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



SAGI 3150430

SAGI 3151960

SAGI 37Q5260

Suitable for:

Suitable for:

3355046 HEATING ELEMENT 6000W 220/380V
 immersed length 490 mm
 flange \varnothing external 63 mm - with probe receptacle
 complete with gasket OR \varnothing 58 mm (3186013)

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



SAGI 32G3080

3355158 HEATING ELEMENT 700W 220V
 total length 385 mm
 finned part length 270 mm - \varnothing 35 mm



SAGI 32G0270

3755087 HEATING ELEMENT 7000/7534W 400/415V
 immersed length 410 mm
 flange external \varnothing 72 mm
 with hole for thermostat probe receptacle
 with O-ring
 upon request nut and washer

3528238 FLAT WASHER M4
 internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



SAGI 32G2330

SAGI 3120100

SAGI 3128800

3528232 HEXAGONAL NUT MEDIUM SIZE M4
 brass - UNI 5588 - DIN 934 - ISO 4032

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



SAGI 3150430

SAGI 3151960

SAGI 37Q5260

5001274 HEATING ELEMENT 7000/7621W 230/240V
 immersion depth 410 mm
 flange to external \varnothing 72 mm
 with bulbholder sheathing



SAGI 32G1030

SAGI 32G1031



Suitable for:

3755538 HEATING ELEMENT 7200/7750W 230/240V
length 300 mm - width 155 mm
connection \varnothing 53 mm - complete with cables



SAGI 32G2610

Suitable for:

3186656 HEATING ELEMENT GASKET KIT
consists of 2 silicone OR0152 gaskets
and 1 grease can



SAGI 60A0980

3355527 HEATING ELEMENT 750W 220V
length 550 mm - width 37 mm
height 110 mm - fittings \varnothing 1/4"



SAGI 32G0140

3355149 HEATING ELEMENT 800W 220V
length 395 mm - width 110 mm
flange 100x20 mm



SAGI 32G0160

3355154 HEATING ELEMENT 800W 220V
length 395 mm - width 60 mm
couplings \varnothing 1/4"
complete with OR gaskets and nuts
operating ambient: immersion



SAGI

3355159 HEATING ELEMENT 800W 220V
length 395 mm - width 60 mm
couplings \varnothing 1/4"
operating ambient: dry



SAGI 32G0090

3355150 HEATING ELEMENT 900W 220V
length 430 mm - width 120 mm
flange 100x20 mm



SAGI 32G0080

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



SAGI 3094780

SAGI 36M0270



Hinges, catches and accessories

5039231 HINGE BODY \varnothing 43x372 mm



SAGI 3062340

5017483 HINGE RH SUPPORT



SAGI 36C2590

3250077 LID SPRING \varnothing 30x360 mm
for BOILING PAN serieS ALPHA-DELTA-SENIOR-SUMMIT




SAGI 36G2640

3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm



SAGI 35U3170

5017487 HINGE LH SUPPORT




SAGI 36C2600

5028944 HINGE ROD \varnothing 12x345 mm



SAGI 36G2650

5017487 HINGE LH SUPPORT



SAGI 36C2600

5028944 HINGE ROD \varnothing 12x345 mm



SAGI 36G2650

5001284 TORSION SPRING PIN 108 mm



SAGI 36G2680

5058003 HINGE KIT RH-LH WITH MAGNET
for COMPARTMENT FLAP




SAGI 6016600

SAGI 6029110

SAGI 6029111

5017483 HINGE RH SUPPORT



SAGI 36C2590



Suitable for:

SAGI



3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205 mm
height 160 mm



SAGI 3094450

SAGI 36M0110

SAGI 36M2430

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



SAGI 3094780

SAGI 36M0270

3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm



SAGI 35U3170

3053299 HINGE COVER
distance between holes 77 mm - size 129x26 mm



3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205 mm
height 160 mm



SAGI 3094440

SAGI 36M0100

SAGI 36M2420

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



SAGI 3094780

SAGI 36M0270

3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm



SAGI 35U3170

3053299 HINGE COVER
distance between holes 77 mm - size 129x26 mm



5001284 TORSION SPRING PIN 108 mm



SAGI 36G2680



Hose-end fittings

1315008 T-SHAPED HOSE END FITTING \varnothing 8 mm



SAGI 3008090

Hydraulic piping

5054136 HOSE RUBBER CANVAS \varnothing 32/40 mm 1000 mm
inner \varnothing 32 mm - external \varnothing 40 mm



SAGI 3067460

3450211 RUBBER PIPE \varnothing 10x17 mm - 40 m
operating temperature -40+100°C



SAGI 131AA12

3450111 RUBBER PIPE \varnothing 10x17 mm - 5 m
operating temperature -40+100°C



SAGI 131AA12

5054487 TUBE OF NORPRENE \varnothing 4/8 mm
inner \varnothing 4 mm - external \varnothing 8 mm
sold per linear centimetre



SAGI 3070410

5030444 WATER OUTLET PIPE - COMPLETE



SAGI 3067470

Ignitors

3001014 CAP WATERTIGHT PIEZO
made of silicone rubber
with ring : \varnothing external 29 mm - \varnothing internal 18 mm



SAGI 3702100



Suitable for:

SAGI



Suitable for:

Igniters

3001013 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



SAGI 32T0150

3528073 WASHER \varnothing 32x18.5x4.5 mm



SAGI 3191100

3001020 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



SAGI 3005580

SAGI 3166990

3001014 CAP WATERTIGHT PIEZO
made of silicone rubber
with ring : \varnothing external 29 mm - \varnothing internal 18 mm



SAGI 37Q2100

5035512 WATERTIGHT PIEZO CAP
of silicone rubber



Incandescent lamps and neon lamps

3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
max. temperature 250°C



SAGI 3030661

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C



SAGI 3019710

SAGI 3030660

3221059 LAMP E27 40W 230V
max temperature 300°C
for OVEN and PIZZA OVEN



SAGI 32W2350

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



SAGI 32W0780

Suitable for:

Suitable for:

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



SAGI 32W0210

SAGI 32W3900

Indicator lights

3221032 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



SAGI 3106710

SAGI 32W1330

SAGI 32W1331

3221034 GREEN INDICATOR LAMP 400V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



SAGI 32W1560
SAGI 6300652

SAGI 32W1561

SAGI 32W1562

3221430 INDICATOR LAMP ORANGE 400V
head ø 14 mm - hole ø 10 mm
universal application



SAGI 3106730+3101450

SAGI 32W2240

SAGI 32W2241

3221035 RED INDICATOR LAMP 400V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



SAGI 32W1550

SAGI 32W1551

3221293 GREEN INDICATOR LIGHT 250V
head ø 20 mm - hole ø 10 mm - 120°C



SAGI 32W2970

3221154 INDICATOR LAMP ORANGE 380V
mounting hole 32.5x10 mm - 85°C
for COUNTER TOP FRYER all models



SAGI 32W0720



Suitable for:

SAGI



Suitable for:

3221430 INDICATOR LAMP ORANGE 400V

head \varnothing 14 mm - hole \varnothing 10 mm
universal application



SAGI 3106730+3101450

SAGI 32W2240

SAGI 32W2241

3221192 LAMP SUPPORT



SAGI 36U0850

3221011 ORANGE INDICATOR LAMP 230V

head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



SAGI 3106730

SAGI 32W0790

SAGI 32W0791

3221032 GREEN INDICATOR LAMP 230V

head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



SAGI 3106710

SAGI 32W1330

SAGI 32W1331

3221033 RED INDICATOR LAMP 230V

head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



SAGI 32W1340

3221033 RED INDICATOR LAMP 230V

head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



SAGI 32W1340

3221035 RED INDICATOR LAMP 400V

head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



SAGI 32W1550

SAGI 32W1551

Injectors

3500020 GAS JET M10x1 \varnothing 0.80 mm



SAGI 33T1540

3500021 GAS JET M10x1 \varnothing 0.95 mm



SAGI 32T1570

SAGI 33T1570



Suitable for:

Suitable for:

3500022 GAS JET M10x1 \varnothing 1.00 mm

3500023 GAS JET M10x1 \varnothing 1.10 mm



SAGI 33T1580

SAGI 33T1600

3500024 GAS JET M10x1 \varnothing 1.15 mm

3500025 GAS JET M10x1 \varnothing 1.20 mm



SAGI 33T1610

SAGI 33T1620

3500026 GAS JET M10x1 \varnothing 1.25 mm

3500027 GAS JET M10x1 \varnothing 1.30 mm



SAGI 33T1630

SAGI 33T1640

3500028 GAS JET M10x1 \varnothing 1.45 mm

3500029 GAS JET M10x1 \varnothing 1.50 mm



SAGI 33T1660

SAGI 33T1670

SAGI 33T1680

3500030 GAS JET M10x1 \varnothing 1.60 mm

3500031 GAS JET M10x1 \varnothing 1.90 mm



SAGI 33T1700

SAGI 33T1740

SAGI 33T1750

SAGI 33T1760

3500032 GAS JET M10x1 \varnothing 2.00 mm

3500033 GAS JET M10x1 \varnothing 2.20 mm



SAGI 33T1780

SAGI 33T1820



SAGI



Suitable for:

Suitable for:

3500034 GAS JET M10x1 \varnothing 2.30 mm

3500035 GAS JET M10x1 \varnothing 2.50 mm



SAGI 33T1830

SAGI 33T1840

SAGI 33T1850

SAGI 33T1860

5005655 GAS NOZZLE M10x1 \varnothing 1.25 mm

3500370 GAS NOZZLE M10x1 \varnothing 1.50 mm



SAGI 33T3500

SAGI 33T3210

5015576 GAS NOZZLE M10x1 \varnothing 1.50 mm

5021506 GAS NOZZLE M10x1 \varnothing 1.60 mm



SAGI 33T3900

SAGI 33T0790

5012694 GAS NOZZLE M10x1 \varnothing 2.00 mm

5005732 GAS NOZZLE M10x1 \varnothing 2.70 mm



SAGI 33T3360

SAGI 33T0550

5005166 GAS NOZZLE M10x1 \varnothing 1.75 MM

5062172 GAS NOZZLE M10x1 \varnothing 1.85 MM



SAGI 33T0710

SAGI 33T1380

5061895 GAS NOZZLE M10x1 \varnothing 1.95 MM

5013360 GAS NOZZLE M10x1 \varnothing 3.15 MM



SAGI 33T2270

SAGI 33T0760

Suitable for:

5000993 GAS NOZZLE M10x1 Ø 3.50 MM



SAGI 32T2280

SAGI 33T2280

Suitable for:

3500349 INJECTOR HOLDER



SAGI 3035340

SAGI 33Q3361

SAGI 33Q2530

SAGI 33Q2531


Inlet hoses

3449001 INLET ELBOW HOSE Ø 3/4" FF 1500 mm
 thermoplastic hose Ø 10x16 mm
 nylon fittings Ø 3/4" with gaskets
 max temperature 90°C
 max pressure 10 bar



SAGI 33M0350

3449026 FLAT EPDM GASKET Ø 24x12x2 mm
 for pipes Ø 3/4"




SAGI 3152480

3449025 INLET HOSE STAINLESS STEEL FILTER Ø 3/4"
 for all models



Interference suppression filters

5022788 INTERFERENCE SUPPRESSION FILTER 0.1µF
 ARCOTRONICS - 120-250V 50/60HZ



SAGI 32Z6090

Ironmongery (screws,nuts,washers)

3526129 CLASP Ø 3x14 mm
 UNI 6873 - DIN 1481 - ISO 8752



SAGI 31Z8930

3528010 FLAT WASHER M6
 Ø internal/external 6,4/12 mm - thickness 1,6 mm
 st./steel - UNI 6592 - DIN 125 A - ISO 7089



SAGI 3121480



Suitable for:

7100207 HEADLESS SCREW HEXAGONAL M5x8
st./steel - conical top
UNI 5927 - DIN 914 - ISO 4027



SAGI 31W0180

Suitable for:

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



SAGI 3110050

SAGI 33Q6470

9742006 KEY 6x6x25 mm
UNI 6604/A - DIN 6685/A



SAGI 3191110

1349504 NUT \varnothing 1/2" KEY 25x6 mm



SAGI 33Q4410

3523086 NUT \varnothing 3/4"



SAGI 36Q1100

3316051 NUT FOR HEATING ELEMENT \varnothing 1"1/2



SAGI 33Q0240

5017493 SCREWS WITH HEXAGON SOCKET M8x12
stainless steel - conical edge
UNI 5927 - DIN 914 - ISO 4027



SAGI 31W0280

3528075 SPIRAL SPRING WASHER M8
internal/external \varnothing 8.4/14.4 mm - thickness 4 mm
stainless steel - UNI 1751 - DIN 127 B



SAGI 3123670

3528073 WASHER \varnothing 32x18.5x4.5 mm



SAGI 3191100



Knobs

3241121 BLACK KNOB \varnothing 45 mm
D shaft hole 6x4.6 mm



SAGI 36M2620

3241088 RED INSERT FOR KNOB \varnothing 32 mm



SAGI 36M2800

3241259 BLACK KNOB \varnothing 45 mm
D shaft hole 6x4.6 mm



SAGI 36M4560

3241272 BLACK KNOB \varnothing 65 mm SILK-SCREEN PRINTED
D shaft hole 10x9 mm



SAGI 36M0560

3241037 BLACK KNOB \varnothing 68 mm
D shaft hole 10x9 mm



SAGI 36M2390

3241120 BLACK KNOB \varnothing 68 mm
D shaft hole 8x6.5 mm



SAGI 36M3050

3241122 BLACK KNOB \varnothing 68 mm
D shaft hole 6x4.6 mm



SAGI 36M2400

3241089 BLACK KNOB CASING \varnothing 45 mm
for MINISIT valve



SAGI 36M2580

3241088 RED INSERT FOR KNOB \varnothing 32 mm



SAGI 36M2800



Suitable for:

SAGI



3241308 BLACK-RED KNOB SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm



SAGI 6300518

SAGI 6300521

Suitable for:

3241488 BLACK-RED KNOB SILK-SCREEN PRINTED
D-shaped pin \varnothing 6x4.6 mm




SAGI 6300485

3241489 BLACK-RED KNOB SILK-SCREEN PRINTED
D shaft hole 10x9 mm



SAGI 6300489

3241398 GASKET FOR KNOB HOLE \varnothing 8 mm
external \varnothing 70 mm - central hole \varnothing 8 mm



SAGI 3152250

3241493 BLACK-RED KNOB SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm



SAGI 6300484

3241498 BLACK-RED KNOB SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm



SAGI 6300481

3241805 BLACK-RED KNOB SILK-SCREEN PRINTED
D shaft hole 10x8 mm



SAGI 6300523

3241494 BLACK-RED KNOB 1-2-3-4-5-6-7-8
D shaft hole 6x4.6 mm



SAGI 6300493

3241486 BLACK-RED KNOB 100-270°C
D shaft hole 6x4.6 mm



SAGI 6300492

3241495 BLACK-RED KNOB 100-270°C
D shaft hole 6x4.6 mm



SAGI 6300491

3241496 BLACK-RED KNOB 100-280°C
D shaft hole 10x9 mm



SAGI 6300504

Suitable for:

3241772 BLACK-RED KNOB 100-280°C
D shaft hole 8x6.5 mm



SAGI 6300488

3526128 KNOB EXTENSION LENGTH 34 mm
D-shaft \varnothing 8x6.5 mm



SAGI 3303480

SAGI 3303481

3241487 BLACK-RED KNOB 100-300°C
D shaft hole 8x6.5 mm



SAGI 6300510

3241499 BLACK-RED KNOB 100-300°C
D shaft hole 6x4.6 mm



SAGI 6300483

3241808 BLACK-RED KNOB 160-280°C
D shaft hole 8x6.5 mm



SAGI 6300553

3241497 BLACK-RED KNOB 30-100°C
D shaft hole 8x6.5 mm



SAGI 6300486


Suitable for:

3526129 CLASP \varnothing 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752



SAGI 3128930

3526123 RUBBER PROTECTION FOR EUROSIT VALVE



SAGI 3152280

3241492 BLACK-RED KNOB 100-300°C
D shaft hole 8x6.5 mm



SAGI 6300487

3241491 BLACK-RED KNOB 110-190°C
D shaft hole 6x4.6 mm



SAGI 6300480

3241490 BLACK-RED KNOB 160-340°C
D shaft hole 10x9 mm



SAGI 6300503

3241500 BLACK-RED KNOB 30-100°C
D shaft hole 6x4.6 mm



SAGI 6300482



Suitable for:

SAGI



5037085 BLUE INLET TAP KNOB



SAGI 3162210


Suitable for:

3241055 FIXING CLIP
for knob with \varnothing 8 mm hole



SAGI 3170290

3241398 GASKET FOR KNOB HOLE \varnothing 8 mm
external \varnothing 70 mm - central hole \varnothing 8 mm



SAGI 3152250

3241385 GASKET FOR KNOB PIN 6x4.6 mm
 \varnothing external 17 mm - thickness 1,8 mm



SAGI 3150790

3241399 GASKET FOR KNOB PIN 6x4.6 mm
external \varnothing 17 mm - thickness 4 mm



SAGI 3152240

5050176 KNOB BLACK-RED SERIGR.
D-shaped hole 6x4.6 mm



SAGI 6300556

5071760 KNOB SILVER-RED \varnothing 72 MM ELECTRIC
D-shaped hole 6x4.6 mm



SAGI 3112010

5068652 KNOB SILVER-RED \varnothing 72 MM 100-250°C
D-shaped hole 8x6.5 mm



SAGI 3144110

5066506 KNOB SILVER-RED \varnothing 72 MM 110-190°C
D-shaped hole 8x6.5 mm



SAGI 3134730

5070698 KNOB SILVER-RED \varnothing 72 MM 160-280°C
D-shaped hole 8x6.5 mm



SAGI 3132970

3241088 RED INSERT FOR KNOB \varnothing 32 mm



SAGI 36M2800

3241697 RED KNOB FOR INLET TAP



SAGI 3162200

Suitable for:

3241407 SILVER-RED HANDLE \varnothing 72 mm
D shaft hole 6x4.6 mm



SAGI 3015850

SAGI 3015851

Suitable for:

3241508 SILVER-RED HANDLE \varnothing 72 mm
D shape hole 6x4.6 mm



SAGI 3020250

SAGI 3020251

3241806 SILVER-RED HANDLE \varnothing 72 mm
D shaft hole 6x4.6 mm



SAGI 3019900

SAGI 3019901

SAGI 3112000

3241809 SILVER-RED HANDLE \varnothing 72 mm
D shaft hole 10x8 mm



SAGI 3015730

SAGI 3015731

3241403 SILVER-RED HANDLE \varnothing 72 mm 100-300°C
D shaft hole 6x4.6 mm



SAGI 3015900

SAGI 3015901

3241807 SILVER-RED HANDLE \varnothing 72 mm 110-190°C
D shaft hole 6x4.6 mm



SAGI 3015831

3241405 SILVER-RED HANDLE \varnothing 72 mm ELECTRIC
D shaft hole 6x4.6 mm



SAGI 3015940

SAGI 3015941

5050367 SILVER-RED HANDLE \varnothing 72 mm ELECTRICAL
D shape hole 6x4.6 mm



SAGI 3036321

3241406 SILVER-RED HANDLE \varnothing 72 mm GAS
D shaft hole 8x6.5 mm



SAGI 3013170


SAGI 3013171

5061830 SILVER-RED HANDLE \varnothing 72 mm 0-10
D shape hole 6x4.6 mm



SAGI 3015991

5029947 SILVER-RED HANDLE \varnothing 72 mm 0-8
D shape hole 6x4.6 mm



SAGI 3015790

SAGI 3015791

5029946 SILVER-RED HANDLE \varnothing 72 mm 100-270°C
D shape hole 6x4.6 mm



SAGI 3015870

SAGI 3015871



Suitable for:

Suitable for:

3241404 SILVER-RED HANDLE \varnothing 72 mm 140-270°C
D shaft hole 8x6.5 mm



SAGI 3010330

SAGI 3010331

Labels for control panels

3399042 STICKING CONTROL PLATE 97x60 mm



SAGI 37M8560

Lamp receptacles and spare parts

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN



SAGI

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
thread \varnothing 33.5 mm - overall height 34 mm



SAGI 32X3080

3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C



SAGI 32W0746

3186522 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 40x30x2 mm



3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN



SAGI


3786614 GASKET FOR OVEN LAMP RECEPTACLE
dimensions 48x41x3 mm





Suitable for:

3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 53x44x3 mm



2101372 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 38 mm
max temperature 300°C




3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



SAGI 32W0210

SAGI 32W3900

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for OVEN



SAGI 32W2561

3786614 GASKET FOR OVEN LAMP RECEPTACLE
dimensions 48x41x3 mm



SAGI



Suitable for:

3221233 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 42 mm
thread \varnothing 33 mm - overall height 26 mm



3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



SAGI 32W0780

3186522 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 40x30x2 mm



3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 53x44x3 mm





Suitable for:

2101372 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 38 mm
max temperature 300°C



3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



SAGI 32W0210

SAGI 32W3900

2110636 OVEN LAMP RECEPTACLE GLASS \varnothing 41 mm
thread \varnothing 34 mm - overall height 36 mm



SAGI 3019730

SAGI 32W3910

3221320 LAMP RECEPTACLE WITH LAMP E14 25W 230V
ceramic foot \varnothing 30 mm
external dimensions 75x60 mm
max. temperature 300°C



SAGI 3097180

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



SAGI 32W0210

SAGI 32W3900

SAGI

Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



SAGI 32W0780

3221625 OVEN LAMP RECEPTACLE \varnothing 51 mm
thread \varnothing 33 mm - overall height 27 mm



3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



SAGI 32W0780




3221326 LAMP RECEPTACLE WITH LAMP G4 16W 12V
 lamp glass \varnothing 41 mm
 mounting hole \varnothing 37 mm
 wire connection length 430 mm



SAGI 3008760

SAGI 3019720

3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
 max. temperature 250°C



SAGI 3030661

3221321 HALOGEN LAMP RECEPTACLE G4 20W 12V
 mounting hole \varnothing 37 mm
 wire connection length 430 mm



3221616 NEUTRAL HALOGEN LAMP G4 20W 24V
 max. temperature 250°C



2110636 OVEN LAMP RECEPTACLE GLASS \varnothing 41 mm
 thread \varnothing 34 mm - overall height 36 mm



SAGI 3019730

SAGI 32W3910

3221639 HALOGEN LAMP NEUT. OSRAM G4 10W 12V
 max. temperature 250°C



3221250 HALOGEN LAMP NEUTRAL G4 10W 12V
 max. temperature 250°C



3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
 max. temperature 250°C




SAGI 3019710

SAGI 3030660

3221416 NEUTRAL HALOGEN LAMP G4 35W 12V
 max. temperature 250°C



3221327 TRANSFORMER F/HALOGEN LAMP 230V/12V
 dimensions 145x45x35 mm





Suitable for:

SAGI



Suitable for:

2110636 OVEN LAMP RECEPTACLE GLASS \varnothing 41 mm
thread \varnothing 34 mm - overall height 36 mm



SAGI 3019730

SAGI 32W3910

Lava rock


3310009 CERAMIC TILES PACKAGE 40 PCS
40 tiles



SAGI 37T1320

Lava rock grids

5033596 CAST IRON SUPPORT GRID 470x300 mm



SAGI 3000930

SAGI 3000931


SAGI 36A5530

5024746 CAST IRON SUPPORT GRID 655x175x15 mm



SAGI 3008250

5025748 GRID FOR CERAMIC TILES 315x295 mm
thickness 24 mm
made of STAINLESS STEEL



SAGI 3062860

SAGI 3062861


SAGI 3193140

3250131 SPRING FOR CERAMIC GRID FRAME



SAGI 35Y2780

5028863 GRID FOR CERAMIC TILES 420x280 mm
thickness 24 mm
made of STAINLESS STEEL



SAGI 3193150

SAGI 36A5540

3250131 SPRING FOR CERAMIC GRID FRAME



SAGI 35Y2780

Suitable for:

3185097 GRID FOR CERAMIC TILES 600x330 mm
thickness 24 mm
made of stainless steel



SAGI 36A4230

SAGI 36A5290

Suitable for:

3250131 SPRING FOR CERAMIC GRID FRAME



SAGI 35Y2780

3250131 SPRING FOR CERAMIC GRID FRAME



SAGI 35Y2780

Magnet groups

3182009 MAGNETIC UNIT PEL BIG HEADED
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



SAGI 32Z1460

3182011 MAGNETIC UNIT PEL SMALL HEADED
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110




SAGI 32Z1520

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



SAGI 32Z1490

3182007 MAGNETIC UNIT SIT
ø head 33 mm - ø end 22 mm - length 56 mm
for valve SIT MODUSIT - OP575



SAGI 32Z1500

Microswitches

3240179 MAGNETIC MICROSWITCH E5301C
0.4A 250V - contact NO - head 65x20x9 mm
with cable length 500 mm



SAGI 32W1210

3240181 PROTECTED MAGNET 62x18x10 mm



SAGI 3210010



Suitable for:

Suitable for:

9100050 MAGNETIC MICROSWITCH PSA60010
 2A 240Vac - contact NO - head 52x16x7 mm
 with cable length 350 mm



SAGI 3022950

3240189 MICRO SWITCH M1DX20 10A 250V



SAGI 32W3020

3250071 MICROSWITCH SPRING \varnothing 13x25 mm



SAGI 36G7140

5003350 ROD MICROSWITCH 48x30 MM




SAGI 36D8360

3240149 MICROSWITCH FR508A 3A 400V



SAGI 32W3251

3240407 MICROSWITCH KIT 16A 250V
 3 locking positions
 the kit includes 5 levers:
 lever 75 mm - lever 27 mm - lever 15 mm
 lever 15 mm with wheel - lever 27 mm with wheel



SAGI 32W4240

3240234 LIMIT SWITCH PIN



SAGI 36G6040

SAGI 36G6041

3240235 RING NUT M16x1.5 mm



SAGI 33Q5610

3240568 MICROSWITCH EF83161.3 16A 250V



Suitable for:

Suitable for:

5035288 MICROSWITCH SUPPORT
external dimensions 110x67x45 mm
holes mounting distance 90 mm



SAGI 35R7760

3240410 MICROSWITCH 16(4)A 250V



SAGI 32W0960

SAGI 32W1660

SAGI 32W3340

3240236 LIMIT SWITCH CONTROL



SAGI 30T2250

3240233 MICROSWITCH FITTING M16x1.5 mm



SAGI 33Q4120

3240235 RING NUT M16x1.5 mm



SAGI 33Q5610

3240820 MICROSWITCH 16A 250V



SAGI 32W1320

3240203 BUSHING DOOR MICROSWITCH
external \varnothing 10x15 mm



3240234 LIMIT SWITCH PIN



SAGI 36G6040

SAGI 36G6041

3250071 MICROSWITCH SPRING \varnothing 13x25 mm



SAGI 36G7140

3240152 BUSHING FOR MICROSWITCH





Suitable for:

3240473 GASKET FOR BUSHING




SAGI

Suitable for:

5035454 MICRO SUPPORT
for WASHING MACHINE LF25



3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



3240153 ROD FOR MICROSWITCH



3240154 SPRING FOR MICROSWITCH ROD




3240181 PROTECTED MAGNET 62x18x10 mm



SAGI 3210010

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm




SAGI 32M5690




Motors

3240105 MOTOR 1048.1920 0.045/0.0765Kw 220/240V
50/60Hz 2800/3400rpm
plate dimensions 150x150 mm
distance between holes 130 mm



SAGI 32M4301

3240243 FAN ø 165 mm
thickness 43 mm
total blades 36 - ø hole 8 mm



3240240 FLANGE FOR MAIN SHAFT
external ø 45mm - internal ø 12mm - thickness 6mm



3186411 MAIN SHAFT SEALING GASKET
external ø 22mm - internal ø 10mm-thickness 3.5mm




3340008 COUNTER-FLANGE FOR MAIN SHAFT
external ø 60 mm - internal ø 18.5 mm
thickness 6 mm



3161004 FLANGE FOR MAIN SHAFT
external ø 60 mm - internal ø 18.5 mm
thickness 8 mm



3240106 IMPELLER ø 160 mm
thickness 35 mm
12 blades - hole ø 8 mm



SAGI 32M0370

OR and ORM gaskets

3186143 GASKET OR 04093 EPDM



SAGI 3150520

3186656 HEATING ELEMENT GASKET KIT
consists of 2 silicone OR0152 gaskets
and 1 grease can



SAGI 60A0980



SAGI



Suitable for:

Suitable for:

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm

3523062 O-RING 0119 RED SILICONE



SAGI 3150430

SAGI 3151960

SAGI 37Q5260

SAGI 3150390

1186411 O-RING 02031 EPDM

3186440 O-RING 02075 EPDM



SAGI 3035830

SAGI 3152210

SAGI 37Q1210

5060454 O-RING 02137 SILICONE

1186238 O-RING 04081 EPDM



SAGI 3152370

SAGI 3150800

3067198 O-RING 04162 EPDM

3186657 RED SILICONE O-RING 02187



SAGI

SAGI 3152040

3186241 VITON O-RING 06212
for DRAIN TAP \varnothing 2" OLD MODEL AND
TECNO NEW MODEL



SAGI 3152331

Pilot burners and accessories

3020005 BURNER PILOT 2-FLAME GASCO
multigas with jet \varnothing 0.20 mm
with 3 position bracket

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



SAGI 6000290



Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



SAGI 33A0980

3020083 NUT & OLIVE ø 4 mm



3020082 OLIVE FOR 12 mm ø PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3020081 OLIVE FOR 6 mm ø PIPE



SAGI 36Q0020

3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm



SAGI 33A0690

3020156 PILOT JET ø 0.25 mm



SAGI 33T0340

SAGI



Suitable for:

4058525 NOZZLE FOR PILOT BURNER ø 0.30 mm



3020084 NUT & OLIVE ø 6 mm



**3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22**



**3020097 PILOT AERATION REGULATOR
internal ø 7 mm - external ø 9 mm
height 10 mm**



SAGI 33A0970

3020054 PILOT JET ø 0.20 mm



3020055 PILOT JET ø 0.35 mm



SAGI 33T0410



Suitable for:

5015516 PILOT NOZZLE \varnothing 0.40 mm



SAGI 33T3130

3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



SAGI 33A2900

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



SAGI 36Q1000

**3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



SAGI

Suitable for:

3500269 PILOT NOZZLE \varnothing 0.45 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



SAGI 33A0960

**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M**



SAGI 36Q0710

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



SAGI 36Q0060

**3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm**



SAGI 32T0320





Suitable for:

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SAGI

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020104 THREE-POSITION BRACKET CLAMP



SAGI 33A0950

3020235 COMPLETE PILOT ASSEMBLY
with nozzle \varnothing 0.20 mm



SAGI 33A1430

3020119 PILOT CAP 1 FLAME
for multigas burner



SAGI 33A1070

SAGI

Suitable for:

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



SAGI

3020103 THREE-POSITION BRACKET



SAGI 33A1000

3020109 TWO-FLAME DEFLECTOR



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SAGI 33A0970

3020106 PILOT WITH 0.25 mm \varnothing JET



SAGI 33A0960





Suitable for:

3020107 PILOT WITH 0.35 mm ø JET



SAGI 33A2900

SAGI



Suitable for:

5048713 DEFLECTOR 3 FLAMES



SAGI 33A1081

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



SAGI 36Q1050

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



SAGI 33A0980

3020137 HOLE CAP



SAGI 31V0370

3020135 OLIVE CLAMP M12x1 mm



SAGI 36Q1620

3020082 OLIVE FOR 12 mm ø PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3020111 OLIVE FOR 4 mm ø PIPE



SAGI 36Q1040

3020081 OLIVE FOR 6 mm ø PIPE



SAGI 36Q0020

3020001 ONE-FLAME PILOT BURNER SIT multigas with jet ø 0.20 mm with 2 positions bracket



SAGI LF-3020434


3020292 BRACKET PILOT BURN. SUPPORT 47x40x15 mm for burner ø 90 mm





Suitable for:

3020293 BRACKET PILOT BURN. SUPPORT 65x50x45 mm
for burner \varnothing 115 mm



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



4058525 NOZZLE FOR PILOT BURNER \varnothing 0.30 mm



3020084 NUT & OLIVE \varnothing 6 mm



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22




3020108 ONE-FLAME DEFLECTOR



SAGI

Suitable for:

3020291 BRACKET PILOT BURN. SUPPORT 85x45x55 mm
for burner \varnothing 135 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



SAGI 33A0980

3020083 NUT & OLIVE \varnothing 4 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3020081 OLIVE FOR 6 mm \varnothing PIPE



SAGI 36Q0020

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SAGI 33A0970





Suitable for:

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SAGI 33A0690

3020054 PILOT JET \varnothing 0.20 mm



3020055 PILOT JET \varnothing 0.35 mm



SAGI 33T0410

3500269 PILOT NOZZLE \varnothing 0.45 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



SAGI 33A2900

SAGI



Suitable for:

3020115 PILOT CAP 1 FLAME



SAGI 33A0380

3020156 PILOT JET \varnothing 0.25 mm



SAGI 33T0340

5015516 PILOT NOZZLE \varnothing 0.40 mm



SAGI 33T3130

**3020092 PILOT SUPPORT BRACKET LH 92x55x45 mm
for mounting of pilot assembly**



3020106 PILOT WITH 0.25 mm \varnothing JET



SAGI 33A0960

**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M**



SAGI 36Q0710



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



SAGI 36Q1000

3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SAGI

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020101 TWO-POSITION BRACKET CLAMP



SAGI

Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SAGI 32T0320

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



SAGI

3020100 TWO-POSITION BRACKET





Suitable for:

SAGI



3020025 ONE-FLAME PILOT BURNER SIT
multigas type with nozzle \varnothing 0.25 mm
with 2 positions bracket



SAGI

3020293 BRACKET PILOT BURN. SUPPORT 65x50x45 mm
for burner \varnothing 115 mm



Suitable for:

3020292 BRACKET PILOT BURN. SUPPORT 47x40x15 mm
for burner \varnothing 90 mm



3020291 BRACKET PILOT BURN. SUPPORT 85x45x55 mm
for burner \varnothing 135 mm



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



4058525 NOZZLE FOR PILOT BURNER \varnothing 0.30 mm



SAGI 33A0980

3020083 NUT & OLIVE \varnothing 4 mm



3020084 NUT & OLIVE \varnothing 6 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3020081 OLIVE FOR 6 mm \varnothing PIPE



SAGI 36Q0020



Suitable for:

3020108 ONE-FLAME DEFLECTOR



3020115 PILOT CAP 1 FLAME



SAGI 33A0380

3020054 PILOT JET \varnothing 0.20 mm



3020055 PILOT JET \varnothing 0.35 mm



SAGI 33T0410

3500269 PILOT NOZZLE \varnothing 0.45 mm




3020105 PILOT WITH 0.20 mm \varnothing JET



SAGI

Suitable for:

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SAGI 33A0690

3020119 PILOT CAP 1 FLAME
for multigas burner



SAGI 33A1070

3020156 PILOT JET \varnothing 0.25 mm



SAGI 33T0340

5015516 PILOT NOZZLE \varnothing 0.40 mm



SAGI 33T3130

3020092 PILOT SUPPORT BRACKET LH 92x55x45 mm
for mounting of pilot assembly



3020106 PILOT WITH 0.25 mm \varnothing JET



SAGI 33A0960





Suitable for:

3020107 PILOT WITH 0.35 mm ø JET



SAGI 33A2900

**3020077 PIPE FITTING ø 4 mm
thread M10x1**



SAGI 36Q1000

**3020078 PIPE FITTING ø 6 mm
thread M10x1**



SAGI 36Q0060

**3020294 ROUND IGNITION ELECTRODE ø 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



SAGI

SAGI

Suitable for:

**3020079 PIPE FITTING ø 12 mm
thread ø 3/8" M**



SAGI 36Q0710

**5033138 PIPE FITTING ø 4 mm
thread ø 1/8" M**



**5027953 PIPE OLIVE ø 4 mm
for COPRECI CAL3200**



**3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm**



SAGI 32T0320

**3020124 SPARKING PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 58 mm**



SAGI





Suitable for:

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020101 TWO-POSITION BRACKET CLAMP



3020033 ONE-FLAME PILOT BURNER SIT
multigas nozzle
external regulation with 7 mm nut



SAGI 33A0200

3020293 BRACKET PILOT BURN. SUPPORT 65x50x45 mm
for burner \varnothing 115 mm



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



4058525 NOZZLE FOR PILOR BURNER \varnothing 0.30 mm




SAGI

Suitable for:

3020100 TWO-POSITION BRACKET



3020292 BRACKET PILOT BURN. SUPPORT 47x40x15 mm
for burner \varnothing 90 mm



3020291 BRACKET PILOT BURN. SUPPORT 85x45x55 mm
for burner \varnothing 135 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



SAGI 33A0980

3020083 NUT & OLIVE \varnothing 4 mm





Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3020108 ONE-FLAME DEFLECTOR



3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SAGI 33A0690

3020054 PILOT JET \varnothing 0.20 mm



5015516 PILOT NOZZLE \varnothing 0.40 mm



SAGI 33T3130

SAGI



Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

3020081 OLIVE FOR 6 mm \varnothing PIPE



SAGI 36Q0200

SAGI 36Q1590

SAGI 36Q0020

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SAGI 33A0970

3020115 PILOT CAP 1 FLAME



SAGI 33A0380

3020055 PILOT JET \varnothing 0.35 mm



SAGI 33T0410

3500269 PILOT NOZZLE \varnothing 0.45 mm





Suitable for:

3020092 PILOT SUPPORT BRACKET LH 92x55x45 mm
for mounting of pilot assembly



3020106 PILOT WITH 0.25 mm Ø JET



SAGI 33A0960

3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" M



SAGI 36Q0710

5033138 PIPE FITTING Ø 4 mm
thread Ø 1/8" M



5027953 PIPE OLIVE Ø 4 mm
for COPRECI CAL3200



SAGI

Suitable for:

3020105 PILOT WITH 0.20 mm Ø JET



3020107 PILOT WITH 0.35 mm Ø JET



SAGI 33A2900

3020077 PIPE FITTING Ø 4 mm
thread M10x1



SAGI 36Q1000

3020078 PIPE FITTING Ø 6 mm
thread M10x1



SAGI 36Q0060

3020294 ROUND IGNITION ELECTRODE Ø 7x44 mm
M faston M4x1 mm
overall length 67 mm





Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SAGI 32T0320

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



SAGI

3020100 TWO-POSITION BRACKET



3020286 ONE-FLAME PILOT BURNER SIT PRINTED
without sparking plug, gas nozzle and gasket
thermocouple fitting included



SAGI 33A1630

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



SAGI 36Q1050

SAGI



Suitable for:

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SAGI

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020101 TWO-POSITION BRACKET CLAMP



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm




3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1





Suitable for:

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



3020111 OLIVE FOR 4 mm ø PIPE




SAGI 36Q1040

3020112 OLIVE FOR 6 mm ø PIPE



3020557 PILOT JET ø 0.20 mm



SAGI 33T4300

3020040 PILOT JET ø 0.30 mm



4053669 PILOT JET ø 0,75 mm



SAGI

Suitable for:

5035324 NOZZLE FOR PILOT FLAME ø 0.18 mm




**3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22**



3020086 PILOT GASKET



3020157 PILOT JET ø 0.25 mm



3020041 PILOT JET ø 0.41 mm



SAGI 33T2870

3020187 PILOT NOZZLE ø 0.51 mm





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



SAGI 36Q1000

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SAGI 32T0320

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



SAGI

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm




SAGI 33A0690

SAGI



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F




SAGI

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



Suitable for:

3020099 PILOT BURNER
made of stainless steel



SAGI 33A1490

3020134 GASKET \varnothing 8x7x1 mm



SAGI 3152550

5060454 O-RING 02137 SILICONE



SAGI 3152370

3020111 OLIVE FOR 4 mm \varnothing PIPE



SAGI 36Q1040

3020129 PILOT BURNER
made of chrome-plated brass
connection \varnothing 10 mm



SAGI 33A1920

3020052 PILOT GAS JET \varnothing 0.25 mm



SAGI 33T0240

Suitable for:

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm




3020137 HOLE CAP



SAGI 31V0370

3020135 OLIVE CLAMP M12x1 mm



SAGI 36Q1620

3020081 OLIVE FOR 6 mm \varnothing PIPE



SAGI 36Q0020

3020133 PILOT BURNER SUPPORT



SAGI 34A2380

3020053 PILOT GAS JET \varnothing 0.40 mm



SAGI 34A2381

SAGI 33T0050



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



SAGI 36Q1000

3020131 PIPE OLIVE \varnothing 8 mm



SAGI 36Q1630

3020129 PILOT BURNER
made of chrome-plated brass
connection \varnothing 10 mm



SAGI 33A1920

3020018 PILOT BURNER GPL CB 503.003
with LPG jet and pilot olive
with pilot pipe connection



SAGI

3020050 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503



SAGI



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060

1250023 RADIAL SEEGER RING \varnothing 5 mm
stainless steel - external \varnothing 11.3 - thickness 0.7
UNI 7434 - DIN 6799



SAGI 3120460

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3020112 OLIVE FOR 6 mm \varnothing PIPE





Suitable for:

3020048 PILOT GAS JET \varnothing 0.21 mm
for pilot burner series CB 503-CB 50203.



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3020159 PILOT BURNER NATURAL GAS CB 503.006
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection



SAGI 33A0470

3020050 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503



3020111 OLIVE FOR 4 mm \varnothing PIPE



SAGI 36Q1040

3020466 PILOT BURNER PROTECTION 25x25x18 mm



SAGI

Suitable for:

3020049 PILOT GAS JET \varnothing 0.28 mm
for pilot burner series CB 503



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3020114 OLIVE FOR PIPE \varnothing 6 mm



3020112 OLIVE FOR 6 mm \varnothing PIPE



3020048 PILOT GAS JET \varnothing 0.21 mm
for pilot burner series CB 503-CB 50203.





Suitable for:

3020049 PILOT GAS JET \varnothing 0.28 mm
for pilot burner series CB 503



SAGI



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060

3020020 PILOT BURNER NATURAL GAS CB 505.059
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection
with sparking plug and plug fitting
with thermocouple fitting



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



SAGI 33A0480

3349587 FITTING FOR SPARKING PLUG FIXING \varnothing 9 mm
thread M12x1 mm
for pilot burner series CB 502-CB 505



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3020120 NOZZLE FOR PILOT BURNER LPG 25mBAR
for pilot burner series CB 5050..



5015514 NOZZLE FOR PILOT BURNER LPG 50mBAR
for pilot burner series CB 5050





Suitable for:

3020121 NOZZLE FOR PILOT BURNER METHAN 25mBAR
for pilot burner series CB 5050..



3020111 OLIVE FOR 4 mm ø PIPE



SAGI 36Q1040

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



3020062 SPARKING PLUG ROUND ø 9x39 mm
faston M4x1 mm
overall length 57 mm
for pilot burner series CB 505...



3020133 PILOT BURNER SUPPORT



SAGI 34A2380

SAGI 34A2381

3020119 PILOT CAP 1 FLAME
for multigas burner



SAGI 33A1070

SAGI

Suitable for:

3020050 OLIVE FOR PIPE ø 4 mm
for pilot burner series CB 502-CB 503



3348184 PILOT OLIVE FOR PIPE ø 6 mm
for pilot burner series CB 505



3020078 PIPE FITTING ø 6 mm
thread M10x1



SAGI 36Q0060

3440048 THERMOCOUPLE SPRING
for pilot burner series CB 502-CB 505



3020115 PILOT CAP 1 FLAME



SAGI 33A0380

3020118 PILOT DEFLECTOR 3 FLAMES 53x52 mm



SAGI 32Z2241






Suitable for:

3020052 PILOT GAS JET \varnothing 0.25 mm



SAGI 33T0240

3020557 PILOT JET \varnothing 0.20 mm



SAGI 33T4300

3020055 PILOT JET \varnothing 0.35 mm



SAGI 33T0410

3221506 PILOT LIGHT SUPPORT 100x30 mm




SAGI 35V2570

3020165 PILOT SUPPORT 57x38 mm



SAGI 35V9140

3020236 PILOT SUPPORT 73x56 mm



SAGI 35V9130

SAGI



Suitable for:

3020053 PILOT GAS JET \varnothing 0.40 mm



SAGI 33T0050

3020156 PILOT JET \varnothing 0.25 mm



SAGI 33T0340

3020041 PILOT JET \varnothing 0.41 mm




SAGI 33T2870

5015516 PILOT NOZZLE \varnothing 0.40 mm



SAGI 33T3130

3020167 PILOT SUPPORT 57x38 mm



SAGI 35S0690

3020165 PILOT SUPPORT 57x38 mm




SAGI 35V9140



Suitable for:

3020167 PILOT SUPPORT 57x38 mm



SAGI 35S0690

SAGI




Suitable for:

3020106 PILOT WITH 0.25 mm Ø JET



SAGI 33A0960

3020107 PILOT WITH 0.35 mm Ø JET



SAGI 33A2900

**3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" M**



SAGI 36Q0710

**3020077 PIPE FITTING Ø 4 mm
thread M10x1**



SAGI 36Q1000

**3020078 PIPE FITTING Ø 6 mm
thread M10x1**



SAGI 36Q0060

3020131 PIPE OLIVE Ø 8 mm



SAGI 36Q1630

3020110 THREE-FLAME DEFLECTOR



SAGI 33A1080

**3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet Ø 0.20 mm
with 3 positions bracket**



SAGI 6000350

**5014757 CONNECTION PIPE Ø 6 mm
thread M10x1 mm**





Suitable for:

5048713 DEFLECTOR 3 FLAMES



SAGI 33A1081

4058525 NOZZLE FOR PILOT BURNER \varnothing 0.30 mm



3020084 NUT & OLIVE \varnothing 6 mm



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



SAGI 33A0970

3020054 PILOT JET \varnothing 0.20 mm



SAGI

Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



SAGI 33A0980

3020083 NUT & OLIVE \varnothing 4 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

3020081 OLIVE FOR 6 mm \varnothing PIPE

SAGI 36Q0200

SAGI 36Q1590



SAGI 36Q0020

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SAGI 33A0690

3020156 PILOT JET \varnothing 0.25 mm



SAGI 33T0340





Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



SAGI 33T0410

3500269 PILOT NOZZLE \varnothing 0.45 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



SAGI 33A0960

**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M**



SAGI 36Q0710

**5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M**



**5027953 PIPE OLIVE \varnothing 4 mm
for COPRECI CAL3200**



SAGI

Suitable for:

5015516 PILOT NOZZLE \varnothing 0.40 mm



SAGI 33T3130

3020105 PILOT WITH 0.20 mm \varnothing JET




3020107 PILOT WITH 0.35 mm \varnothing JET



SAGI 33A2900

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



SAGI 36Q1000

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



SAGI 36Q0060

**3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**





Suitable for:

3001003 **ROUND SPARKING PLUG \varnothing 7x44 mm**
male faston M4x1 mm
total length 65 mm



SAGI 32T0320

3020124 **SPARKING PLUG ROUND \varnothing 7x44 mm**
connection \varnothing 2.4 mm
overall length 58 mm



SAGI

3020110 **THREE-FLAME DEFLECTOR**



SAGI 33A1080

3020104 **THREE-POSITION BRACKET CLAMP**



SAGI 33A0950

3020038 **THREE-FLAME PRINTED PILOT BURNER SIT**
without sparking plug, gas nozzle and gasket
thermocouple fitting included



SAGI 33A2000

SAGI



Suitable for:

3020060 **SPARKING PLUG ROUND \varnothing 7x44 mm**
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SAGI

3020365 **SPARKING PLUG ROUND \varnothing 7x44 mm**
connection \varnothing 2.4 mm
overall length 52 mm



3020103 **THREE-POSITION BRACKET**



SAGI 33A1000

5014757 **CONNECTION PIPE \varnothing 6 mm**
thread M10x1 mm






Suitable for:

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



SAGI 36Q1050

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



3020111 OLIVE FOR 4 mm ø PIPE




SAGI 36Q1040

3020112 OLIVE FOR 6 mm ø PIPE



3020557 PILOT JET ø 0.20 mm



SAGI 33T4300

3020040 PILOT JET ø 0.30 mm



SAGI

Suitable for:

**3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm
thread M10x1**



5035324 NOZZLE FOR PILOT FLAME ø 0.18 mm




**3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22**



3020086 PILOT GASKET



3020157 PILOT JET ø 0.25 mm



3020041 PILOT JET ø 0.41 mm



SAGI 33T2870





Suitable for:

4053669 PILOT JET \varnothing 0,75 mm



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



SAGI 36Q1000

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



SAGI 36Q0060

**3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm**



SAGI 32T0320

**3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



SAGI


SAGI

Suitable for:

3020187 PILOT NOZZLE \varnothing 0.51 mm



**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22**



**3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



SAGI

**3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**



Suitable for:

Suitable for:

3020103 THREE-POSITION BRACKET

3020104 THREE-POSITION BRACKET CLAMP



SAGI 33A1000

SAGI 33A0950

3020014 TWO-FLAME PILOT BURNER LH
without sparking plug, gas jet and gasket
with thermocouple fitting

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



SAGI 33A0880

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



SAGI 36Q1050

3020541 NOZZLE FOR PILOT BURNER 0.35 mm

5035324 NOZZLE FOR PILOT FLAME \varnothing 0.18 mm



3020111 OLIVE FOR 4 mm \varnothing PIPE

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



SAGI 36Q1040

3020112 OLIVE FOR 6 mm \varnothing PIPE


3020086 PILOT GASKET





Suitable for:

3020557 PILOT JET \varnothing 0.20 mm



SAGI 33T4300

3020040 PILOT JET \varnothing 0.30 mm



4053669 PILOT JET \varnothing 0,75 mm



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



SAGI 36Q1000

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**




SAGI 36Q0060

SAGI

Suitable for:

3020157 PILOT JET \varnothing 0.25 mm



3020041 PILOT JET \varnothing 0.41 mm




SAGI 33T2870

3020187 PILOT NOZZLE \varnothing 0.51 mm



**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22**



**3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**





Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SAGI 32T0320

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



SAGI

3020013 TWO-FLAME PILOT BURNER RH
without sparking plug, gas jet and gasket
with thermocouple fitting




SAGI 33A0750

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



SAGI 36Q1050

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



SAGI

Suitable for:

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SAGI

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



5035324 NOZZLE FOR PILOT FLAME \varnothing 0.18 mm





Suitable for:

3020111 OLIVE FOR 4 mm ø PIPE




SAGI 36Q1040

3020112 OLIVE FOR 6 mm ø PIPE



3020557 PILOT JET ø 0.20 mm



SAGI 33T4300

3020040 PILOT JET ø 0.30 mm



4053669 PILOT JET ø 0,75 mm



**3020077 PIPE FITTING ø 4 mm
thread M10x1**



SAGI 36Q1000

SAGI

Suitable for:


**3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22**



3020086 PILOT GASKET



3020157 PILOT JET ø 0.25 mm



3020041 PILOT JET ø 0.41 mm




SAGI 33T2870

3020187 PILOT NOZZLE ø 0.51 mm



**3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22**





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SAGI 32T0320

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



SAGI

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



SAGI

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



SAGI 33A0980

SAGI

Suitable for:

3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SAGI

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



4058525 NOZZLE FOR PILOT BURNER \varnothing 0.30 mm





Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3020081 OLIVE FOR 6 mm \varnothing PIPE



SAGI 36Q0020

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



SAGI 33A0690

3020156 PILOT JET \varnothing 0.25 mm



SAGI 33T0340

5015516 PILOT NOZZLE \varnothing 0.40 mm



SAGI 33T3130

SAGI



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



**3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22**



**3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm**



SAGI 33A0970

3020054 PILOT JET \varnothing 0.20 mm



3020055 PILOT JET \varnothing 0.35 mm



SAGI 33T0410

3500269 PILOT NOZZLE \varnothing 0.45 mm





Suitable for:

3020105 PILOT WITH 0.20 mm ϕ JET



3020107 PILOT WITH 0.35 mm ϕ JET



SAGI 33A2900

**3020077 PIPE FITTING ϕ 4 mm
thread M10x1**



SAGI 36Q1000

**3020078 PIPE FITTING ϕ 6 mm
thread M10x1**



SAGI 36Q0060

**3020294 ROUND IGNITION ELECTRODE ϕ 7x44 mm
M faston M4x1 mm
overall length 67 mm**



SAGI

Suitable for:

3020106 PILOT WITH 0.25 mm ϕ JET



SAGI 33A0960

**3020079 PIPE FITTING ϕ 12 mm
thread ϕ 3/8" M**



SAGI 36Q0710

**5033138 PIPE FITTING ϕ 4 mm
thread ϕ 1/8" M**



**5027953 PIPE OLIVE ϕ 4 mm
for COPRECI CAL3200**



**3001003 ROUND SPARKING PLUG ϕ 7x44 mm
male faston M4x1 mm
total length 65 mm**



SAGI 32T0320





Suitable for:

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SAGI

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020100 TWO-POSITION BRACKET



SAGI



Suitable for:

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



SAGI

3020109 TWO-FLAME DEFLECTOR



3020101 TWO-POSITION BRACKET CLAMP



Pistons

3321006 HYDRAULIC PISTON \varnothing 40x270 mm



SAGI 36G2081

SAGI 36G2082

Pressure gauges

3054034 PRESSURE GAUGE \varnothing 62 mm
coupling \varnothing 1/8" M
range 0-1 bar



SAGI 32V0940



Pressure switches

5050373 PRESSURE SWITCH 1 LEVEL
 calibration 350/265 mm
 250V 16A



SAGI 3017600

SAGI 3160100

SAGI 3253760

Probes

5024504 PROBE TEMPERATURE PT1000
 2 wires
 probe length 100 mm
 cable length 1000 mm
 with fastening coupling M10x1 mm



SAGI 32V5760

3445107 PTC PVC PROBE 3000 mm
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



SAGI 32V0150

3390043 THERMOCOUPLE PROBE TCJ
 bulb ø 6x70 mm- threaded connection ø 10 mm
 silicone tube length 600 mm



SAGI 32V0030

5048865 THERMOCOUPLE PROBE TCJ
 2 wires
 probe length 40 mm - probe ø 4 mm
 cable length 550 mm



SAGI 3072920

5053462 THERMOCOUPLE PROBE TCJ
 2 wires - temperature -50+750°C
 probe length 40 mm - ø probe 4 mm
 cable length 960 mm



SAGI 3104950



Suitable for:


SAGI



Suitable for:

Regulators


3396010 STABILIZER
190÷260VAC - 50/60Hz
3A - T65°C



SAGI 32Z5500

Relays

3351037 POWER RELAY FINDER 40.52.8.230.0000
230V 50/60Hz - 2 exchange contacts 8A



SAGI 32V6630

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



SAGI 32V7100

SAGI 32Z2000

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A




SAGI 32V2950

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



SAGI 32V3720

5029945 POWER RELAY FINDER 66.82.8.230.0000
230V 50/60Hz
2 changeover contacts 30A




SAGI 3038640

SAGI 3251120




Rotary switches

3057032 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm




SAGI 32W0080

3057037 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 with double shaft




SAGI 32W2550

3057178 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin 6x4.6 mm



SAGI 32W3830

5030542 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



SAGI 3168540


3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



SAGI 32W0490


SAGI 32W3610

3057030 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm



SAGI 32W1440


3057038 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



SAGI 32W2940


SAGI 32W2941

3057281 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




SAGI 3162280

5022563 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin 6x4.6 mm



SAGI 3161840

3057028 SELECTOR SWITCH 0-4 POSITIONS
 contact capacity 32A 250V-25A 400V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



SAGI 32W0520




Suitable for:

SAGI




3057031 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 32A 250V-25A 400V - max 150°C
D-shaft \varnothing 6x4.6 mm



SAGI 32W0520


SAGI 32W1050

3057069 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




SAGI 32W3260

3057187 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm




SAGI 32W1500

5002051 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




SAGI 32W0510

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



SAGI 32W2920

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



SAGI 32W0760

Safety groups for pans and spare parts

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



SAGI 3008790

SAGI 32Z0060

3184043 SAFETY GROUP \varnothing 1"
vertical connection \varnothing 1"
complete with safety valve, vacuum relief valve
and pressure gauge



SAGI 3006310

3184018 SAFETY VALVE \varnothing 1"1/4M
max pressure 0.5 atm
for safety group 1"1/4
ISPESL approved



SAGI 33G0200

SAGI 33G0610

3184019 TAP WITH FUNNEL \varnothing 1/2" M
with cover



SAGI 33G0180



Solenoid valves

3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm



SAGI 33D1370

SAGI 33D1371

3120019 ADJUSTER FOR INLET ELBI BLACK
 flow rate 5.5 L/min - tolerance +/- 15%



3120021 ADJUSTER FOR INLET ELBI BLACK
 flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
 flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
 flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
 flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
 flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
 flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
 flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
 flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
 flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
 flow rate 0.35 L/min / tolerance +/- 25%





Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



SAGI

Suitable for:



3120504 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



SAGI

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%





Suitable for:

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



SAGI 33D2310

SAGI 33D3260

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



SAGI



Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%





Suitable for:

3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120006 SOLEN. VALVE ELBI TYPE 339 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



SAGI 33D0290

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



SAGI



Suitable for:

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%





Suitable for:

3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



SAGI 33D1641

SAGI 33D3250

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



SAGI



Suitable for:

3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%





Suitable for:

3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
24V 50Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



SAGI



Suitable for:

3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



SAGI

Suitable for:

3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%





Suitable for:

SAGI



Suitable for:

3120408 SOLEN. VALVE T&P 1 WAY 90°
 230V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 13.5 mm



SAGI 33D3280

3120064 SOLENOID VALVE FOR GAS ø 1/2"FF 230V
 with rate flow regulator
 50/60Hz 20VA - max 500 mbar



3120138 COIL FOR GAS SOLENOID VALVE ø 1/2" 230V



SAGI 33A1650

3120541 SOLENOID VALVE L140B5 ø 1/2"FF 24V
 for water
 normally closed
 max. temperature 100°C
 max. differential pressure 10 bar
 coil 24V 50/60Hz



3120043 COIL SIRAI Z610A 24V 50/60Hz 6W



SAGI 33D1060

3120044 CONNECTOR FEMALE SMALL
 for coils



3120200 DIAPHRAGM FOR L140 B5



3120261 SOLENOID VALVE MÜLLER 1 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm



3120271 COIL MÜLLER 220/240V 50/60Hz
 max temperature 90°C



SAGI 33D2460



Suitable for:

3120274 COIL MÜLLER 220/240V 50/60Hz
max. temperature 90°C
with cable length 2000 mm




SAGI



Suitable for:

3120500 SOLENOID VALVE MÜLLER 2 WAY 180°
230V 50Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



SAGI 3014720

SAGI 3014721

3120271 COIL MÜLLER 220/240V 50/60Hz
max temperature 90°C



3120274 COIL MÜLLER 220/240V 50/60Hz
max. temperature 90°C
with cable length 2000 mm



5004448 SOLENOID VALVE 2-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
1 outlet with adjuster orange



SAGI 3032670

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



SAGI 32T0040

SAGI 32T0041

SAGI 32T0210

SAGI 32T0050

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



SAGI 32T0030



Suitable for:

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



SAGI 3015000

SAGI 32T0070

Suitable for:

3181005 SPARK GENERATOR 8 OUTLETS
220V - 50/60Hz



SAGI 32T0020

Sparking and detection plugs

5030680 ISOLATING SHEATHING FOR PLUG 80 MM



SAGI 3011590


SAGI 3253680

5054204 KIT IGNITION AND DETECTION PLUG
2 plugs \varnothing 9x75 mm - overall length 25/145 mm
plate 56x22 mm



SAGI 3148431

5050933 KIT SPARKING AND DETECTION PLUG
2 spark plugs \varnothing 9x60 mm - total length 115/135 mm
plate 56x22 mm



SAGI 3106671

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



SAGI 32T0320

3020070 SPARKING PLUG ROUND \varnothing 6x56 mm
model 2/A
coupling \varnothing 12 mm - complete with mounting nut
overall length 69 mm



SAGI 32T0080

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SAGI

3020068 SPARKING PLUG ROUND \varnothing 7x44 mm
square coupling
faston M M4x1 mm
overall length 63 mm



SAGI 32T0140

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



SAGI

Suitable for:

3020232 SPARKING PLUG ROUND \varnothing 7x44 mm
 connection \varnothing 2.4 mm
 overall length 61 mm



SAGI 32T0190

Suitable for:

3020215 SPARKLING PLUG SQUARE 6/7x44 mm
 F connection 2.8x0.8 mm
 overall length 60 mm



SAGI 32T0141

SAGI 32T0142

3020067 SQUARE IGNITION ELECTRODE 6/7x53 mm
 total length 85 mm



SAGI 32T0010

SAGI 32T0060

5017224 TUBE FOR PLUG GUARDS 40 MM
 external \varnothing 8 mm - inner \varnothing 5 mm



SAGI 131AA46

Springs

3250079 DOOR HINGE SPRING \varnothing 33x460 mm
 spring section \varnothing 6 mm
 for BRATT PAN series ALPHA-DELTA



SAGI 36H0350

3250078 DOOR HINGE SPRING \varnothing 34x460 mm
 spring section \varnothing 7 mm
 for BRATT series PAN DELTA



SAGI 36H0330

3250076 DOOR SPRING \varnothing 16x77 mm
 for PASTA COOKER and FRYER series ALPHA-DELTA
 SENIOR-JUNIOR-SUMMIT-BIFRONTE



SAGI 36G5240

3250077 LID SPRING \varnothing 30x360 mm
 for BOILING PAN serieS ALPHA-DELTA-SENIOR-SUMMIT



SAGI 36G2640

5037698 SPRING FOR HINGE \varnothing 31x360 MM
 spring section \varnothing 5 mm



SAGI 36G1300



Suitable for:

SAGI



Suitable for:


Steam valves

3524005 KORALIT VALVE GASKET
for valve \varnothing 1" 1/4



SAGI 3150090

3524009 VALVE KNOB
hole 9x9 mm
for valve \varnothing 3/4" - 1"1/4



SAGI 36M0960

Switches

1319902 BIPOLAR SWITCH BLACK 16A 250V
with indicator led lamp
mounting hole 22x30 mm



SAGI 32W1930

3319920 BIPOLAR SWITCH BLACK 16A 250V



SAGI 32W4150

3319923 BLACK/RED CAM



3319646 GREEN/ORANGE CAM



SAGI 33Q6440

3319012 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



SAGI 32W0631

3319780 BLOCK CONNECTION WHITE 30x22 mm





Suitable for:

3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



3319940 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - with indicator lamp and switch cover
max. temperature 120°C
mounting hole 22x30 mm



SAGI 32W2331

SAGI 32W2990

3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



5024456 BLUE MONOPOLAR SWITCH 16A 250V
for IGNITION
with push-button cover
mounting hole 13x20 mm



SAGI 3066000

SAGI 6300674

SAGI

Suitable for:

3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319780 BLOCK CONNECTION WHITE 30x22 mm



3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3452004 SWITCH COVER
external dimensions 25x20 mm
for switch with mounting hole 20x13 mm





Suitable for:

SAGI



3319354 CONTACT LOVATO 6A 240V
1 CONTACT NO



SAGI 32W3320

Suitable for:

5029950 CONTACT LOVATO 6A 240V
1 CONTACT NC



SAGI 32W3330

5026052 COVER RUBBER FOR PUSH-BUTTON ø 33 mm
height 18 mm




SAGI 37Q4030

5035958 PUSH-BUTTON BLACK LIFT ø 30 mm
LOVATO - silk-screen printing "arrow"
mounting hole ø 22 mm




SAGI 32W3300

3319354 CONTACT LOVATO 6A 240V
1 CONTACT NO



SAGI 32W3320

5029950 CONTACT LOVATO 6A 240V
1 CONTACT NC




SAGI 32W3330

5026052 COVER RUBBER FOR PUSH-BUTTON ø 33 mm
height 18 mm



SAGI 37Q4030

5035959 SUPPORTBASE FOR PUSHBUTTON CONTACTS
LOVATO - dimensions 42x30 mm



SAGI 32W3310



Suitable for:

5070027 PUSH-BUTTON 1-POLE BLUE 16A 250V
for ignition
with push-button cap
mounting hole 13x20 mm




SAGI 6300675

Suitable for:

3452004 SWITCH COVER
external dimensions 25x20 mm
for switch with mounting hole 20x13 mm



3319372 RED SINGLE-POLE PUSH-BUTTON 16A 250V
for IGNITION
with protection cap
mounting hole 13x20 mm



SAGI 3062550


SAGI 3126060+3126050

SAGI 6300676

3452004 SWITCH COVER
external dimensions 25x20 mm
for switch with mounting hole 20x13 mm



5035959 SUPPORTBASE FOR PUSHBUTTON CONTACTS
LOVATO - dimensions 42x30 mm



SAGI 32W3310

Tangential and radial fans

3526150 FAN TANGENTIAL 180 mm LH
25W 230V 50/60Hz - \varnothing 60 mm
operating temperature $-30^{\circ}+100^{\circ}\text{C}$



SAGI 32M0050

SAGI 32M0521

SAGI 32M5920

3526200 ELECTRONIC SPEED CONTROLLER 170W 230V
for tangential fan



2102307 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan
with cable length 340 mm




2102796 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for tangential fan 180 mm
with cables length 240 mm





Suitable for:

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



SAGI 32G1990

SAGI



Suitable for:

7103628 HEATING ELEMENT 2000W 230V
length 195 mm - width 38 mm
for tangential ventilator 180 mm
with cable length 230 mm



Taps for tank refilling

3526622 BALL VALVE GAS \varnothing 3/4" MF
ball valve
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium lever



SAGI 33A0910

3183049 NUT \varnothing 3/8"



SAGI 36Q1110

3183042 SPOUT
pipe \varnothing 18 mm



SAGI 33Q3780

3183047 SPOUT - CONNECTION 3/4" F
spout \varnothing 18 mm



SAGI 3003430

SAGI 33Q2582

SAGI 33Q3570

3183006 SPOUT - CONNECTION 3/8" M
spout \varnothing 10 mm



SAGI 33Q2730

3183048 SPOUT - CONNECTION 3/8" M
spout \varnothing 10 mm



SAGI 3003440

SAGI 3003441

SAGI 33Q3500

3183049 NUT \varnothing 3/8"



SAGI 36Q1110



Suitable for:

3186440 O-RING 02075 EPDM



SAGI 37Q1210

SAGI



Suitable for:

3359285 WATER INLET TAP \varnothing 1/2" M
internal output \varnothing 7.5 mm



SAGI 3028010

SAGI 33D0260

3359121 WATER INLET TAP \varnothing 1/2" MM



SAGI 33D2040

3241697 RED KNOB FOR INLET TAP



SAGI 3162200

3759146 TAP KNOB - RED



SAGI 36M2640

SAGI 36M2641

SAGI 36M4010

3358007 WATER INLET TAP \varnothing 3/8" MM



SAGI 3005990

SAGI 3162190

SAGI 33D2930

SAGI 33D3200


SAGI 3162191

5037085 BLUE INLET TAP KNOB



SAGI 3162210

3759137 TAP KNOB - BLUE



SAGI 36M2630

SAGI 36M2631

SAGI 36M4030

5037085 BLUE INLET TAP KNOB



SAGI 3162210



Suitable for:

3241697 RED KNOB FOR INLET TAP



SAGI 3162200

SAGI



Suitable for:

3359100 WATER INLET TAP \varnothing 3/8"MM



SAGI 33D0590

3759137 TAP KNOB - BLUE



SAGI 36M2630

SAGI 36M2631

SAGI 36M4030

3759146 TAP KNOB - RED



SAGI 36M2640

SAGI 36M2641

SAGI 36M4010

5030484 WATER INLET TAP KIT \varnothing 3/8"MM
complete with knob, tap, bracket, sheath,
connections, screws and clamps
FOR REPLACEMENT OF FILLING TAPS



SAGI 6300729

5037085 BLUE INLET TAP KNOB



SAGI 3162210

7102651 WATER INLET TAP KIT \varnothing 3/8"MM
complete with knobs, taps, brackets, sheaths,
connections, screws and clamps
FOR REPLACEMENT OF FILLING TAPS



SAGI 6300730

5037085 BLUE INLET TAP KNOB



SAGI 3162210



Telethermometers

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C

plastic case
capillary length 1500 mm
bulb \varnothing 6x15 mm



SAGI 32V1900

SAGI 32Z0020

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C

plastic case
capillary length 1500 mm
bulb \varnothing 6x15 mm



SAGI 32V1900

SAGI 32Z0020

3441008 TELETHERMOMETER BLACK \varnothing 52 mm 0-120°C

plastic case
PVC covered capillary 1500 mm
bulb \varnothing 6.5x2.6 mm



SAGI 32Z2930

3441024 TELETHERMOMETER BLACK \varnothing 52 mm 50-350°C

metal body
covered capillary length 1500 mm
bulb \varnothing 6x20 mm



SAGI 32Z0040

Terminal blocks

3247015 TERMINAL BLOCK 12-POLE PLASTIC

for cable 0.75-4 mm²
operating temperature 150°C
nominal voltage 450V



SAGI 32D1450

3247003 TERMINAL BLOCK 2-POLE CERAMIC

for cable 0.75-4 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 20x21x18 mm



SAGI 3000060

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



SAGI 32D0171

SAGI 32D0380

3247037 4-POLE TERMINAL BLOCK FV173 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



SAGI 32D1800



Suitable for:

SAGI



Suitable for:

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



SAGI 32D0250

SAGI 32D0251

Thermocouples and accessories

3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm
cut-off contact with cables 100 cm



SAGI 33A1410
SAGI 6021770

SAGI 33A1880
SAGI 6021780

SAGI 60A4060

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



SAGI 33A0500

SAGI 33A0900

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



SAGI 33A0140

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



SAGI 33A0130

3440179 THERMOCOUPLE M8x1 60 cm



SAGI 33A0680

3440032 THERMOCOUPLE SIT M8x1 150 cm



SAGI 33A0520

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS




SAGI 33A0520

Suitable for:

Suitable for:

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



SAGI 33A0520


3440028 THERMOCOUPLE SIT M8x1 60 cm



SAGI 33A1060

SAGI 33A1260

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SAGI 33A1060

SAGI 33A1260

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



SAGI 33A1060

SAGI 33A1260

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SAGI 33A0310

3440037 THERMOCOUPLE SIT M9x1 100 cm.



SAGI 33A0310

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SAGI 33A0310

3440039 THERMOCOUPLE SIT M9x1 150 cm



SAGI 33A0320

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SAGI 33A0320

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SAGI 33A0320

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SAGI 33A0340

SAGI 33A1140

SAGI 33A1190



Suitable for:

Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SAGI 33A0340

SAGI 33A1140

SAGI 33A1190

SAGI 33A0340

SAGI 33A1140

SAGI 33A1190

3391005 THERMOCOUPLE SUPPORT



SAGI 35T0680

Thermostatic gas valves

3345029 THERMOSTATIC TAP 24ST

Adjustment temperature 120-280°C
flange coupling \varnothing 21 mm
outlet fitting M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x120 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm



SAGI 33A1850

5014757

**CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm**



**3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25**



3020082

OLIVE FOR 12 mm \varnothing PIPE



**3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22**




SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3348031

**PIPE FITTING \varnothing 10 mm
thread M20x1.5
for model PEL 22**



SAGI 36Q0610



Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



SAGI 36Q0830

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22




3348038 PIPE OLIVE \varnothing 10 mm
for model PEL 22



SAGI 36Q1700

3345030 THERMOSTATIC TAP 24ST
Operating temperature 140-340°C
flange coupling \varnothing 21 mm
outlet fitting M20x1.5 mm
thermocouple connection M8x1
bulb \varnothing 6x75 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x9 mm



SAGI 33A1790

3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25




SAGI



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0050

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SAGI 36Q0080

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590



Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21



SAGI 36Q0830

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



3348038 PIPE OLIVE ø 10 mm
for model PEL 22



SAGI 36Q1700

3348064 THERMOSTATIC TAP 24ST
Adjustment temperature 120-280°C
connections M20x1.5 mm
thermocouple connection M8x1
bulb ø 6x120 mm
capillary length 1200 mm
D-shaped pin ø 10x9 mm




SAGI 33A2840

SAGI




Suitable for:

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0610

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0050

3020078 PIPE FITTING ø 6 mm
thread M10x1



SAGI 36Q0060

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



SAGI 36Q0080

5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm





Suitable for:

3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22




3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



SAGI 36Q0830

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3348038 PIPE OLIVE \varnothing 10 mm
for model PEL 22



SAGI 36Q1700

SAGI

Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE




SAGI 36Q0030

SAGI 36Q0200


SAGI 36Q1590

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0610

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0050

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SAGI 36Q0080






Suitable for:

SAGI



Suitable for:

3345017 THERMOSTATIC TAP 24STS
 operating temperature 120-320°C
 connections M20x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x75 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 10x8 mm



SAGI 33A0060

SAGI 6003911

5014757 CONNECTION PIPE \varnothing 6 mm
 thread M10x1 mm



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
 for model PEL 21-22-25



3020082 OLIVE FOR 12 mm \varnothing PIPE



3348036 OLIVE FOR 4 mm \varnothing PIPE
 for model PEL 21-22




SAGI 36Q0030

SAGI 36Q0200

SAGI 36Q1590

3348031 PIPE FITTING \varnothing 10 mm
 thread M20x1.5
 for model PEL 22



3348043 PIPE FITTING \varnothing 10 mm
 thread M16x1.5
 for model PEL 20-21



SAGI 36Q0610

3348032 PIPE FITTING \varnothing 12 mm
 thread M20x1.5
 for model PEL 22



SAGI 36Q0830

3348029 PIPE FITTING \varnothing 4 mm
 thread M10x1
 for model PEL 21-22



SAGI 36Q0050

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



SAGI 36Q0060



Suitable for:

3348038 PIPE OLIVE \varnothing 10 mm
for model PEL 22



SAGI 36Q1700

SAGI




Suitable for:

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SAGI 36Q0080

5022068 THERMOSTATIC TAP 25ST
adjustment temperature 120-280°C
flange coupling \varnothing 21 mm
coupling outlet M16x1.5 mm
thermocouple fitting M9x1
bulb \varnothing 6x122 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



SAGI 33A0660

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



3020082 OLIVE FOR 12 mm \varnothing PIPE



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0030

SAGI 36Q0200


SAGI 36Q1590

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



SAGI 36Q0830

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22



SAGI 36Q0610

SAGI 36Q0050



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



SAGI 36Q1000

3348038 PIPE OLIVE \varnothing 10 mm
for model PEL 22



SAGI 36Q1700

SAGI



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



SAGI 36Q0060


3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



SAGI 36Q0080

Thermostats

3444549 ADHESIVE PLATE FOR THERMOSTAT 120-190°C
size 113x86 mm




SAGI 37M5670

3444008 KNOB BLACK \varnothing 41 mm 0-90°C
D-shaped hole 6x4.6 mm
for thermostat IMIT




SAGI 36M2830

5056716 SINGLE-PHASE THERMOSTAT 101-187°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 890 mm - 16A 250V
 \varnothing 6x133 mm bulb - with stuffing gland fitting M10x




SAGI 3168460

3444260 SINGLE-PHASE THERMOSTAT 105-185°C
complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
threaded bulb \varnothing 1/2"x91 mm



SAGI 32Z6630


3444358 SINGLE-PHASE THERMOSTAT 105-185°C
complete with selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x135 mm - with adapter nipple bland M10x1



SAGI 32V0240

SAGI 6300752

3444319 SINGLE-PHASE THERMOSTAT 150°C
with manual reset
capillary length covered 900 mm - 16A 250V
bulb \varnothing 6x70 mm



SAGI 32Z9380



Suitable for:


3444261 SINGLE-PHASE THERMOSTAT 160-190°C
complete with wiring
threaded bulb \varnothing 1/2" - \varnothing 16x93 mm
with adjusting screw



SAGI 6300359


Suitable for:

3444137 SINGLE-PHASE THERMOSTAT 20-120°C
complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
button bulb \varnothing 14x9 mm



SAGI 32Z3290

3444316 SINGLE-PHASE THERMOSTAT 200°C
with manual reset
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x70 mm



SAGI 32V0460

3444138 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 850 mm - 16A 250V
button bulb \varnothing 14x10 mm




SAGI 31Z7990
SAGI 32Z7990

SAGI 32Z2990
SAGI 32Z8000


SAGI 32Z3340

3444320 SINGLE-PHASE THERMOSTAT 285°C
with manual reset
covered capillary length 1500 mm - 16A 250V
bulb \varnothing 4x115 mm




SAGI 32Z5610

5037327 SINGLE-PHASE THERMOSTAT 299°C
with manual reset
covered capillary length 1500 mm - 16A 250V
bulb \varnothing 4x120 mm



SAGI 32Z5612

3444313 SINGLE-PHASE THERMOSTAT 30-120°C
with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 890 mm - 16A 250V
bulb \varnothing 6x115 mm



SAGI 32Z9270

SAGI 32Z9271




Suitable for:

SAGI



3444056 SINGLE-PHASE THERMOSTAT 30-93°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 button bulb \varnothing 23.5 mm




SAGI 32Z0410

3186451 THERMOSTAT GASKET \varnothing 41 mm
 internal hole \varnothing 18 mm - height 15 mm




SAGI 3150270

3444266 SINGLE-PHASE THERMOSTAT 338°C
 with manual reset
 covered capillary length 830 mm - 16A 250V
 button bulb \varnothing 14x10 mm




SAGI 32Z6790

5026558 SINGLE-PHASE THERMOSTAT 340°C
 with automatic reset
 covered capillary length 900 mm - 16A 250V
 bulbo \varnothing 3x226 mm



SAGI 32Z2371

3444312 SINGLE-PHASE THERMOSTAT 360°C
 with manual reset
 capillary length covered 1500 mm - 16A 250V
 bulb \varnothing 4x110 mm




SAGI 32Z1400

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm



SAGI 32Z0610

3444145 SINGLE-PHASE THERMOSTAT 50-310°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length covered 1600 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for OVEN



SAGI 32Z0210


3444177 SINGLE-PHASE THERMOSTAT 50-310°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 4x128 mm



SAGI 32V6510

SAGI 32Z2670

3444359 SINGLE-PHASE THERMOSTAT 60-320°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary 1400 mm - 4 contacts 16A 250V
 bulb \varnothing 4x123 mm



SAGI 32V0660


SAGI 32V0661

3444380 SINGLE-PHASE THERMOSTAT 90-180°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x135 mm - with adapter nipple band M9x1



SAGI 32V4540

3444178 THERMOSTAT MODIFICATION KIT 105-185°C
 D-shaped pin \varnothing 6x4.6 mm
 complete with auxiliary commutator
 complete with substitution manual
 covered capillary length 900 mm - 16A 250V
 threaded bulb \varnothing 1/2" x 91 mm
 complete with screenprinted plates



SAGI 6005040

SAGI 6300738

3444006 THERMOSTAT SINGLE-PHASE TR2 0-210°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm - 15A 250V
 bulb \varnothing 5x140 mm



SAGI 32Z8820

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 6.5x95 mm




SAGI 32Z8840

5059793 THERMOSTAT SINGLE-PHASE 102-187°C
 with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 4x238mm-with stuffing gland fitting M10x1




SAGI 3156520

3444565 THERMOSTAT THREE-PHASE 140°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x87 mm



SAGI 32V3980

5017402 THERMOSTAT THREE-PHASE 247°C
 with automatic reset
 capillary length covered 1200 mm - 16A 380V
 bulb \varnothing 3x228 mm



SAGI 32Z5960




Suitable for:

SAGI



5010676 THERMOSTAT THREE-PHASE 32-112°C
 with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x130 mm




SAGI 32Z5970

5050178 THERMOSTAT THREE-PHASE 370°C
 with automatic reset
 covered capillary length 900 mm - 16A 250V
 halfway capillaries length 450 mm
 triple bulb \varnothing 3x175 mm



SAGI 3083720

3444311 THREE-PHASE THERMOSTAT 100-260°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 10A 400V
 bulb \varnothing 6x70 mm



SAGI 32Z7400

3444146 THREE-PHASE THERMOSTAT 100-300°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1250 mm - 10A 400V
 bulb \varnothing 6x78 mm



SAGI 32Z3790

3444315 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 1000 mm - 10A 400V
 bulb a bottone \varnothing 14x20 mm



SAGI 32Z9620

SAGI 32Z9621

3444142 THREE-PHASE THERMOSTAT 150°C
 with manual reset
 capillary 1500 mm - 10A 400V
 bulb \varnothing 6x90 mm - stuffing gland fitting M9x




SAGI 32Z2710

3444626 THREE-PHASE THERMOSTAT 150°C
 with manual reset
 covered capillary length 800 mm - 20A 380V
 bulb \varnothing 6x90 mm



SAGI 32V0320

3744046 THREE-PHASE THERMOSTAT 156°C
 with manual reset
 covered capillary length 1500 mm
 bulb \varnothing 6x90 mm




SAGI 3014260

SAGI 3014261

Suitable for:


3444318 THREE-PHASE THERMOSTAT 160°C
 with automatic reset
 capillar covered length 850 mm - 10A 400V
 bulb \varnothing 6x70 mm
 for ELECTRICAL BAIN MARIE / ALPHA-DELTA series



SAGI 32Z9210

Suitable for:


3444143 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 capillary length 1600 mm - 10A 400V
 bulb \varnothing 6x85 mm



SAGI 32Z3630

SAGI 32Z3631


3444317 THREE-PHASE THERMOSTAT 270°C
 with manual reset
 covered capillary length 2000 mm - 10A 400V
 bulb \varnothing 6x70 mm



SAGI 32V0970


SAGI 32V6560

5048870 THREE-PHASE THERMOSTAT 270°C
 with manual reset
 covered capillary length 2050 mm - 10A 400V
 bulb \varnothing 6x78 mm




SAGI 32V6561

3444357 THREE-PHASE THERMOSTAT 30-150°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 10A 400V
 bulb \varnothing 6x120 mm




SAGI 32V0060

3444067 THREE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm - 10A 400V
 bulb \varnothing 6x130 mm



SAGI 32Z0130

3444356 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 1300 mm - 10A 400V
 bulb \varnothing 4x120 mm



SAGI 32Z29201

SAGI 32Z29202

SAGI 32Z29202

3444561 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1740 mm - 16A 230V
 bulb \varnothing 6x80 mm



SAGI 32Z2560




Suitable for:

SAGI



Suitable for:


3444147 THREE-PHASE THERMOSTAT 63-300°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length covered 1400 mm - 10A 400V
 bulb \varnothing 3x220 mm



SAGI 32Z3550

SAGI 32Z3551


3444366 THREE-PHASE THERMOSTAT 90-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple bland M10x1



SAGI 32Z0400

Timers


3446004 TIMER 120 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



SAGI 32Z0420

SAGI 32Z2200

3446005 BLACK KNOB ABS 38x38 mm
 D-shaped hole \varnothing 6x4.6 mm
 for timer



Transformers

5052393 CAPACITOR 0-230V/0-12V 50VA
 primary voltage 0-230V 50/60Hz
 secondary voltage 0-12V 50VA
 room temperature 0÷40°C
 screw terminal block



SAGI 3117170

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



SAGI 32Z3470

Tubing and hoses

3450039 DRAIN PIPE 300x260 mm
 external \varnothing 43 mm - internal \varnothing 33 mm



SAGI 131A44

SAGI 33M0800



Wheels and accessories

3522012 SPINDLE CLIP FOR HAND WHEEL
thread M8x10 mm



SAGI 31W0020

3522017 ST.STEEL SCREW T.C.C.E.I. M6x60 UNI 5931




SAGI 31A0130

3522006 WHEEL ø 158 mm
central hole ø 16 mm
complete with folding handle



SAGI 36M4910

3522015 ARTICULATION FOR SCREW



1063911 BEARING 6202 ZZ NSK
external ø 35 mm-internal ø 15 mm-thickness 11 mm



1063901 BEARING 6204 DDU NSK
external ø 47mm - internal ø 20mm - thickness 14mm



SAGI 3103840

3522030 EXTENSION FOR TAP WORM




3522019 RING FOR SCREW



3522020 RING NUT FOR SCREW



3522010 SCREW BEARING 6004 LD1
extern. ø 42 mm - intern. ø 20 mm - thickn. 12 mm



3522028 SCREW FOR TAP WORM



3522009 SCREW FOR TILTING
total length 885 mm





Suitable for:

3522035 SCREW FOR TILTING
overall length 615 mm



SAGI



Suitable for:


3522024 SCREW NUT FOR BRATT PAN



5015525 SCREW NUT FOR BRATT PAN
dimensions 40x40x39 mm - right hand thread
thread M20x2.5 mm - \varnothing pin 20 mm



5015528 SCREW NUT FOR BRATT PAN VALVE
dimensions 40x40x39 mm - left thread
thread M20x2.5 mm - \varnothing pin 20 mm



3522049 SCREW NUT FOR VITON BRATT PAN



3522014 SCREW SUPPORT



3522021 SCROLL FOR SCREW



3002009 SEEGER RING \varnothing 38 mm
internal \varnothing 32.5 mm - thickn. 1.5 mm



3522018 SPINDLE FOR TILTING SCREW



4006241 SUPPORT SCREW NUT \varnothing 60x18 mm



3522023 THRUST BEARING 51102
external \varnothing 28 mm - internal \varnothing 15 mm - thickn.9 mm



Suitable for:

Suitable for:

3522016 WHEEL \varnothing 200 mm
central hole \varnothing 16 mm
with folding handle

3522017 ST.STEEL SCREW T.C.C.E.I. M6x60 UNI 5931



SAGI 3214440
SAGI 36M5562

SAGI 36M5560

SAGI 36M5561

SAGI 31A0130

Wire pan supports

3354006 GRID REDUCER FOR MOKA 190x385 mm
made of chrome plated iron

3354005 GRID REDUCER FOR MOKA 205x205 mm
made of chrome plated iron



SAGI RG

SAGI 36A2160

SAGI 36A5450




















SAGI 3012090

SAGI 36A0491

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us