



Spare parts for:

## Cooking equipment



Suitable for:

# VISCOUNT



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# VISCOUNT

Suitable for:



## Electric hot plates

### 3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V

terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



VISCOUNT 12002080

## Electrical gas valves and accessories

### 3526284 GAS VALVE UNITROL 7000 BGOR

inlet ø 1/2"F - outlet ø 1/2"F  
thermocouple connection 11/32"  
NATURAL GAS pressure switch 5.2"W.C.



VISCOUNT

### 3526238 GAS VALVE PRESSURE SWITCH

for NATURAL GAS 3,5"W.C.  
for VALVE GAS UNITROL 7000



### 3241707 GREY KNOB ø 30 mm ON-OFF-PILOT for USA MARKET



### 3241929 GREY KNOB ø 30 mm SILK-SCREEN PRINTED for EUROPEAN MARKET



### 3120360 MAGNETIC UNIT UNITROL ø head 23 mm - length 59 mm thermocouple connection 11/32" for GAS VALVE UNITROL 7000 BMSER/BMSGOR



### 3440125 VALVE MICROSWITCH length 300 mm for GAS VALVE UNITROL



VISCOUNT 925529-05

### 3523082 VALVE MICROSWITCH length 415 mm for GAS VALVE UNITROL 7000 BER



### 3526283 VALVE MICROSWITCH length 450 mm for GAS VALVE UNITROL



Suitable for:

**3526235 LPG BLIND PLATE**  
for GAS VALVE UNITROL 7000



VISCOUNT 923569-05

Suitable for:

**3440172 TWIN LEAD THERMOPILE**  $\varnothing$  9x65 mm  
250÷750mV  
cable length 850 mm - with fitting M11x1  
for VALVE GAS UNITROL 7000



VISCOUNT 924598

## Energy regulators


**3350024 ENERGY ADJUSTER**  
contact capacity 240V 13A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction



VISCOUNT 926561-01

VISCOUNT 926570-01

**3350047 ENERGY REGULATOR**  
contact capacity 240V 15A  
D-shaped pin  $\varnothing$  6x4.6 mm  
universal



VISCOUNT EX0087-AO

## Gas valves and accessories

**3523920 MINISIT VALVE FOR OVEN** 100÷340°C  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm  
without cover, knob and flanges



VISCOUNT 923148-10

**2100757 CONNECTION FOR OLIVE**  $\varnothing$  16 mm  
thread  $\varnothing$  1/2"M



**5058320 FITTING FOR HOSE**  $\varnothing$  10 mm  
thread M14x1,5 mm



**3523035 KNOB MINISIT BLACK**  $\varnothing$  37 mm





Suitable for:

**3182003 MAGNETIC UNIT SIT**  
ø head 25 mm - ø end 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT




# VISCOUNT



Suitable for:

**3523047 MINISIT COVER**



**3523038 MINISIT ELBOW FLANGE ø 1/2"F**  
with screws and "O" ring




**3523037 MINISIT ELBOW FLANGE ø 3/8"**  
with screws and "O" ring



**3001070 MINISIT PIEZO IGNITER**  
a ø 22 mm hole is required for the assembly  
male faston ø 2.4 mm



**3001071 MINISIT PIEZO IGNITER WITH COVER**  
male faston 2.4 mm



**3523040 MINISIT SENSING ELEMENT 100÷340°C**  
capillary length 1050 mm  
bulb ø 5x70 mm



**3523061 NUT ø 1/4"x6 mm**



**3523060 OIL SEAL FITTING ø 6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR 12 mm ø PIPE**



**3020079 PIPE FITTING ø 12 mm**  
thread ø 3/8" M



**3348044 PIPE OLIVE ø 10 mm**  
for model PEL 20 - 21





Suitable for:

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
for model PEL 23



## VISCOUNT



Suitable for:

**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8"F -  $\varnothing$  1/2"F**  
in brass with internal and external thread  
 $\varnothing$  internal thread 3/8"F -  $\varnothing$  external thread 1/2"F  
for MINISIT flange



### Ignitors

**3001020 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber




VISCOUNT X07183

### Knobs

**3241637 BLACK KNOB  $\varnothing$  50 mm 60°-200°C**  
D shaft hole 6x4.6 mm  
for EGO thermostat



**3241320 KNOB BLACK  $\varnothing$  50 mm 0-1-2-3**  
D-shaped hole 6x4.6 mm  
for energy adjuster EGO



VISCOUNT ET122A

VISCOUNT 311297

### Magnet groups

**3120360 MAGNETIC UNIT UNITROL**  
 $\varnothing$  head 23 mm - length 59 mm  
thermocouple connection 11/32"  
for GAS VALVE UNITROL 7000 BMSER/BMSGOR



VISCOUNT 925529-05



Suitable for:

# VISCOUNT



Suitable for:

## Pilot burners and accessories

**3020350 PILOT BURNER 2C-2 1 FLAME**  
supplied with LPG gas jet



VISCOUNT 109839-01

**3020411 PILOT GAS JET  $\varnothing$  0.16 mm**



**3020410 PILOT GAS JET  $\varnothing$  0.26 mm**



**3020406 PILOT BURNER 6CH14-2 3 FLAMES**  
supplied with LPG jet



VISCOUNT

**3020411 PILOT GAS JET  $\varnothing$  0.16 mm**




**3020410 PILOT GAS JET  $\varnothing$  0.26 mm**



## Rotary switches

**3057205 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



VISCOUNT 922527-01




## Thermostats

**3241870 BEZEL RING NUT  $\varnothing$  52 mm**  
chrome plated metal Bezel  
for EGO thermostate knob



VISCOUNT 932292-02

**2111771 SINGLE-PHASE THERMOSTAT 130-190°C**  
D-shaped pin 6x4.6 mm  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x117 mm




VISCOUNT 924605-01

**2101288 SINGLE-PHASE THERMOSTAT 230°C**  
with automatic reset  
capillary length 700 mm - 16A 250V  
bulb  $\varnothing$  6x78 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1




VISCOUNT 928967-02

**3444698 SINGLE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1




VISCOUNT AM27831

**2101069 SINGLE-PHASE THERMOSTAT 30-93°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



VISCOUNT 930601-01

**2101404 SINGLE-PHASE THERMOSTAT 32-110°C**  
D-shaft  $\varnothing$  6x4.6 mm  
capillary 870 mm - 16A 240V  
bulb  $\varnothing$  6x100 mm - adapter nipple bland M9x1



VISCOUNT 932292-01

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



VISCOUNT 10000240

**3444361 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 950 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm




VISCOUNT 926171-01




Suitable for:

**2101246 SINGLE-PHASE THERMOSTAT 82°-96°C**  
D-shaft  $\varnothing$  6x4.6 mm  
capillary 870 mm  
bulb  $\varnothing$  6 x 147 mm - adapter nipple M9x1




VISCOUNT 930422-01

**2101244 THREE-PHASE THERMOSTAT 130°-190°C**  
D-shaft  $\varnothing$  6x4.6 mm  
capillary 880 mm - 10A 400V  
bulb  $\varnothing$  6x220 mm



VISCOUNT 9265161-01


**5014523 THREE-PHASE THERMOSTAT 230 °C**  
with manual reset  
capillary length 890 mm  
bulb  $\varnothing$  6x87 mm



VISCOUNT 926562-01

Suitable for:

**2111537 THERMOSTAT SINGLE-PHASE 130-190°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x117 mm - with stuffing gland fitting M9x1  
with tank sealing fitting complete M12x1



VISCOUNT 928967-01

**2111694 THREE-PHASE THERMOSTAT 225°C**  
with manual reset  
capillary 830 mm






















VISCOUNT 1000030



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfrcambi724.it](http://www.lfrcambi724.it) - [www.lfrcambi724.mobi](http://www.lfrcambi724.mobi)  
[info@lfrcambi.it](mailto:info@lfrcambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
  -  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
  -  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)