



Spare parts for:

Warewashing equipment



Suitable for:

GASTROFIT



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

GASTROFIT



Suitable for:

Faucets and mixers

3359995 BLUE SHORT LEVER HANDLE



GASTROFIT

3759166 HOSE \varnothing 3/8" X 350 mm



GASTROFIT

3359998 QUICK FITTING HEAD VALVE LH



GASTROFIT

3359997 QUICK FITTING HEAD VALVE RH



GASTROFIT

3759180 RAISED SINGLE-HOLE MIXER LONG LEVER
raised base 56 mm for h 215 mm
spout 215 mm
connection \varnothing 1/2"F
mounting hole 35 mm



GASTROFIT

2101497 CARTRIDGE \varnothing 40x30.5 mm PIN 10x10.4 mm
for models with extractable spout



GASTROFIT

3359996 RED SHORT LEVER HANDLE



GASTROFIT

3359302 SINGLE-HOLE MIXER
"U" spout \varnothing 18 x 180 mm
connection \varnothing 1/2"F
mounting hole \varnothing 3/4"



GASTROFIT

2101397 ADJUSTABLE SPOUT \varnothing 18x180 mm



GASTROFIT



Suitable for:

3759137 TAP KNOB - BLUE



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

3359412 SINGLE-HOLE MIXER
"U" spout \varnothing 18x180 mm
connection \varnothing 1/2"F
mounting hole \varnothing 3/4"



GASTROFIT

3359995 BLUE SHORT LEVER HANDLE



GASTROFIT

3359997 QUICK FITTING HEAD VALVE RH



GASTROFIT

3759122 SINGLE-HOLE MIXER WITH LONG LEVER
spout 215 mm
connection \varnothing 1/2"F
mounting hole 35 mm



GASTROFIT

GASTROFIT



Suitable for:

3759146 TAP KNOB - RED



GASTROFIT

2101397 ADJUSTABLE SPOUT \varnothing 18x180 mm



GASTROFIT

3359998 QUICK FITTING HEAD VALVE LH



GASTROFIT

3359996 RED SHORT LEVER HANDLE



GASTROFIT

3759167 BLACK SMALL CLINICAL LEVER



GASTROFIT



Suitable for:

2101497 CARTRIDGE \varnothing 40x30.5 mm PIN 10x10.4 mm
for models with extractable spout



GASTROFIT

3759123 SINGLE-HOLE MIXER WITH LONG LEVER
dual jet extractable shower
mounting hole 35 mm



GASTROFIT

5052348 EXTRACTABLE SHOWER HOSE \varnothing 1/2"



GASTROFIT

3759139 LONG CLINICAL LEVER



GASTROFIT

3759164 SINK MOUNTED SINGLE-HOLE MIXER
spout \varnothing 18 x 250 mm
mounting hole \varnothing 3/4"



GASTROFIT

3359995 BLUE SHORT LEVER HANDLE



GASTROFIT

GASTROFIT



Suitable for:

3759166 HOSE \varnothing 3/8" X 350 mm



GASTROFIT

2101497 CARTRIDGE \varnothing 40x30.5 mm PIN 10x10.4 mm
for models with extractable spout



GASTROFIT

3360000 LEAD FOR HOSES REMOV. SHOWER SCREENS



GASTROFIT

3359357 PULL-OUT SPRAY HEAD \varnothing 1/2" M



GASTROFIT

3759147 "C" SPOUT \varnothing 18x250 mm



GASTROFIT

3359998 QUICK FITTING HEAD VALVE LH



GASTROFIT



Suitable for:

3359997 QUICK FITTING HEAD VALVE RH



GASTROFIT

3759163 SINK MOUNTED TWO-HOLE TAP
spout \varnothing 18 x 250 mm
mounting distance 160 mm
fittings \varnothing 3/4"



GASTROFIT

3759137 TAP KNOB - BLUE



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

3759118 WALL MOUNTED TWO-HOLE TAP
spout \varnothing 18x250 mm
distance between holes 150 mm
connections \varnothing 1/2"



GASTROFIT

3759141 BLUE PLATE STELLA HANDLE



GASTROFIT

GASTROFIT



Suitable for:

3359996 RED SHORT LEVER HANDLE



GASTROFIT

3759147 "C" SPOUT \varnothing 18x250 mm



GASTROFIT

3759146 TAP KNOB - RED



GASTROFIT

3759147 "C" SPOUT \varnothing 18x250 mm



GASTROFIT

3759145 HANDLE STELLA RED PLATE



GASTROFIT




Suitable for:

3859020 FLEX HOSE Ø 1/2"Mp x 1/2"Fp 1300 MM
tubo DN8 (ø 8x12 mm) stainless steel
with pedal tap



GASTROFIT

3859001 PEDAL OPERATED SINGLE TAP
floor mounting
connections ø 1/2"




GASTROFIT

3859020 FLEX HOSE Ø 1/2"Mp x 1/2"Fp 1300 MM
tubo DN8 (ø 8x12 mm) stainless steel
with pedal tap



GASTROFIT

3859001 PEDAL OPERATED SINGLE TAP
floor mounting
connections ø 1/2"



GASTROFIT

3859004 SINGLE-PEDAL PROGRESSIVE MIXER
floor mounting
connections ø 1/2"
with taps, pipes and spout



GASTROFIT

GASTROFIT



Suitable for:

3859019 FLEX HOSE Ø 1/2"Mp x 1/2"Fp 900 MM
tubo DN8 (ø 8x12 mm) stainless steel
with pedal tap



GASTROFIT

3859018 UNDER-SINK TAP ø 1/2"
PEDAL INSTALLATION



GASTROFIT

3859019 FLEX HOSE Ø 1/2"Mp x 1/2"Fp 900 MM
tubo DN8 (ø 8x12 mm) stainless steel
with pedal tap



GASTROFIT

3859003 SINGLE-PEDAL PROGRESSIVE MIXER
floor mounting
connections ø 1/2"



GASTROFIT

3759147 "C" SPOUT ø 18x250 mm




GASTROFIT



Suitable for:

3859007 SINGLE-PEDAL PROGRESSIVE MIXER
floor mounting
with locking device
connections \varnothing 1/2"



GASTROFIT

GASTROFIT




Suitable for:

3859018 UNDER-SINK TAP \varnothing 1/2"
PEDAL INSTALLATION




GASTROFIT

3859005 TWO-PEDALS MIXER
floor mounting
connections \varnothing 1/2"



GASTROFIT

3859006 TWO-PEDALS PROGRESSIVE MIXER
floor mounting
connections 1/2"
with taps, pipes and spout



GASTROFIT

3759147 "C" SPOUT \varnothing 18x250 mm



GASTROFIT

3859020 FLEX HOSE \varnothing 1/2"Mp x 1/2"Fp 1300 MM
tubo DN8 (\varnothing 8x12 mm) stainless steel
with pedal tap



GASTROFIT

3859019 FLEX HOSE \varnothing 1/2"Mp x 1/2"Fp 900 MM
tubo DN8 (\varnothing 8x12 mm) stainless steel
with pedal tap



GASTROFIT

3859005 TWO-PEDALS MIXER
floor mounting
connections \varnothing 1/2"



GASTROFIT

3859018 UNDER-SINK TAP \varnothing 1/2"
PEDAL INSTALLATION



GASTROFIT



Suitable for:

GASTROFIT



Suitable for:

**3859018 UNDER-SINK TAP \varnothing 1/2"
PEDAL INSTALLATION**



GASTROFIT

Lever mixers

**2101497 CARTRIDGE \varnothing 40x30.5 mm PIN 10x10.4 mm
for models with extractable spout**



GASTROFIT

3359357 PULL-OUT SPRAY HEAD \varnothing 1/2" M



GASTROFIT

**3759161 SINGLE-HOLE MIXER WITH LONG LEVER
dual jet extractable shower
mounting hole 33 mm**



GASTROFIT

**2101497 CARTRIDGE \varnothing 40x30.5 mm PIN 10x10.4 mm
for models with extractable spout**



GASTROFIT

5052348 EXTRACTABLE SHOWER HOSE \varnothing 1/2"



GASTROFIT

3360000 LEAD FOR HOSES REMOV. SHOWER SCREENS



GASTROFIT

3759139 LONG CLINICAL LEVER



GASTROFIT

3359357 PULL-OUT SPRAY HEAD \varnothing 1/2" M



GASTROFIT



Suitable for:

3759165 SINGLE-HOLE MIXER WITH SHORT LEVER
with cast spout 200 mm
mounting holes 33 mm



GASTROFIT

3759166 HOSE \varnothing 3/8" X 350 mm



GASTROFIT

3759116 SINGLE-HOLE VERTICAL TAP
"U" shaped spout \varnothing 18x180 mm
connection \varnothing 1/2"



GASTROFIT

3759137 TAP KNOB - BLUE



GASTROFIT

3759117 SINGLE-HOLE VERTICAL TAP
"U" shaped spout \varnothing 18x180 mm
screw 1/4 turn
connection \varnothing 1/2"



GASTROFIT

Suitable for:

2101497 CARTRIDGE \varnothing 40x30.5 mm PIN 10x10.4 mm
for models with extractable spout



GASTROFIT

3759144 SHORT LEVER FOR SINGLE-HOLE



GASTROFIT

2101397 ADJUSTABLE SPOUT \varnothing 18x180 mm



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

2101397 ADJUSTABLE SPOUT \varnothing 18x180 mm



GASTROFIT



Suitable for:

3759138 NEUTRAL SHORT LEVER HANDLE



GASTROFIT

GASTROFIT



Suitable for:

3359997 QUICK FITTING HEAD VALVE RH



GASTROFIT

Non-return and expansion valves

7108240 NON-RETURN VALVE FOR SHOWERS \varnothing 1/2"



GASTROFIT

Pre-rinse units

3759147 "C" SPOUT \varnothing 18x250 mm



GASTROFIT

3759102 "EXTRA" SHOWER MIGNON TAP
with shower pre-washing kit
connection \varnothing 3/4 "



GASTROFIT

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3759149 HOSE FLEXIBLE LH OWER \varnothing 1/2"FF 400 mm
stainl. steel DN 8(8x12) PVC coated
bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT

7108240 NON-RETURN VALVE FOR SHOWERS \varnothing 1/2"



GASTROFIT



Suitable for:

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

3359878 SPRAY HEAD EXTRA \varnothing 1/2" M



GASTROFIT

3759137 TAP KNOB - BLUE



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

3759104 "EXTRA" SHOWER PRE-WASHING KIT

for pedal taps
mounting \varnothing 3/4"
connection \varnothing 1/2"



GASTROFIT

3759158 CHROME-PLATED SPRING FOR SHOWERS



GASTROFIT

GASTROFIT

Suitable for:

3759148 SHOWER SPRING "MIGNON"



GASTROFIT

3759136 STAINLESS STEEL SPRING FOR SHOWERS complete



GASTROFIT

3759146 TAP KNOB - RED



GASTROFIT

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3759157 HOSE FLEXIBLE LH OWER \varnothing 1/2" FF 1000 m m
stainl. steel DN 8(8x12) PVC coated
bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT





Suitable for:

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

3759136 STAINLESS STEEL SPRING FOR SHOWERS
complete



GASTROFIT

3759105 "EXTRA" SHOWER PRE-WASHING KIT
for pedal taps
with spout at half pipe \varnothing 18 x 200 mm
mounting \varnothing 3/4"
connection \varnothing 1/2"



GASTROFIT

3759158 CHROME-PLATED SPRING FOR SHOWERS



GASTROFIT

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

GASTROFIT



Suitable for:

3359878 SPRAY HEAD EXTRA \varnothing 1/2" M



GASTROFIT

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3759157 HOSE FLEXIBLE LH OWER \varnothing 1/2" FF 1000 m m
stainl. steel DN 8(8x12) PVC coated
bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT

3359997 QUICK FITTING HEAD VALVE RH



GASTROFIT



Suitable for:

3759140 SPOUT, S SHAPED \varnothing 18x220 mm



GASTROFIT

3759136 STAINLESS STEEL SPRING FOR SHOWERS
complete



GASTROFIT

3759098 "EXTRA" SHOWER SINGLE-HOLE MIXER
with shower pre-washing kit
cast spout 250 mm
mounting hole 30 mm



GASTROFIT

3759097 "EXTRA" SHOWER SINGLE-HOLE TAP
with shower pre-washing kit
spout at half pipe \varnothing 18 x 250 mm
mounting hole \varnothing 3/4"



GASTROFIT

3759158 CHROME-PLATED SPRING FOR SHOWERS



GASTROFIT

GASTROFIT




Suitable for:

3359878 SPRAY HEAD EXTRA \varnothing 1/2" M



GASTROFIT

3759137 TAP KNOB - BLUE



GASTROFIT

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3759157 HOSE FLEXIBLE LOWER \varnothing 1/2" FF 1000 m m
stainl. steel DN 8(8x12) PVC coated
bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT



Suitable for:

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

3759140 SPOUT, S SHAPED ø 18x220 mm



GASTROFIT

3759136 STAINLESS STEEL SPRING FOR SHOWERS complete



GASTROFIT

3759146 TAP KNOB - RED



GASTROFIT

3759101 "EXTRA" SHOWER SINGLE-HOLE TAP with pre-washing shower kit connection ø 1/2"



GASTROFIT

3759158 CHROME-PLATED SPRING FOR SHOWERS



GASTROFIT

GASTROFIT



Suitable for:

3359997 QUICK FITTING HEAD VALVE RH




GASTROFIT

3359878 SPRAY HEAD EXTRA ø 1/2"M



GASTROFIT

3759137 TAP KNOB - BLUE



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3759157 HOSE FLEXIBLE LH OWER ø 1/2"FF 1000 mm stainl. steel DN 8(8x12) PVC coated bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT



Suitable for:

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

3759136 STAINLESS STEEL SPRING FOR SHOWERS
complete



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

3759090 "EXTRA" SHOWER TWO-HOLE TAP
with shower pre-washing kit
spout at half pipe \varnothing 18 x 250 mm
distance between holes 160 mm
mounting hole \varnothing 3/4"



GASTROFIT

3759158 CHROME-PLATED SPRING FOR SHOWERS



GASTROFIT

3359997 QUICK FITTING HEAD VALVE RH



GASTROFIT

GASTROFIT



Suitable for:

3359878 SPRAY HEAD EXTRA \varnothing 1/2" M



GASTROFIT

3759137 TAP KNOB - BLUE



GASTROFIT

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

3759140 SPOUT, S SHAPED \varnothing 18x220 mm



GASTROFIT



Suitable for:

3359878 SPRAY HEAD EXTRA \varnothing 1/2" M



GASTROFIT

3759137 TAP KNOB - BLUE



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

3759100 "EXTRA" SHOWER TWO-HOLE TAP
with shower pre-washing kit
distance between holes 160 mm
mounting hole \varnothing 3/4



GASTROFIT

3759158 CHROME-PLATED SPRING FOR SHOWERS



GASTROFIT

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

GASTROFIT



Suitable for:

3759136 STAINLESS STEEL SPRING FOR SHOWERS
complete



GASTROFIT

3759146 TAP KNOB - RED



GASTROFIT

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3759157 HOSE FLEXIBLE LOWER \varnothing 1/2" FF 1000 mm
stainl. steel DN 8(8x12) PVC coated
bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT

3359878 SPRAY HEAD EXTRA \varnothing 1/2" M



GASTROFIT



Suitable for:

3759136 STAINLESS STEEL SPRING FOR SHOWERS
complete



GASTROFIT

3759146 TAP KNOB - RED



GASTROFIT

3759103 "EXTRA" SHOWER TWO-HOLE WALL-MOUNTED TAP
with shower pre-washing kit
with spout at half pipe \varnothing 18x200 mm
distance between holes \varnothing 150 mm



GASTROFIT

3759158 CHROME-PLATED SPRING FOR SHOWERS



GASTROFIT

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

3759140 SPOUT, S SHAPED \varnothing 18x220 mm



GASTROFIT

GASTROFIT



Suitable for:

3759137 TAP KNOB - BLUE



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3759157 HOSE FLEXIBLE LH OWER \varnothing 1/2" FF 1000 mm
stainl. steel DN 8(8x12) PVC coated
bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT

3359997 QUICK FITTING HEAD VALVE RH



GASTROFIT

3359878 SPRAY HEAD EXTRA \varnothing 1/2" M



GASTROFIT



Suitable for:

3759136 STAINLESS STEEL SPRING FOR SHOWERS
complete



GASTROFIT

3759146 TAP KNOB - RED



GASTROFIT

3759120 "EXTRA" SINGLE-HOLE TAP WITH SHOWER
with shower pre-washing kit
screw 1/4 turn
connection \varnothing 1/2"



GASTROFIT

3759158 CHROME-PLATED SPRING FOR SHOWERS



GASTROFIT

3759138 NEUTRAL SHORT LEVER HANDLE



GASTROFIT

3359997 QUICK FITTING HEAD VALVE RH



GASTROFIT

GASTROFIT



Suitable for:

3759137 TAP KNOB - BLUE



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3759157 HOSE FLEXIBLE LH OWER \varnothing 1/2" FF 1000 mm
stainl. steel DN 8(8x12) PVC coated
bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

3359878 SPRAY HEAD EXTRA \varnothing 1/2" M



GASTROFIT



Suitable for:

3759136 STAINLESS STEEL SPRING FOR SHOWERS
complete



GASTROFIT



Suitable for:

GASTROFIT

3759121 ARTICULATION WITH SPOUT 210 mm
spout \varnothing 18x210 mm
connection \varnothing 1/2"
for shower set with spout at half pipe



3759140 SPOUT, S SHAPED \varnothing 18x220 mm



GASTROFIT

3759137 TAP KNOB - BLUE



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

3759167 BLACK SMALL CLINICAL LEVER



GASTROFIT

3759141 BLUE PLATE STELLA HANDLE



GASTROFIT

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3359999 CARTRIDGE \varnothing 47x29.8mm PIN 10x10.4mm
for single- and two-hole mixers
with clinical lever for shower



GASTROFIT

3759158 CHROME-PLATED SPRING FOR SHOWERS



GASTROFIT

5052348 EXTRACTABLE SHOWER HOSE \varnothing 1/2"



GASTROFIT

GASTROFIT



Suitable for:

GASTROFIT



3759145 HANDLE STELLA RED PLATE



GASTROFIT

Suitable for:

3759302 HOSE FLEX. \varnothing 1/2" F x M10x1 L 500 mm
short connection M10x1 L 18 mm
stainless steel DN6 (6x10)
SVGW--WRAS-DVGW-OQC by NSF- certified
NSF-CSTBAT-PZH-SITAC-KIWA-VA APPROVAL.



GASTROFIT LF-3759142

3759303 HOSE FLEX. \varnothing 1/2" F x M10x1 L 500 mm
long connection M10x1 L 45 mm
stainless steel DN6 (6x10)
SVGW--WRAS-DVGW-OQC by NSF- certified
NSF-CSTBAT-PZH-SITAC-KIWA-VA APPROVAL.



GASTROFIT LF-3759143

3759157 HOSE FLEXIBLE LH OWER \varnothing 1/2" FF 1000 mm
stainl. steel DN 8(8x12) PVC coated
bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT

3759149 HOSE FLEXIBLE LH OWER \varnothing 1/2" FF 400 m m
stainl. steel DN 8(8x12) PVC coated
bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT

3360000 LEAD FOR HOSES REMOV. SHOWER SCREENS



GASTROFIT

3759150 LEVER HANDLE F/CHANGE-OVER SWITCH



GASTROFIT

3759139 LONG CLINICAL LEVER



GASTROFIT

3759088 MIXER SINGLE-HOLE "EXTRA"
with pre-washing shower set
ceramic disk tap valves 1/4 revolution
with spout at half pipe \varnothing 18x200 mm
mounting hole \varnothing 32 mm



GASTROFIT

3359995 BLUE SHORT LEVER HANDLE



GASTROFIT



Suitable for:

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3759157 HOSE FLEXIBLE LH OWER \varnothing 1/2"FF 1000 mm
stainl. steel DN 8(8x12) PVC coated
bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT

7108240 NON-RETURN VALVE FOR SHOWERS \varnothing 1/2"



GASTROFIT

3359998 QUICK FITTING HEAD VALVE LH



GASTROFIT

3359996 RED SHORT LEVER HANDLE



GASTROFIT

3359878 SPRAY HEAD EXTRA \varnothing 1/2" M



GASTROFIT

GASTROFIT



Suitable for:

3759158 CHROME-PLATED SPRING FOR SHOWERS



GASTROFIT

3759138 NEUTRAL SHORT LEVER HANDLE



GASTROFIT

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

3359997 QUICK FITTING HEAD VALVE RH



GASTROFIT

3759140 SPOUT, S SHAPED \varnothing 18x220 mm



GASTROFIT

3759136 STAINLESS STEEL SPRING FOR SHOWERS complete



GASTROFIT



Suitable for:

GASTROFIT



3759089 MIXER SINGLE-HOLE "EXTRA"
with pre-washing shower set
ceramic disk tap valves 1/4 revolution
mounting hole \varnothing 32 mm



GASTROFIT

3759135 BRASS WALL MOUNTING BRACKET KIT



GASTROFIT

3759157 HOSE FLEXIBLE LH OWER \varnothing 1/2" FF 1000 mm
stainl. steel DN 8(8x12) PVC coated
bushings swivel stainl. steel cert. OQC by NSF



GASTROFIT

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

3359997 QUICK FITTING HEAD VALVE RH



GASTROFIT

3359878 SPRAY HEAD EXTRA \varnothing 1/2" M



GASTROFIT

Suitable for:

3359995 BLUE SHORT LEVER HANDLE



GASTROFIT

3759158 CHROME-PLATED SPRING FOR SHOWERS



GASTROFIT

7108240 NON-RETURN VALVE FOR SHOWERS \varnothing 1/2"



GASTROFIT

3359998 QUICK FITTING HEAD VALVE LH



GASTROFIT

3359996 RED SHORT LEVER HANDLE



GASTROFIT

3759136 STAINLESS STEEL SPRING FOR SHOWERS complete



GASTROFIT

Suitable for:

3759138 NEUTRAL SHORT LEVER HANDLE



GASTROFIT

Suitable for:

3359042 PLASTIC WALL MOUNTING BRACKET KIT



GASTROFIT

3759144 SHORT LEVER FOR SINGLE-HOLE



GASTROFIT

3759148 SHOWER SPRING "MIGNON"



GASTROFIT

3759115 SINGLE-HOLE MIXER
 "U" shaped spout \varnothing 18 x 180 mm
 flow rate 21 l/min 4 bar
 connection \varnothing 3/4" F
 mounting hole minimum 30 maximum 32 mm



GASTROFIT

2101397 ADJUSTABLE SPOUT \varnothing 18x180 mm



GASTROFIT

3759141 BLUE PLATE STELLA HANDLE



GASTROFIT

3759145 HANDLE STELLA RED PLATE



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

3359878 SPRAY HEAD EXTRA \varnothing 1/2" M



GASTROFIT

3759140 SPOUT, S SHAPED \varnothing 18x220 mm



GASTROFIT



Suitable for:

3759136 STAINLESS STEEL SPRING FOR SHOWERS
complete



GASTROFIT

3759146 TAP KNOB - RED



GASTROFIT

3759099 TWO-HOLE MIXER FOR "EXTRA" SHOWER
with shower pre-washing kit
cast spout 250 mm
distance between holes 155 mm
connections \varnothing 3/4"



GASTROFIT

Suitable for:

3759137 TAP KNOB - BLUE



GASTROFIT

3359076 TAP WORM FOR MIXER



GASTROFIT

Taps for tank refilling

2101397 ADJUSTABLE SPOUT \varnothing 18x180 mm



GASTROFIT

Water purification filters

5062224 CARTRIDGE EVERPURE i2000/2
suitable for cold water: 2-38°C
diameter 79 mm - overall height 490 mm
34000 L range
operating pressure 0.7-8.5 bar
flow rate 6.3 L/min



EVERPURE EV961227

EVERPURE 4324-01

EVERPURE 9324-01



Water purification filters

3600106 FILTER CARTRIDGE EVERPURE MC2
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine,
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 525 mm
 operating range 34000 litres
 operating pressure 0.7-8.5 bar
 flow rate 6.3 l/min



EVERPURE EV961255

EVERPURE EV961256

EVERPURE 9612-05

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13

3600103 FILTER CARTRIDGE EVERPURE MH 2
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine,
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 530 mm
 operating range 34000 litres
 operating pressure 0.7-8.5 bar
 flow rate 6.3 l/min



EVERPURE EV961326

EVERPURE 9613-06

EVERPURE 9613-26

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13



Suitable for:

GASTROFIT



3600111 FILTER CARTRIDGE EVERPURE 2K PLUS
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine, scale,
 reduction of water tastes and odours
 it retains impurities up to 5 microns
 suitable for cold water: 2-38°C
 diameter 79mm - height 260mm
 operating range 5678L
 max pressure 0.7-8.5bar
 flow rate 1.9l min



EVERPURE EV961266

EVERPURE 9612-66

Suitable for:

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13

3600001 FILTER CARTRIDGE EVERPURE 4C
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine,
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 11300 litres
 operating pressure 0.7-8.5 bar
 flow rate 1.9 l/min



EVERPURE EV960100

EVERPURE 9601-00

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13



Suitable for:

3600107 FILTER CARTRIDGE EVERPURE 4CB5
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine,
 reduction of water tastes and odours
 it retains impurities up to 5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 22710 litres
 operating pressure 0.7-8.5 bar
 flow rate 6.3 l/min



EVERPURE EV961716

EVERPURE 9617-16

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600108 FILTER CARTRIDGE EVERPURE 4CB5-S
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine, scale,
 reduction of water tastes and odours
 it retains impurities up to 5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 22710 litres
 operating pressure 0.7-8.5 bar
 flow rate 6.3 l/min



EVERPURE EV961726

EVERPURE 9617-26

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

Suitable for:

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13



Suitable for:

GASTROFIT



3600034 FILTER CARTRIDGE EVERPURE 4DC
 for water treatment for TECHNICAL purposes
 it provides effective reduction of bacteria
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 5677 litres
 operating pressure 0.7-8.6 bar
 flow rate 1.9 l/min



EVERPURE EV960146

EVERPURE 9601-46

Suitable for:

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13

3600102 FILTER CARTRIDGE EVERPURE 4H
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine,
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 5600 litres
 operating pressure 0.7-8.5 bar
 flow rate 1.9 l/min



EVERPURE EV961100

EVERPURE 9611-00

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13



Suitable for:

3600112 FILTER CARTRIDGE EVERPURE 4K PLUS
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine, scale,
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 11300 litres
 operating pressure 0.7-8.5 bar
 flow rate 1.9 l/min



EVERPURE EV961276

EVERPURE 9612-76

Suitable for:

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket





















EVERPURE 4312-13

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us