



Spare parts for:  
**Pizza ovens**



Suitable for:

**ZANUSSI**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# ZANUSSI



Suitable for:

## Axial motors

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



ZANUSSI 0C1478  
ZANUSSI 0E2261  
ZANUSSI 058855

ZANUSSI 0C4106  
ZANUSSI 002656

ZANUSSI 0C4423  
ZANUSSI 002690

**3240502 AXIAL FAN SUNON 80x80x25 mm**  
ball bearings  
230V 50/60Hz 14W 2450rpm  
SF23080AT-2082HBL.GN



ZANUSSI 006125

## Cables for piezo igniters

**3001019 SIT IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  2.4 mm for electrode



ZANUSSI 005559


**3001018 SIT IGNITION LEAD 600 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



ZANUSSI 004943


## Contactors

**3446223 CONTACTOR AEG LS02K 6A 230V 2.2Kw**  
coil 230V 50/60Hz  
4 normally open contacts  
no auxiliary contact



ZANUSSI 004159


**3446561 CONTACTOR LOVATO BF0910A**  
coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



ZANUSSI 003027


ZANUSSI 004206

**3446557 CONTACTOR LOVATO BG0901A**  
coil 9A 230V 50/60Hz 4Kw  
3 normally open contacts  
1 normally closed auxiliary contact



ZANUSSI 086169

**3446556 CONTACTOR LOVATO BG0910A**  
coil 9A 230V 50/60Hz 4Kw  
3 normally open contacts  
1 normally open auxiliary contact



ZANUSSI 048519

ZANUSSI 075796



Suitable for:

# ZANUSSI



Suitable for:

## Door glasses for oven and accessories

**3519011 DOOR GLASS 385x135x5 mm**  
for Pizza oven (MORETTI)  
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30  
ZMMDE4 - ZMMDE6  
for Pizza oven gas (ZANUSSI) ZMMDG12 - ZMMDG4  
ZMMDG6 - ZMMDG8



ZANUSSI 003450

**3519012 DOOR GLASS 385x163x5 mm**  
for Pizza oven (ZANUSSI)  
for Pizza oven electric (TORNATI FORNI) AHB - AHC  
AHK



ZANUSSI 003453

**3519010 DOOR GLASS 697x135x5 mm**  
for Pizza oven (MORETTI)  
for Pizza oven (ZANUSSI)



ZANUSSI 003454

**3520051 OVEN DOOR GLASS 320x100x5 mm**  
for Pizza oven electric (CUPPONE) BASE520  
BASE620 - BASE720.4 - BASE720.6 - MICRO



ZANUSSI 004135

## Electrical gas valves and accessories

**3440200 TWIN LEAD THERMOPILE 580 mm**



ZANUSSI 002607

**3526406 VALVE VR4605A HONEYWELL**  
inlet - outlet  $\varnothing$  18 mm not threaded  
thermocouple connection pitch ASA  
gas max. inlet pressure 60 mbar  
room temperature 0÷60°C  
power supply 220/240V 50Hz  
for MORETTI PIZZA OVEN PC/GAS-TEVERE HI/TECH  
TIVOLI GAS HI/TECH-TREVI GAS-R14G  
for ZANUSSI PIZZA OVEN ZMMDG4-ZMMDG6-ZMBDG8-  
ZMBDG12



ZANUSSI 003473



Suitable for:

**3526144 VALVE V4600A HONEYWELL  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 thermocouple fitting pitch ASA  
 maximum gas inlet pressure 60 mbar  
 room temperature 0÷70°C  
 power supply 230V 50Hz  
 for Pizza oven gas (ZANUSSI) FZ/G18



ZANUSSI 002178

Suitable for:

**3526300 VALVE 820 NOVA mV  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure range setting  
 outlet 5÷50 mbar  
 room temperature 0÷70°C  
 double wire thermopile power supply  
 (TPTH - TH terminal)  
 thermostat connection (TPTH - TH terminal)  
 suitable to replace the ITT valve  
 UB67 model  
 for Pizza oven gas



ZANUSSI 002606

**3526141 VALVE 830 TANDEM  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 thermocouple fitting M10x1  
 maximum gas inlet pressure 60 mbar  
 outlet gas pressure setting range 3÷50 mbar  
 room temperature 0÷60°C  
 power supply 230V 50Hz  
 for Pizza oven gas (ZANUSSI) ZCB DG12 - ZCB DG18  
 ZCB DG8



ZANUSSI 002340

ZANUSSI 005897

**3526142 DOUBLE COIL FOR VALVE**  
 220V 50Hz  
 for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
 for model PEL 23



ZANUSSI 052671

ZANUSSI 054817

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ZANUSSI 052834



Suitable for:

**3526140 VALVE 836 TANDEM  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 maximum gas inlet pressure 60 mbar  
 max.gas outlet pressure adjustment range 7÷50 mbar  
 outlet gas pressure setting range min.2÷45 mbar  
 room temperature 0÷60°C  
 power supply 230V 30A rectified



ZANUSSI 002714

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
for model PEL 23



ZANUSSI 052671

ZANUSSI 054817

Suitable for:

**3526142 DOUBLE COIL FOR VALVE**  
 220V 50Hz  
 for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ZANUSSI 052834

## Electronic boxes

**3526402 CONTROL BOX S4560A1008**  
 model HONEYWELL - 220/240V 50Hz 10VA  
 for Pizza oven (TORNATI FORNI) ROTOR 5/7  
 ROTOR 7/10  
 for Pizza oven gas (TORNATI FORNI) TF60 - TF90  
 TF99



ZANUSSI 0E1499

ZANUSSI 002351

**3091012 CONTROL BOX 503 EDF FOR TANDEM**  
 model SIT - 220/240V 50/60Hz 7VA  
 for Pizza oven (CUPPONE)  
 for Pizza oven gas (ZANUSSI) ZCBDG12 - ZCBDG18  
 ZCBDG8



ZANUSSI 005898



Suitable for:


# ZANUSSI



Suitable for:

## Electronic printed-circuit boards

**3390116 CONTROL ELECTRONIC BOARD 175x65 mm**  
 for Pizza oven (CUPPONE) - Series VIP  
 for Pizza oven electric (CUPPONE) TECHNO/30  
 TECHNO/35



ZANUSSI 004211

**3390122 ELECTRONIC POWER CIRCUIT BOARD 200x180 m**  
 for Pizza oven electric (CUPPONE) VIP12 - VIP9



ZANUSSI 004213

## Electronic thermostats and controllers

**3445073 THERMOSTAT EVK411 TCJ**  
 power supply 12Vca/dc 1.5VA  
 thermostat setting range 0+600°C  
 ON-OFF control with one actuation point only  
 1 changeover relay output 16A  
 alarm buzzer  
 access to configuration parameters through  
 password - TTL serial port  
 room temperature 0+60°C  
 thermocouple TCJ type probe (not included)  
 connections by screw terminal block  
 front dimensions 74x32x65 mm  
 mounting hole 71x29mm



ZANUSSI 004109

ZANUSSI 053540

**3445109 PROBE TCJ EC-SND-2312 3000 mm**  
 2 wires - temperature range -50+350°C  
 error limits  $\pm 0.75\%$  below 0°C  
 30 seconds response time  
 bulb  $\varnothing$  6x100 mm  
 vetrotex cable



ZANUSSI 004116

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



ZANUSSI 0A2269

ZANUSSI 004120

ZANUSSI 082378

ZANUSSI 083833



Suitable for:

Suitable for:

## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



ZANUSSI 0A2482  
ZANUSSI 005270

ZANUSSI 0C1605  
ZANUSSI 026861

ZANUSSI 0K8611  
ZANUSSI 055016

## Gas taps and accessories

### 3348062 CAP WITH PIN $\varnothing$ 10x8 mm

pin length 35 mm  
for model PEL 23



ZANUSSI 059853

### 3348029 FITTING FOR PIPE $\varnothing$ 4 mm

for model PEL 21-22



ZANUSSI 052125

### 3348011 GAS TAP 23/0

with pilot flame  
with horizontal flange  
inlet fitting M28x1.5mm - outlet fitting M24x1.5mm  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm



ZANUSSI 054811

ZANUSSI 059505

### 3020078 TUBING NUT FOR 6 mm $\varnothing$ PIPE



ZANUSSI 003859

### 3348037 PILOT OLIVE FOR PIPE $\varnothing$ 6 mm

for model PEL 21-22



ZANUSSI 020992

### 3348034 PIPE FITTING $\varnothing$ 16 mm

for model PEL 23



ZANUSSI 054816



Suitable for:

**3348035 PIPE FITTING  $\varnothing$  20 mm**  
for model PEL 23



ZANUSSI 054814

Suitable for:

**3348042 PIPE OLIVE  $\varnothing$  20 mm**  
for model PEL 23



ZANUSSI 054815

## Handles

**3242343 HAND GUARD WASHER**



ZANUSSI 004195

**3242735 OVEN DOOR HANDLE**  
distance between mounting holes 180 mm



ZANUSSI 003010

ZANUSSI 053990

**3242217 PIN FOR OVEN DOOR HANDLE M6x1**  
dimensions  $\varnothing$  12x66 mm  
for OVEN



ZANUSSI 053766

**3242206 SPRING FOR DOOR HANDLE 176 mm**



ZANUSSI 054282

**3526137 BUTTON FOR ELETTROSIT VALVE**



ZANUSSI 053820

ZANUSSI 053992

**3242205 SPRING F/DOOR HANDLE DIVERTER  $\varnothing$  22x30 mm**



ZANUSSI 053757





Suitable for:

**3242337 OVEN DOOR HANDLE ø 26x80 mm M10**  
for Pizza oven electric (CUPPONE) BASE520  
BASE620 - BASE720.4 - BASE720.6 - BRUTUS



ZANUSSI 0KQ193

ZANUSSI 004148

Suitable for:

**3242343 HAND GUARD WASHER**



ZANUSSI 004195

**3242336 OVEN DOOR HANDLE ø 29x90 mm M10**  
for Pizza oven electric (CUPPONE) MAX



ZANUSSI 004107

**3242343 HAND GUARD WASHER**



ZANUSSI 004195

**3242592 OVEN DOOR HANDLE ø 50 mm M10x1 BLACK**  
for Pizza oven electric (MORETTI) AHB - AHK  
AMALFI - BAKY5TE - BAKY5TM - MHB - MHC - MHK  
P120EB - P120EC - P120EK - P60E - P80EB  
P80EC - P80EK



ZANUSSI 0KM993

## Heating elements

**3755781 HEATING ELEMENT 1000W 230V**  
for DECK  
length 690 mm - width 185 mm  
flange 220x30 mm  
for Pizza oven electric (CUPPONE) PA26 - PA6



ZANUSSI 004151

**3755797 HEATING ELEMENT 1300W 115V**  
for CEILING  
overall length 910 mm  
inner length 800 mm  
width 95 mm - flange 125x22 mm  
for Pizza oven electric (MORETTI) MHB - MHC - MHK  
P60E - P80EB - P80EC - P80EK  
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30  
ZMMDE4 - ZMMDE6



ZANUSSI 003469



Suitable for:

# ZANUSSI



**3355741 HEATING ELEMENT 1400W 230V**  
 for CEILING  
 length 575 mm - width 160 mm  
 flange 220x30 mm  
 for Pizza oven electric (CUPPONE)  
 for Pizza oven electric (ZANUSSI) ZCBME12  
 ZCBME18 - ZCBME8 - ZCMME4 - ZCMME6 - ZCMME9



ZANUSSI 004152

**3755766 HEATING ELEMENT 1500W 230V**  
 for DECK  
 overall length 990 mm  
 inner length 895 mm  
 width 250 mm - fittings  $\varnothing$  12 mm  
 for Pizza oven electric (CUPPONE)  
 Series EXELSIOR - TECHNO/30 - Series VIP



ZANUSSI 004201

**3755763 HEATING ELEMENT 2000W 230V**  
 for CEILING  
 length 870 mm - width 175 mm  
 flange 220x30 mm  
 width 175 mm - flange 220x30 mm  
 for Pizza oven electric (CUPPONE) PA29 - PA9 - P9  
 P99



ZANUSSI 004154

**3455285 HEATING ELEMENT 250W 220V**  
 length 240 mm - width 98 mm  
 height 100 mm - fittings  $\varnothing$  12 mm  
 for Pizza oven electric (MORETTI) P60E - P80E



ZANUSSI 0KM985

Suitable for:

**3755762 HEATING ELEMENT 1500W 230V**  
 for DECK  
 length 870 mm - width 150 mm  
 flange 220x30 mm  
 width 150 mm - flange 220x30 mm  
 for Pizza oven electric (CUPPONE) PA29 - PA9



ZANUSSI 004153

**3755761 HEATING ELEMENT 2000W 230V**  
 for CEILING  
 length 1000 mm - width 240 mm  
 for Pizza oven electric (CUPPONE) TECHNO/30  
 VIP29 - VIP9



ZANUSSI 004202

**3755786 HEATING ELEMENT 2150W 230V**  
 for CEILING-DECK  
 length 760 mm - width 570 mm  
 fittings  $\varnothing$  13 mm  
 for Pizza oven electric (MORETTI) PIZZY DUO 60.60  
 PIZZY MONO 60.60



ZANUSSI 0KM980

**3755793 HEATING ELEMENT 450W 110V**  
 for DECK  
 overall length 715 mm  
 inner length 600 mm  
 width 95 mm - flange 125x22 mm  
 for Pizza oven electric (MORETTI) MHB - MHC - MHK  
 P60E - P80EB - P80EC - P80EK  
 for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30  
 ZMMDE4 - ZMMDE6



ZANUSSI 003460



Suitable for:

Suitable for:

**3755799 HEATING ELEMENT 600W 110V**  
 for DECK  
 overall length 915 mm  
 inner length 800 mm  
 width 95 mm - flange 125x22 mm  
 for Pizza oven electric (MORETTI) MHB - MHC - MHK  
 P60E - P80EB - P80EC - P80EK  
 for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30  
 ZMMDE4 - ZMMDE6

**3755792 HEATING ELEMENT 650W 110V**  
 for CEILING  
 overall length 720 mm  
 inner length 600 mm  
 width 95 mm - flange 125x22 mm  
 for Pizza oven electric (MORETTI) MHB - MHC - MHK  
 P60E - P80EB - P80EC - P80EK  
 for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30  
 ZMMDE4 - ZMMDE6



ZANUSSI 003462

ZANUSSI 003459

**3755791 HEATING ELEMENT 910W 115V**  
 for CEILING  
 overall length 710 mm  
 inner length 600 mm  
 width 90 mm - flange 125x22 mm  
 for Pizza oven electric (MORETTI) MHB - MHC - MHK  
 P60E - P80E - P80EB - P80EK  
 for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30  
 ZMMDE4 - ZMMDE6



ZANUSSI 003468

## Hinges, catches and accessories

**3053514 ALUMINUM LEFT HINGE**  
 for Pizza oven (ZANUSSI)  
 for Pizza oven electric (MORETTI) AHB - AHC - AHK  
 AMALFI - MHB - MHC - MHK - PIZZY DUO105.105  
 PIZZY DUO105.65 - PIZZY DUO65.105  
 PIZZY MONO105.105 - PIZZY MONO105.65  
 PIZZY MONO65.105 - P120EB - P120EK - P60E  
 P80EB - P80EC - P80EK - RHB - RHC - RHK  
 for Pizza oven gas (MORETTI) PC110GAS

**3053513 BUSHING FOR LEFT DOOR HINGE**  
 for Pizza oven electric (MORETTI) AHB - AHC - AHK  
 AMALFI - MHB - MHC - MHK - P120EB - P120EC  
 P120EK - P60E - P80EB - P80EC - P80EK - RHB  
 RHC - RHK  
 for Pizza oven gas (MORETTI) PC/GAS - PC110GAS



ZANUSSI 0C0005

ZANUSSI 0KN008



Suitable for:

# ZANUSSI



Suitable for:

## 3053509 PIN FOR LEFT HINGE

for Pizza oven electric (MORETTI) AHB - AHC - AHK  
AMALFI - MHB - MHC - MHK - P120EB - P120EC  
P120EK - P120PC - P60E - P80EB - P80EC - P80EK  
RHB - RHC - RHK  
for Pizza oven gas (MORETTI) P110GAS - P120GAS



ZANUSSI OKN001

## Knobs

### 3241825 BLACK KNOB $\varnothing$ 42 mm 0-65°C

for thermostat+switch  
D-shaped hole  $\varnothing$  6x4.6 mm



ZANUSSI 003501

### 3241517 BLACK KNOB $\varnothing$ 45 mm

D-shaped hole 6x4.6 mm  
for thermostat  
for Pizza oven electric (ZANUSSI) ZCBME12  
ZCBME18 - ZCBME8 - ZCMME4 - ZCMME6 - ZCMME9



ZANUSSI 004146

### 3241810 BLACK KNOB $\varnothing$ 53 mm 0-10

D-shaped hole 6x4.6 mm  
for Pizza oven (MORETTI) PIZZY D - PIZZY M  
105.105 - 105.65 - 60.60 - 65.105



ZANUSSI OKM996

### 3241400 BLACK KNOB $\varnothing$ 70 mm UNIVERSAL

D shaft hole 10x8 mm



ZANUSSI 059062

### 3241516 RED KNOB $\varnothing$ 33 mm

square hole 5x5 mm  
for selector switch  
for Pizza oven electric (CUPPONE) TECHNO/30  
TECHNO/35



ZANUSSI 004147

## Lamps

**3221349 GLASS F.OVEN RECEPTACLE LAMP  $\varnothing$  72 mm**  
 for Pizza oven electric (MORETTI) PIZZY D105.65  
 PIZZY D60.60 - PIZZY D65.105 - PIZZY M105.65  
 PIZZY M60.60 - PIZZY M65.105 - P120EB - P120EC  
 P60E - P80EB - P80EC - P80EK - RHB - RHC - RHK  
 for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30  
 ZMMDE4 - ZMMDE6  
 for Pizza oven gas (MORETTI) PC/GAS - P110GAS  
 for Pizza oven gas (ZANUSSI) ZMBDG12 - ZMBDG8  
 ZMMDG4 - ZMMDG6



ZANUSSI 003451

ZANUSSI 004163

**3221132 GREEN INDICATOR LAMP 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



ZANUSSI 004169

ZANUSSI 058544

**3221034 GREEN INDICATOR LAMP 400V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



ZANUSSI 004157

**3221469 LAMP RECEPTACLE FOR LAMP G9 33W 230V**  
 mounting hole  $\varnothing$  50 mm  
 for Pizza oven electric (MORETTI) PIZZY D105.65  
 PIZZY D60.60 - PIZZY D65.105 - PIZZY M105.65  
 PIZZY M60.60 - PIZZY M65.105 - P120EB - P120EC  
 P120EK - P60E - P80EB - P80EC - P80EK - RHB  
 RHC - RHK  
 for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30  
 ZMMDE4 - ZMMDE6  
 for Pizza oven gas (MORETTI) PC/GAS - P110/GAS  
 for Pizza oven gas (ZANUSSI) ZMBDG12 - ZMBDG8  
 ZMMDG4 - ZMMDG6



ZANUSSI 003464

**3221061 OVEN LAMP E14 25W 230V**  
 max temperature 300°C  
 for Pizza oven electric (CUPPONE) PA24



ZANUSSI 054319

ZANUSSI 054840



Suitable for:

# ZANUSSI



**3221351 LAMP RECEPTACLE GASKET ø 70 mm**  
for Pizza oven (CUPPONE)  
for Pizza oven (ZANUSSI)



ZANUSSI 005875

Suitable for:

**3221649 LAMP RECEPTACLE WITH GLASS E14**  
WITHOUT BULB  
lamp glass ø 72 mm  
mounting hole ø 68 mm  
max temperature 300°C  
for Pizza oven (CUPPONE)  
for Pizza oven (PIZZA GROUP)  
for Pizza oven (WHIRLPOOL)  
for Pizza oven (ZANUSSI)




ZANUSSI 004160

**3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass ø 54 mm  
mounting hole ø 45 mm  
max temperature 300°C  
for Pizza oven electric (ZANUSSI) FP/E18 - FP/E30  
FZ/E18  
for Pizza oven gas (ZANUSSI) FZ/G18



ZANUSSI 056708

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



ZANUSSI 0H7035

**3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V**  
lamp glass ø 72 mm  
mounting hole ø 68 mm  
max temperature 300°C  
for Pizza oven (ZANUSSI)



ZANUSSI 004160

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
for Pizza oven electric (MORETTI) M130C - M90C



ZANUSSI 0C2803

ZANUSSI 002956

ZANUSSI 007056

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head ø 8 mm - 120°C



ZANUSSI 004895  
ZANUSSI 048832

ZANUSSI 046241

ZANUSSI 048488

**3221095 ORANGE INDICATOR LAMP 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



ZANUSSI 005215

ZANUSSI 058522



Suitable for:


**3221014 ORANGE INDICATOR LIGHT 220V**  
mounting hole 30x22 mm - 125°C  
universal application



ZANUSSI 0KM981

Suitable for:

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



ZANUSSI 0H7035

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for Pizza oven electric (CUPPONE) PA24



ZANUSSI 054319

ZANUSSI 054840

## Leak detektors for gas

**3394009 GAS LEAK FINDER SE151NM**  
for natural gas and lpg leaks finding.  
standard 4 batteries 1.5V power supply  
battery life 7 hours of continuous working  
with imitation leather case  
calibration is reached through sensitivity adjustm  
in no polluting gas air so that  
the buzzer gives one pulse every second.  
As soon as the sensor is in a polluted  
environment the pulses frequency  
increases.



ZANUSSI 0S2023

## Microswitches

**3240407 MECHANICAL MICROSWITCH KIT 16A 250V**  
3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheels - lever 27 mm with wheels



ZANUSSI 069484

**3240123 MICROSWITCH 16A 250V**  
for Pizza oven electric (MORETTI) M130C - M90C



ZANUSSI 0KI505



Suitable for:

# ZANUSSI



Suitable for:

## Piezo ignitors

### 3001007 PIEZO IGNITER

a  $\varnothing$  22 mm hole is needed for the assembly  
2.4 mm  $\varnothing$  male faston connector



ZANUSSI 0H6070

ZANUSSI 058497

## Pilot burners and accessories

### 3020199 THREE-FLAME PILOT BURNER SIT

supplied without sparking plug, nozzle and gasket



ZANUSSI 002783

### 3020077 FITTING FOR PIPE $\varnothing$ 4 mm



ZANUSSI 046755

### 3020083 NUT & OLIVE $\varnothing$ 4 mm



ZANUSSI 052833

### 3020084 NUT & OLIVE $\varnothing$ 6 mm



ZANUSSI 052834

### 3020085 NUT FOR SPARKING PLUG CONNECTION



ZANUSSI 057960

### 3020111 OLIVE FOR 4 mm $\varnothing$ PIPE



ZANUSSI 053665

### 3020040 PILOT JET $\varnothing$ 0.30 mm



ZANUSSI 053667

ZANUSSI 057388

### 3020041 PILOT JET $\varnothing$ 0.41 mm



ZANUSSI 053670





Suitable for:

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



ZANUSSI 052610  
ZANUSSI 059380

ZANUSSI 056720  
ZANUSSI 059988

ZANUSSI 057410

Suitable for:

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



ZANUSSI 003859

## Probes

**3445109 PROBE TCJ EC-SND-2312 3000 mm**  
2 wires - temperature range  $-50+350^{\circ}\text{C}$   
error limits  $\pm 0.75\%$  below  $0^{\circ}\text{C}$   
30 seconds response time  
bulb  $\varnothing$  6x100 mm  
vetrotex cable



ZANUSSI 004116

**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range  $-30+80^{\circ}\text{C}$   
bulb  $\varnothing$  6x40 mm



ZANUSSI 050302

ZANUSSI 083583

**3397116 TEMPERATURE PROBE TCK**  
2 wires  
probe length 240 mm -  $\varnothing$  probe 3 mm  
cable length 1460 mm  
for Pizza oven electric (CUPPONE) TECHNO30  
TECHNO35



ZANUSSI 004209

**3440147 THERMOCOUPLE SENSOR 100 mm FOR "UL"**  
supplied with olive  
terminal block connection  
for Pizza oven electric (MORETTI) MHB - MHC - MHK  
M130C - M90C - P120EB - P120EC - P120EK - P60E  
P80EB - P80EK - RHB - RHC - RHK  
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30  
ZMMDE4 - ZMMDE6



ZANUSSI 003439

## Rating-plates

**3390117 ADHESIVE ELECTRONIC PLATE 80x180 mm**  
for Pizza oven electric (CUPPONE) TECHNO/30  
TECHNO/35VIP



ZANUSSI 004196



Suitable for:


# ZANUSSI



Suitable for:

## Relays

**3351021 RELAY 62.82 16A 230V 50/60Hz**  
2 switching contacts



ZANUSSI 0PE302

## Rotary switches

**3057050 CONNECTING BRACKET**  
connecting thermostat and switch



ZANUSSI 0A2205  
ZANUSSI 054376

ZANUSSI 0KT779

ZANUSSI 006712

**3057178 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm  
for Pizza oven (OEM)



ZANUSSI 032677

**3057131 SELECTOR SWITCH 0-2 POSITIONS**  
contact capacity 20A 500V - max 75°C  
square pin 5x5 mm  
for Pizza oven electric (CUPPONE) TECHNO/35  
TECHNO/40  
for Pizza oven electric (ZANUSSI) ZCBME12 - ZCBME8  
ZCBM18 - ZCMME4 - ZCMME6 - ZCMME9



ZANUSSI 004156

## Shock absorbers

**4033241 SHOCK ABSORBER FOR COVER 0150N**  
186/11 HC13  
overall length 280 mm



ZANUSSI 033241



Suitable for:

# ZANUSSI



Suitable for:

## Sparking and detection plugs

### 3020445 ROUND DETECTION PLUG $\varnothing$ 7x36 mm

with cable length 1650 mm  
overall length with cable 1940 mm  
for Pizza oven gas (MORETTI) PC/GAS  
for Pizza oven gas (ZANUSSI) ZMMDG12 - ZMMDG4  
ZMMDG6 - ZMMDG8



ZANUSSI 003472

### 3020124 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm

female connection  
overall length 58 mm



ZANUSSI 054336

ZANUSSI 056754

### 3020442 SPARKING PLUG 82x15 mm

with cable length 570 mm  
overall length with cable 660 mm  
for Pizza oven gas (MORETTI) PC/GAS  
for Pizza oven gas (ZANUSSI) ZMMDG12 - ZMMDG4  
ZMMDG6 - ZMMDG8



ZANUSSI 003471

## Springs

### 3250206 SPRING FASTENING BUSHING

for MORETTI OVEN AHK-AHC-AHB-AMALFI K-AMALFI C-  
AMALFI B-MHK-MHC-MHB-P60E-P80EK-P80EC-P80EB-  
P110/GAS-P120EK-P120EC-P120EB-PC/GAS-  
PIZZY MONO/DUO 65.105-105.105-105.65-RHK-RHC-RHB



ZANUSSI 0KM998



Suitable for:

# ZANUSSI



Suitable for:

## Switches

**3319012 GREEN BIPOLAR SWITCH 16A 250V**  
 with indicator light and switch cover  
 screen printing 0 - I  
 max temperature 120°C  
 mounting hole 22x30 mm  
 for Pizza oven electric (ZANUSSI)



ZANUSSI 053810

**3319533 GREEN BIPOLAR SWITCH 16A 250V**  
 with indicator lamp  
 "lamp" silk-screen print  
 max temperature 120°C  
 mounting hole 22x30 mm  
 for Pizza oven electric (MORETTI) PIZZY D105.105  
 PIZZY D105.65 - PIZZY D60.60 - PIZZY D65.105  
 PIZZY M105.105 - PIZZY M105.65 - PIZZY M60.60  
 PIZZY M65.105



ZANUSSI 0KM977

**3319944 GREEN BIPOLAR SWITCH 16A 250V**  
 with indicator light  
 0-I silk-screen printing  
 temperature max 120°C  
 mounting hole 22x30 mm



ZANUSSI 056703

**3319175 GREEN CHANGE OVER SWITCH 16A 24V**  
 with indicator lamp  
 max temperature 120°C  
 mounting hole 22x30 mm  
 for Pizza oven electric (CUPPONE)



ZANUSSI 004158

**3319967 GREEN SINGLE-POLE SWITCH 16A 250V**  
 max temperature 120°C  
 mounting hole 11x30 mm



ZANUSSI 004110

**1319202 GREEN TWO-POLE SWITCH 16A 250V**  
 with indicator lamp  
 silk-screen printing 0 - I  
 temperature max 120°C  
 mounting hole 22x30 mm  
 for Pizza oven electric (MORETTI) AHB - AHC - AHK  
 AMALFI B - AMALFI C - AMALFI K - BAKY - MHB  
 MHC - MHK - PIZZY DUO105.105 - PIZZY DUO105.65  
 PIZZY DUO65.105 - PIZZY D105.105  
 PIZZY D105.65 - PIZZY D65.105  
 PIZZY MONO105.105 - PIZZY MONO105.65  
 PIZZY MONO65.105 - PIZZY M105.105  
 PIZZY M105.65 - PIZZY M65.105 - RHB - RHC  
 RHK  
 for Pizza oven gas (MORETTI) PC/GAS - P110GAS



ZANUSSI 056703

ZANUSSI 081680

Suitable for:

Suitable for:

## 3319015 RED BIPOLAR PUSH BUTTON 16A 250V

with indicator lamp  
silk-screen print 0 - I  
max temperature 120°C  
mounting hole 22x30 mm



ZANUSSI 005899

## Telethermometers

### 3441058 WHITE TELETHERMOMETER ø 60 mm 0-500°C

metal sheath  
capillary length 700 mm  
bulb ø 9x50 mm  
for Pizza oven electric (CUPPONE) BASE520  
BASE620 - BASE720.4 - BASE720.6



ZANUSSI 004162

## Terminal blocks

### 3247015 12-POLE PLASTIC TERMINAL BLOCK

for cable max 4 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450V



ZANUSSI 0W3543

### 3247006 2-POLE CERAMIC TERMINAL BLOCK

for cable max 6 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 25x22x21 mm



ZANUSSI 053805

### 3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ZANUSSI 046357

### 3247005 4-POLE CERAMIC TERMINAL BLOCK

for cable max 2.5 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 40x18x16 mm



ZANUSSI 054042



Suitable for:

**3247011 6-POLE TERMINAL BLOCK FV122 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ZANUSSI 046347

Suitable for:

**3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ZANUSSI 005420

ZANUSSI 058613

## Thermocouples and accessories

**3440038 THERMOCOUPLE SIT M9x1 120 cm**



ZANUSSI 0K3464

ZANUSSI 020094

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



ZANUSSI 0K3464

ZANUSSI 020094

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



ZANUSSI 0K3464

ZANUSSI 020094

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ZANUSSI 052814

ZANUSSI 058386

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**



ZANUSSI 052814

ZANUSSI 058386

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ZANUSSI 052814

ZANUSSI 058386

## Thermostats

**3444124 PROTECTION CAP**  
for security thermostat



ZANUSSI 0A2187

**3744050 SINGLE-PHASE THERMOSTAT TR2 9325 0-65°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  6x90 mm  
for Pizza oven (ZANUSSI) ZAFZ/75  
for Pizza oven electric (ZANUSSI) AFP75 - AFZ50  
AFZ75



ZANUSSI 056725



Suitable for:

Suitable for:

## 3744051 SINGLE-PHASE THERMOSTAT 40-500°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  4x220 mm  
for Pizza oven electric (MORETTI) PIZZY D105.105  
PIZZY D105.65 - PIZZY D60.60 - PIZZY D65.105  
PIZZY M105.105 - PIZZY M105.65 - PIZZY M60.60  
PIZZY M65.105



ZANUSSI 056701

## 3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Pizza oven (ZANOLLI)  
for Pizza oven (ZANUSSI)



ZANUSSI 005421

## 3444588 SINGLE-PHASE THERMOSTAT 500°C

with manual reset  
covered capillary length 1470 mm - 16A 250V  
bulb  $\varnothing$  4x228 mm  
for Pizza oven electric (MORETTI) AHB - AHC - AHK  
AMALFI B - AMALFI C - AMALFI K - ID105.65D  
ID105.65M - ID60.60D - ID60.60M - ID65.105D  
ID65.105M - MHB - MHC - MHK - P120EB - P120EC  
P120EK - P60EB - P60EC - P60EK - P80EB - P80EC  
P80EK - RHB - RHC - RHK  
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30  
ZMMDE4 - ZMMDE6  
for Pizza oven gas (MORETTI) PC110GAS  
for Pizza oven gas (ZANUSSI) ZMMDG12 - ZMMDG4  
ZMMDG6 - ZMMDG8



ZANUSSI 003456

## 3444299 SINGLE-PHASE THERMOSTAT 60-500°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 16A 250V  
bulb  $\varnothing$  4x310 mm  
for Pizza oven electric (ZANUSSI) FP/E18 - FP/E30  
FZ/E18  
for Pizza oven gas (ZANUSSI) FZ/G18



ZANUSSI 056701

## 3444792 SINGLE-PHASE THERMOSTAT 85-450°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm  
for Pizza oven (CUPPONE) BS430.1M



ZANUSSI 004108

ZANUSSI 004155

## 3444399 THREE-PHASE THERMOSTAT 580°C

with manual reset  
covered capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  4x165 mm  
for Pizza oven (CUPPONE)  
for Pizza oven (ZANUSSI)



ZANUSSI 004205



Suitable for:

# ZANUSSI



Suitable for:

## Transformers

**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



ZANUSSI 0A2269  
ZANUSSI 083833

ZANUSSI 004120

ZANUSSI 082378