



Suitable for:





This catalogue is automatically generated. Therefore, the sequence of the items might not be always shown at best. Updates will be issued in case of additions and/or amendments. Suitable **universal spare parts** may not be included







Suitable for:

# Door glasses for oven and accessories





BEST FOR 391548000

# **Electronic controllers**

## 3445137 THERMOSTAT EK354A TCJ

power supply 230Vac 50/60Hz thermostat setting range -0+600°C ceiling and deck dual temperature setting 2 relay outputs 6(2)A 250V for heating elements 1 relay output 6(2)A 250V for heating 1 relay output 6(2)A 250V for chamber light inbuilt alarm buzzer room temperature 0+55°C thermocouple TCJ type probe (not included) connections by screwed terminal block front dimensions 72x144x79 mm mounting hole 138x67 mm delayed starting with cooking timer - steam control



BEST FOR

## **Heating elements**

### 3355778 HEATING ELEMENT 1300W 400V

for CEILING-DECK overall length 990 mm inner length 890 mm width 120 mm - fittings ø 3/8" for Pizza oven electric (BEST FOR)



BEST FOR 373548010







Suitable for:

#### Lamp receptacles and spare parts 3221318 CERAMIC LAMP RECEPTACLE E27 3221350 lamp glass ø 42 mm mounting hole ø 38 mm



### BEST FOR 166400006

LAMP RECEPTACLE WITH LAMP E14 15W 230V

max temperature 300°C



BEST FOR 166400007

LAMP RECEPTACLE WITH LAMP E14 25W 230V 5072410 ceramic base ø 30 mm external dimensions 75x60 mm max. temperature 300°C



BEST FOR 166400010

Lavarock

5055492 REFRACTORY STONE 628x606x11+3 mm for Pizza oven (BEST FOR)



BEST FOR 364848010

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.

