



Spare parts for:

Ovens



Suitable for:

ELECTROLUX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211411





Suitable for:

ELECTROLUX



Suitable for:

Air regulators

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



ELECTROLUX 057251

Alarms

3397301 ALARM BELL AC00206 85x45x25 mm
power supply 220/240V
for Convection oven electric (ANGELO PO) FCV101E
FCV141E - FCV241E - FCV3EM - FCV4EM - FCV61E
for Convection oven gas (ANGELO PO) FCV101
FCV141 - FCV241 - FCV241G - FCV61



ELECTROLUX 0C7006

ELECTROLUX 055368

Axial motors

3240519 AXIAL FAN EBM 119x119x38 mm
ball bearing
230V 50Hz 19W 2650rpm
4656N



ELECTROLUX

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ELECTROLUX 0C1478

ELECTROLUX 0E2261

ELECTROLUX 058855

ELECTROLUX 0C4106

ELECTROLUX 002656

ELECTROLUX 0C4423

ELECTROLUX 002690

3240502 AXIAL FAN SUNON 80x80x25 mm
ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN
for Convection oven gas (LAINOX) VG106M



ELECTROLUX 006125

3240515 AXIAL VENTILATOR EBM 80x80x38 mm
ball bearings
230V 50Hz 12W 2800rpm
8556N



ELECTROLUX 083528



Suitable for:

Suitable for:

Ball valves and accessories

3359136 BRACKET FOR ROD



ELECTROLUX 003378

3359137 DRAIN TAP DN20 ø 3/4"FF
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCV - Series FCVA - Series RCV
Series ZCV



ELECTROLUX 056114

3359136 BRACKET FOR ROD



ELECTROLUX 003378

3356067 DRAIN TAP LEVER 200 mm



ELECTROLUX 003377

3356067 DRAIN TAP LEVER 200 mm



ELECTROLUX 003377

3526632 GAS/WATER BALLCOCK VALVE ø 3/4"FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



ELECTROLUX 0K7222

Bearings

3063017 BEARING 6203 2RS NSK
external ø 40 mm -internal ø 17 mm-thickness 12 mm



ELECTROLUX 0D0821

ELECTROLUX 0KJ007

ELECTROLUX 089918

3063121 BEARING 6203 2RS SKF
ø ext. 40 mm - ø int. 17 mm - thickness 12 mm



ELECTROLUX 0D0821

ELECTROLUX 0KJ007

ELECTROLUX 089918



Suitable for:

ELECTROLUX



Suitable for:

Boilers

3024016 STEAM GENERATING BOILER
 made of STAINLESS STEEL
 sizes 700x280x170 mm
 for Convection oven (ZANUSSI) FCV 10 GRIGLIE



ELECTROLUX 0C5335

ELECTROLUX 002631

3186429 SEALING GASKET 270x112 mm
 for boiler
 for Convection oven (ZANUSSI) - Series FCS
 Series FCV



ELECTROLUX 002706

3024017 STEAM GENERATOR PLUG
 for Convection oven (ZANUSSI) - Series ECV
 Series FCV - Series ZCV



ELECTROLUX 002692

Bushes

3449284 COUPLING RING
 for OVEN



ELECTROLUX 055324

Cables for piezo igniters

3001031 PLUG CABLES KIT
 two grounding cables 100 mm
 one red silicone cable 950 mm
 one red silicone cable 1200 mm
 one ignition cable 1100 mm
 one ignition cable 1600 mm
 for Convection oven gas (ZANUSSI)



ELECTROLUX 006024

3001028 SIT CABLE 500 mm
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 4 mm for sparking plug



ELECTROLUX 059578



ELECTROLUX



Suitable for:

3001002 SIT IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode



ELECTROLUX 054273

Suitable for:

3001016 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



ELECTROLUX 002544
ELECTROLUX 059146

ELECTROLUX 006514
ELECTROLUX 059842

ELECTROLUX 058494

3001019 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



ELECTROLUX 005559

3001018 SIT IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



ELECTROLUX 004943

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 0U0403

ELECTROLUX 056148

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 037269

ELECTROLUX 047541

ELECTROLUX 047883

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 0A2914

ELECTROLUX 0C1187

ELECTROLUX 0H6812

3068002 CAPACITOR μ F 2.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX 0E0174

3068027 CAPACITOR μ F 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 0H1044

ELECTROLUX 047744

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX 0K9108

ELECTROLUX 037268



Suitable for:

ELECTROLUX



3068010 CAPACITOR μ F 6.3 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX 049260

3068014 CAPACITOR μ F 8 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 049126

Centrifigal fans

3240743 MOTOR FAN RG128/1300-3612 55W 24V
for Convection oven gas (ZANUSSI) AOS102G
AOS201G - AOS202G



ELECTROLUX 0C1112

3240500 MOTOR FAN 37/43W 220/240V 50/60HZ
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20



ELECTROLUX 002639

3240288 OVEN MOTOR FAN 23W 24V
for Convection oven (ZANUSSI) - Series AOS



ELECTROLUX 0C1051

Contact thermostats

3744083 CONTACT THERMOSTAT 250°C 10A 250V
fitting M4
for Convection oven electric (ZANUSSI) ACF/E4
ECF/E4 - FCF/E4 - JCF/E4 - NCF/E4 - ZCF/E4




ELECTROLUX 005203

Contactors

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10

10A 400V 4Kw
coil 220/240V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
for Convection oven (ZANUSSI)



ELECTROLUX 082986

ELECTROLUX 088477

3446510 CONTACTOR BENEDIKT/JAGER K3-14A1024

coil 14A 24V 50/60Hz 5.5Kw
3 normally open contacts
1 normally open auxiliary contact
for Convection oven (ZANUSSI)



ELECTROLUX 0E0020

ELECTROLUX 0L0360

ELECTROLUX 046994

3454053 CONTACTOR BENEDIKT/JAGER K3-18ND10


18A 400V 7.5Kw
coil 220/240V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
for Convection oven (ZANUSSI)



ELECTROLUX 006879

3446561 CONTACTOR LOVATO BF0910A

coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX 003027

ELECTROLUX 004206

3454022 CONTACTOR LOVATO BF1201A


coil 12A 230V 50/60Hz 5.7Kw
3 normally closed contacts
1 normally closed auxiliary contact
for Convection oven gas (ANGELO PO) FCV241GDM



ELECTROLUX 0KD792

3446506 CONTACTOR LOVATO BF2510A

25A 400V 12.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
for Convection oven (ZANUSSI)



ELECTROLUX 0K4938

ELECTROLUX 054928

3446552 CONTACTOR LOVATO BG0610A


coil 6A 230V 50/60Hz 2.2Kw
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX 086215

3446557 CONTACTOR LOVATO BG0901A

coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact



ELECTROLUX 086169



Suitable for:

ELECTROLUX



Suitable for:

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



ELECTROLUX 048519

ELECTROLUX 075796

Detergents

3092248 DETERGENT ECOLAB KIT 1 L - 4 PCS
 detergent for grills and hot plates
 it can be used hot



ELECTROLUX 051195

Door glasses for oven and accessories

3519009 COMPLETE CHAMBER GLASS
 complete with glass and gasket
 for Convection oven (ZANUSSI) - Series FCF
 Series FCS - Series FCV - Series FCVA



ELECTROLUX 0C5340

ELECTROLUX 057400

3519001 FRAME 35x35 mm



ELECTROLUX 057382

3519009 COMPLETE CHAMBER GLASS
 complete with glass and gasket
 for Convection oven (ZANUSSI) - Series FCF
 Series FCS - Series FCV - Series FCVA



ELECTROLUX 0C5340

ELECTROLUX 057400



Suitable for:

3519002 GASKET GLASS FRAME



ELECTROLUX 057402

3519002 GASKET GLASS FRAME



ELECTROLUX 057402

Electrical cables

3050159 CONNECTING CABLE 1500 mm
for Convection oven (ZANUSSI)



ELECTROLUX 002763

Electrical gas valves and accessories

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



ELECTROLUX 004667

3526137 BUTTON FOR ELETTRISIT VALVE



ELECTROLUX 053820

ELECTROLUX 053992

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX 0K3020

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452



Suitable for:

ELECTROLUX



3526087 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 24V 50Hz
 pilot connection and LOWER thermocouple



ELECTROLUX 054437

3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



ELECTROLUX 057543

3526093 EXTENSION ELETROSIT BUTTON
 for switching on/off buttons



ELECTROLUX 051281

ELECTROLUX 055805

3526066 HONEYWELL VALVE V4400C \varnothing 3/4"FF 220V
 inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 60 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Convection oven gas



ELECTROLUX 057340

3526136 SPRING FOR PUSH-BUTTON



ELECTROLUX 053819

3440200 TWIN LEAD THERMOPILE 580 mm



ELECTROLUX 002607



Suitable for:

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX 054539

ELECTROLUX 056601

Suitable for:

3526079 VALVE 820 NOVA ø 1/2"FF
 inlet ø 1/2" F - outlet ø 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Convection oven electric (MBM) FCE6
 for Convection oven gas (ANGELO PO) - Series FC
 Series FCV
 for Convection oven gas (MBM) FFM061 - FGC060
 FGC065 - FGC100 - FGC20 - FGC200 - FGDM066
 FGMD060 - FGMD061 - FGMD065 - FGMD100
 FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
 FGM200 - FGM201 - FGP050 - FGP080 - FGP160



ELECTROLUX 0A2440

ELECTROLUX 055446

ELECTROLUX 056514

3526183 VALVE 820 NOVA ø 1/2"FF
 inlet ø 1/2" F - outlet ø 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 60Hz
 for Convection oven gas (ZANUSSI) ACF/G101
 FCF/G10 - FCF/G101



ELECTROLUX 006182

3526361 VALVE 822 NOVA ø 1/2"FF
 inlet ø 1/2" F - outlet ø 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz
 for Convection oven gas (INOXTREND) BUA-606G
 BUA-610G - BUE-606G - BUE-610G - FBA-106G
 FBA-110G - FBA-210G - FBE-106G - FBE-110G
 FDA-106G - FDA-110G - FDA-210G - FDE-106G
 FDE-110G - FDE-210G - FUA-106G - FUA-110G
 FUA-210G - FUE-106G - FUE-110G - FUE-210G



ELECTROLUX 059473

3020083 NUT & OLIVE ø 4 mm



ELECTROLUX 052833



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX



Suitable for:

ELECTROLUX 052834

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series NCV
Series RCV - Series ZCV



ELECTROLUX 002340

ELECTROLUX 005897

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834



ELECTROLUX



Suitable for:

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 maximum gas inlet pressure 60 mbar
 max.gas outlet pressure adjustment range 7÷50 mbar
 outlet gas pressure setting range min.2÷45 mbar
 room temperature 0÷60°C
 power supply 230V 30A rectified
 for Convection oven gas (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FDV - Series NCV
 Series RCV - Series ZCV



ELECTROLUX 002714

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817

3526012 VALVE 848 SIGMA \varnothing 3/4"MM
 inlet \varnothing 3/4"M - outlet \varnothing 3/4"M
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 0.5÷12 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz 2.8VA
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJV - Series FCZ - Series RDR



ELECTROLUX 0C1057

Suitable for:

3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834

3526009 VALVE820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M9x1
 gas max inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 slow ignition
 for Convection oven gas (ZANUSSI) - Series ACF
 Series FCF - Series NCF - Series ZCF



ELECTROLUX 003719



Suitable for:

ELECTROLUX



Suitable for:

Electronic boxes

3526402 CONTROL BOX S4560A1008

model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven (LAINOX) PG
for Convection oven (ZANUSSI) FCVG6L4
for Convection oven gas (LAINOX) MG220T - VG105S
for Convection oven gas (ZANUSSI) FCVMG62



ELECTROLUX 0E1499

ELECTROLUX 002351

3091026 CONTROL BOX S4560M1010

model HONEYWELL - 220/240V 50Hz 10vA
for 10-20 SHELVES
for Convection oven (ZANUSSI)



ELECTROLUX 002641

3526403 CONTROL BOX S4565C1033U

model HONEYWELL- 230V 50/60Hz 4VA
for 6-20 grills
for Convection oven gas (ZANUSSI)



ELECTROLUX 005924

3091012 CONTROL BOX 503 EDF FOR TANDEM

model SIT - 220/240V 50/60Hz 7VA
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06EC - DG06ES - DG10EC
DG10ES - DG10MX - DG102EC - DG102MX - GF10GM
GF4PM - GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



ELECTROLUX 005898

3091029 CONTROL BOX 537 ABC

SIT model - 220/240V 50/60Hz 12VA
for 6 SHELVES
for Convection oven gas (ZANUSSI)



ELECTROLUX 005908

3091015 CONTROL BOX 577 DBC


model SIT - 220/240V 50/60Hz 20VA
for Convection oven (ZANUSSI) - Series AOS



ELECTROLUX 0C1059

Electronic printed-circuit boards


3390054 ELECTRONIC POWER BOARD 335x110 mm
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
 ECV/E202 - ECV/E6 - FCS061E - FCS101E
 FCS102E - FCS201E - FCS202E - FCV/E6 - RCV/E6
 RCV101E4 - ZCV/E10 - ZCV/E201 - ZCV/E202
 ZCV/E6
 for Convection oven gas (ZANUSSI) ACV/G10
 ACV/G201 - ACV/G202 - ACV/G6 - ECV/G10
 ECV/G201 - ECV/G202 - ECV/G6 - FCS061G
 FCS101G - FCS102G - FCS201G - FCS202G
 FCV/G201 - FCV/G202 - FCV/G6 - NCV/G10
 RCV061G2 - RCV101G4 - ZCV/G10 - ZCV/G201
 ZCV/G202 - ZCV/G6



ELECTROLUX 0C3762

ELECTROLUX 006517

3390229 ELECTRONIC POWER BOARD 335x110 mm
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ECV/E201 - ECV/E202
 FCV/E10 - FCV/E201 - FCV/E202 - NCV/E10
 RCV101E2 - ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) ACV/G10
 ACV/G201 - ACV/G202 - ECV/G201 - ECV/G202
 ECV/G6 - FCV/G10 - FCV/G201 - FCV/G202
 FCV/G6 - NCV/G10 - RCV101G2 - ZCV/G201
 ZCV/G202 - ZCV/G6




ELECTROLUX 0C3761

ELECTROLUX 004105

ELECTROLUX 006612

ELECTROLUX 006716

3390230 ELECTRONIC POWER BOARD 335x110 mm
 230V 50/60Hz
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E6 - FCS061E - FCS101E2 - FCV/E10 - FCV/E6
 NCV/E10 - NCV/E6 - RCV061E2 - RCV101E2
 for Convection oven gas (ZANUSSI) ACV/G10 - ACV/G6
 FCS061G - FCS101G2 - FCV/G10 - FCV/G6
 NCV/G10 - NCV/G6 - RCV061G2 - RCV101G2
 ZCV/G6




ELECTROLUX 0C3757

ELECTROLUX 002684

ELECTROLUX 006715

3390227 ELECTRONIC POWER BOARD 350x150 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS062E - AOS101E - AOS102E - AOS201E
 AOS202E - EJNI061E - EJNI101E - EJNI102E
 EJNI201E - EJNI202E - FCZ061E - FCZ101E
 FCZ102E - FCZ201E - FCZ202E - RDR061E
 RDR101E - RDR201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS062G - AOS101G - AOS102G - AOS201G
 AOS202G - EJNI061G - EJNI101G - EJNI102G
 EJNI201G - EJNI202G - FCZ061G - FCZ101G
 FCZ102G - FCZ201G - FCZ202G - RDR061G
 RDR101G - RDR201G



ELECTROLUX 0C0042

3397028 CHAMBER TEMPERATURE PROBE
 3 wires - loop-faston connection
 bulb \varnothing 4x70 mm
 cable length 920 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS102E - AOS201E - AOS202E
 EJNI061E - EJNI102E - EJNI201E - EJNI202E
 FCZ061E - FCZ102E - FCZ201E - RDR061E
 RDR201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS201G - AOS202G - EJNI201G
 FCZ201G - RDR201G



ELECTROLUX 0C0325




Suitable for:

ELECTROLUX



40C1071 FEEDER BOARD 120x100 mm
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS102G - AOS20G - AOS201G



ELECTROLUX 0C1071

3390075 MOTHERBOARD 335x110 mm
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
 ECV/E202 - FCV/E10 - FCV/E201 - FCV/E202
 ZCV/E10 - ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) ACV/G10
 ACV/G201 - ACV/G202 - ECV/G10 - ECV/G201
 ECV/G202 - ECV/G6 - FCV/G10 - FCV/G201
 FCV/G202 - FCV/G6 - ZCV/G10 - ZCV/G201
 ZCV/G202 - ZCV/G6



ELECTROLUX 0C3764

ELECTROLUX 006717

3390228 INTERFACE ELECTRONIC BOARD
 dimensions 450x150 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS062E - AOS101E - AOS102E - AOS201E
 AOS202E - EJV061E - EJV101E - EJV102E
 EJV201E - EJV202E - FCZ061E - FCZ101E
 FCZ102E - FCZ201E - FCZ202E - RDR061E
 RDR101E - RDR201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS062G - AOS101G - AOS102G - AOS201G
 AOS202G - EJV061G - EJV101G - EJV102G
 EJV201G - EJV202G - FCZ061G - FCZ101G
 FCZ102G - FCZ201G - FCZ202G - RDR061G
 RDR101G - RDR201G



ELECTROLUX 0C0043

3390231 PIN ELECTRONIC BOARD 132x110 mm
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ACV/E6 - ECV/E10
 ECV/E201 - ECV/E202 - FCS061E - FCS101E
 FCS102E - FCS201E4 - FCS202E4 - FCV/E10
 FCV/E201 - FCV/E202 - FCV/E6 - NCV/E10
 NCV/E6 - RCV/E6 - RCV101E4 - RCV061E2
 RCV101E2 - ZCV/E10 - ZCV/E201 - ZCV/E202
 ZCV/E6
 for Convection oven gas (ZANUSSI) ACV/G10
 ACV/G201 - ACV/G202 - ACV/G6 - ECV/G10
 ECV/G201 - ECV/G202 - ECV/G6 - FCS061G
 FCS101G - FCS102G - FCV/G10 - FCV/G201
 FCV/G202 - FCV/G6 - NCV/G10 - NCV/G6
 RCV061G2 - RCV101G2 - RCV101G4 - ZCV/G10
 ZCV/G201 - ZCV/G202 - ZCV/G6




ELECTROLUX 002666



Suitable for:

Suitable for:

3390165 POWER SUPPLY ELEC.CIRCUIT BOARD 105x72mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS062E - AOS101E - AOS102E - AOS201E
 AOS202E - AOW101E - EJN061E - EJN101E
 EJN102E - EJN201E - EJN202E - FCZ061E
 FCZ101E - FCZ102E - FCZ201E - FCZ202 - RDR061E
 RDR101E - RDR201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS062G - AOS101G - AOS102G - AOS201G
 AOS202G - EJN061G - EJN101G - EJN102G
 EJN201G - EJN202G - FCZ061G - FCZ101G
 FCZ102G - FCZ201G - FCZ202G - RDR061G
 RDR101G - RDR201G



ELECTROLUX 007047


3390055 USER INTERFACE BOARD 210x110 mm
 D-shaped pin \varnothing 6x4.6 mm
 16-track connector
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ACV/E6 - ECV/E201
 ECV/E202 - FCS061E - FCS101E - FCV/E10
 FCV/E20 - FCV/E201 - FCV/E202 - FCV/E6
 NCV/E10 - NCV/E6 - RCV061E2 - RCV101E2
 ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) ACV/G10
 ACV/G201 - ACV/G202 - ACV/G6 - ECV/G201
 ECV/G202 - ECV/G6 - FCS061G - FCS101G
 FCV/G10 - FCV/G20 - FCV/G201 - FCV/G202
 FCV/G6 - NCV/G10 - NCV/G6 - RCV061G2
 RCV101G2 - ZCV/G201 - ZCV/G202 - ZCV/G6



ELECTROLUX 0C3758

ELECTROLUX 002665


3390232 USER INTERFACE ELECTRONIC BOARD
 dimensions 275x110 mm
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
 ECV/E202 - ECV/E6 - FCS061E - FCS101E
 FCS102E - FCS201E - FCS202E - FCV/E201
 FCV/E202 - FCV/E6 - RCV/E6 - RCVE101E4
 ZCV/E10 - ZCV/E201 - ZCV/E202 - ZCV/E6
 for Convection oven gas (ZANUSSI) ACV/G10
 ACV/G201 - ACV/G202 - ACV/G6 - ECV/G201
 ECV/G202 - ECV/G6 - FCS061G - FCS101G
 FCS102G - FCV/G10 - FCV/G201 - FCV/G202
 FCV/G6 - NCV/G10 - RCV061G2 - RCV101G4
 ZCV/G10 - ZCV/G201 - ZCV/G202 - ZCV/G6



ELECTROLUX 002725

Electronic thermostats and controllers

3445375 THERMOSTAT ELIWELL IDPlus 902
 230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



ELECTROLUX 0S0295

3445028 PROBE NTC PVC 4000 mm
 temperature field $-30^{\circ}+80^{\circ}\text{C}$
 bulb \varnothing 6x20 mm



ELECTROLUX 087832

ELECTROLUX 092176



Suitable for:

3445070 PTC PVC PROBE 1500 mm

2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



ELECTROLUX



Suitable for:

ELECTROLUX 0S0302

ELECTROLUX 083583

3445073 THERMOSTAT EVK411 TCJ

power supply 12Vca/dc 1.5VA
thermostat setting range 0+600°C
ON-OFF control with one actuation point only
1 changeover relay output 16A
alarm buzzer
access to configuration parameters through
password - TTL serial port
room temperature 0+60°C
thermocouple TCJ type probe (not included)
connections by screw terminal block
front dimensions 74x32x65 mm
mounting hole 71x29mm



ELECTROLUX 004109

ELECTROLUX 053540

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ELECTROLUX 0A2269

ELECTROLUX 004120

ELECTROLUX 082378

ELECTROLUX 083833

3445109 PROBE TCJ EC-SND-2312 3000 mm

2 wires - temperature range -50+350°C
error limits $\pm 0.75\%$ below 0°C
30 seconds response time
bulb ø 6x100 mm
vetrotex cable



ELECTROLUX 004116



Suitable for:

ELECTROLUX



Suitable for:

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Convection oven (KELVIN)
 for Convection oven electric (GIERRE) FEV106M
 FEV166E - FEV166M - FEV166P - FEV168E
 FEV168M - FEV56M
 for Convection oven electric (SMEG) ALFA30V
 ALFA31V
 for Convection oven gas (GIERRE) FEV107M - FEV167E
 FEV167M - FEV167P - FEV57M



ELECTROLUX 0A2482

ELECTROLUX 0C1605

ELECTROLUX 0K8611

ELECTROLUX 005270

ELECTROLUX 026861

ELECTROLUX 055016

Fans for motors

3240110 FAN \varnothing 280 mm

thickness 100 mm
 total blades 6 - \varnothing hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E6
 FCV/E6 - FCV/E6-1
 for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
 FCV/G6-1 - ZOFCV/G6-3



ELECTROLUX 054585

ELECTROLUX 055422

3240289 FAN \varnothing 280 mm

thickness 100 mm
 total blades 6 - \varnothing hole 10 mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACF/E6
 ACV/E10C4 - ACV/E10C6 - ACV/E102/1C4
 ACV/E102/1C6 - ACV/E6 - FCF/E6 - FCS061E
 FCV/E6 - NCV/E6 - ZCF/E6
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G102/1 - ACF/G6 - ACV/G10C4 - ACV/G10C6
 ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
 ACV/G202/1C4 - ACV/G6 - ACV/G61C3 - FCF/G6
 FCS061G - FCV/G6 - JCF/G6 - NCV/G6 - ZCF/G6



ELECTROLUX 0C6462

ELECTROLUX 002754

ELECTROLUX 003560

3240736 FAN \varnothing 288 mm

thickness 130 mm
 total blades 10 - \varnothing hole 10 mm
 for Convection oven electric (ZANUSSI) AOS061E
 EJNI061E - FCZ061E - RDR061E
 for Convection oven gas (ZANUSSI) AOS061G
 EJNI061G - FCZ061G - RDR061G



ELECTROLUX 0C7029

ELECTROLUX 007000

3240111 FAN \varnothing 350 mm

thickness 135 mm
 total blades 6 - \varnothing hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
 for Convection oven gas (ZANUSSI) FCF/G10
 FCV/G10



ELECTROLUX 053782

ELECTROLUX 054890



Suitable for:

ELECTROLUX



Suitable for:


3240291 FAN ø 350 mm
 thickness 135 mm
 total blades 6 - ø via hole 10 mm
 for Convection oven (ZANUSSI) - Series ACF
 Series ACV - Series ECV - Series FCF - Series FCV
 Series NCV - Series ZCF - Series ZCV
 for Convection oven electric (ZANUSSI) FCS101E
 FCS102E - FCS201E - FCS202E
 for Convection oven gas (ZANUSSI) FCS101G
 FCS102G - FCS201G - FCS202G



ELECTROLUX 0C6461

ELECTROLUX 002617

3240737 FAN ø 350 mm
 thickness 135 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI) FCV/E10
 for Convection oven gas (ZANUSSI) FCV/G10



ELECTROLUX 0C8309

ELECTROLUX 002139

3240738 FAN ø 350 mm
 height 140 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI) AOS101E
 AOS201E - AOW101E - EJV101E - EJV201E
 FCZ101E - FCZ201E - RDR201E
 for Convection oven gas (ZANUSSI) AOS101G
 AOS102G - AOS201G - EJV101G - EJV201G
 FCZ101G - FCZ201G - RDR101G - RDR201G



ELECTROLUX 0C1129

ELECTROLUX 0C6463

3240112 FAN ø 440 mm
 thickness 152 mm
 total blades 6 - ø hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E20
 FCF/E40 - FCFE202 - FCV/E20 - FCV/E6-1
 ZOFCV/E202 - ZOFCV/E204
 for Convection oven gas (ZANUSSI) FCF/G20
 FCF/G40 - FCFC202 - FCFG202



ELECTROLUX 000274

ELECTROLUX 054014

ELECTROLUX 055378

3240739 FAN ø 440 mm
 height 155 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI)
 Series ACF/E - Series ACV/E - Series ECF/E
 Series ECV/E - Series FCF/E - FCS101E - FCS102E
 FCS201E - FCS202E - Series FCV/E
 Series ZCF/E - Series ZCV/E
 for Convection oven gas (ZANUSSI) - Series ACV/G
 Series ECV/G - FCS101G - FCS102G - FCS201G
 FCS202G - Series FCV/G - Series ZCV/G



ELECTROLUX 0C8306

ELECTROLUX 002740

3340064 MOTOR FAN ø 145 mm
 for Convection oven electric (WHIRLPOOL) FFE4



ELECTROLUX 005221



Suitable for:

ELECTROLUX



Suitable for:

Feet

3313036 ADJUSTABLE S/STEEL FOOT \varnothing 1" x h 115 mm
with plastic support for tubular foot 40x40 mm
adjustable height 115÷205 mm



ELECTROLUX 032550

3313045 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 125 mm
with square flange 74x74x2.5 mm
adjustable height 135÷235 mm



ELECTROLUX 048579

3313003 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm
with rectangular flange 100x90 mm



ELECTROLUX 057536

3313001 STAINLESS STEEL FOOT \varnothing 2" HEIGHT 125 mm



ELECTROLUX 053792

Filters

3160265 DRAIN FILTER \varnothing 50 mm
for Convection oven (ZANUSSI)



ELECTROLUX 004836

3160234 SPRING FOR FILTER
for Convection oven (ZANUSSI)



ELECTROLUX 054905

3160234 SPRING FOR FILTER
for Convection oven (ZANUSSI)



ELECTROLUX 054905

3160232 STAINLESS STEEL DRAIN FILTER
for Convection oven (ZANUSSI) - Series AOS



ELECTROLUX 056444

3160234 SPRING FOR FILTER
for Convection oven (ZANUSSI)



ELECTROLUX 054905



Suitable for:

ELECTROLUX



3160347 STAINLESS STEEL FILTER
for Convection oven (ZANUSSI) - Series AOS



ELECTROLUX 0C1740

Suitable for:
3160462 WATER FILTER 1/2"FF
for Convection oven electric (BONNET) TMN32
for Steam oven (ZANUSSI)



ELECTROLUX 054450

ELECTROLUX 067392

Fittings

3349589 FITTING
for new series
for Convection oven (ZANUSSI)



ELECTROLUX 006453

3349625 4-WAY COUPLING ø 1/2" F
for Convection oven electric (ZANUSSI) AOS061E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G



ELECTROLUX 007020

Fuses

3049003 DELAY FUSE 5x20 - 10 PCS
250V 100mA



ELECTROLUX 086338

3049012 DELAY FUSE 5x20 - 10 PCS
250V 800mA



ELECTROLUX 0C2301

3049038 QUICK ACTING FUSE 5x20 - 10 PCS
250V 160mA



ELECTROLUX 002820

3049040 QUICK ACTING FUSE 5x20 - 10 PCS
250V 250mA



ELECTROLUX 002920

3049041 QUICK ACTING FUSE 5x20 - 10 PCS
250V 315mA



ELECTROLUX 0W3499

ELECTROLUX 005032

ELECTROLUX 4005032

3049042 QUICK ACTING FUSE 5x20 - 10 PCS
250V 400mA



ELECTROLUX 002750



ELECTROLUX



Suitable for:

3049044 QUICK ACTING FUSE 5x20 - 10 PCS
250V 630mA



ELECTROLUX 058871

Suitable for:

3049049 QUICK ACTING FUSE 5x20 - 10 PCS
250V 2A



ELECTROLUX 0A8438

3049052 QUICK ACTING FUSE 5x20 - 10 PCS
250V 4A



ELECTROLUX 057783

Gas burners

3023202 AIR ADJUSTER \varnothing 40 mm
for Convection oven gas (ZANUSSI) ACF/G20
ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
FCFG102 - FCFG201 - FCFG202 - FCV/G10
FCV/G20 - FCV/G6 - ZCF/G20



ELECTROLUX 054039

3023319 BURNER \varnothing 50x345 mm
made of chromed iron
for Convection oven gas (ZANUSSI) FCFG101
FCFG102 - FCFG201 - FCFG202



ELECTROLUX 003709

3023202 AIR ADJUSTER \varnothing 40 mm
for Convection oven gas (ZANUSSI) ACF/G20
ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
FCFG102 - FCFG201 - FCFG202 - FCV/G10
FCV/G20 - FCV/G6 - ZCF/G20



ELECTROLUX 054039



Suitable for:

ELECTROLUX



3023344 BURNER \varnothing 60x570 mm
 overall length 615 mm
 for Convection oven gas (ZANUSSI) ACF/G201/1
 ACF/G202/1 - ECF/G201/1 - ECF/G202/1
 FCF/G201/1 - FCF/G202/1 - ZCF/G201/1
 ZCF/G202/1



ELECTROLUX 004831

Suitable for:

3023202 AIR ADJUSTER \varnothing 40 mm
 for Convection oven gas (ZANUSSI) ACF/G20
 ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
 FCFG102 - FCFG201 - FCFG202 - FCV/G10
 FCV/G20 - FCV/G6 - ZCF/G20



ELECTROLUX 054039

3023205 GAS BURNER \varnothing 50x475 mm
 STAINLESS STEEL
 for Convection oven gas (ZANUSSI) FCV/G20



ELECTROLUX 055487

3023202 AIR ADJUSTER \varnothing 40 mm
 for Convection oven gas (ZANUSSI) ACF/G20
 ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
 FCFG102 - FCFG201 - FCFG202 - FCV/G10
 FCV/G20 - FCV/G6 - ZCF/G20



ELECTROLUX 054039

Gas hoses

3449228 COPPER TUBE 1x4 mm - 25 mt



ELECTROLUX 0C1547

3449628 COPPER TUBE 1x4 mm - 5 mt



ELECTROLUX 0C1547


3449228 COPPER TUBE 1x4 mm - 25 mt



ELECTROLUX 0C1547


Gas taps and accessories

3348029 FITTING FOR PIPE \varnothing 4 mm
 for model PEL 21-22



ELECTROLUX 052125

3348036 OLIVE FOR 4 mm \varnothing PIPE
 for model PEL 21-22



ELECTROLUX 052127



ELECTROLUX



Suitable for:

3348037 **PILOT OLIVE FOR PIPE \varnothing 6 mm**
for model PEL 21-22



ELECTROLUX 020992


Suitable for:

3348034 **PIPE FITTING \varnothing 16 mm**
for model PEL 23



ELECTROLUX 054816

3348035 **PIPE FITTING \varnothing 20 mm**
for model PEL 23



ELECTROLUX 054814

3348041 **PIPE OLIVE \varnothing 16 mm**
for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817

3348042 **PIPE OLIVE \varnothing 20 mm**
for model PEL 23



ELECTROLUX 054815

Gaskets and seals

3786545 **BOILER GASKET 115x137x2 mm**
mounting distance 100x122 mm
for Convection oven electric (ZANUSSI) FCV/E10-P
FCV/E10-2 - FCV/E10-3 - FCV/E10-4 - FCV/E20-P
FCV/E20-2 - FCV/E20-2V - FCV/E20-3 - FCV/E20-4
FCV/E6-1 - FCV/E6-3



ELECTROLUX 058553

3186342 **GASKET FOR OVEN**
soft - external \varnothing 13,5 mm



ELECTROLUX 053816

3186422 **GASKET FOR OVEN LAMP RECEPTACLE GLASS**
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ELECTROLUX 002626

3786117 **HEAT EXCHANGER GASKET 100x100 mm**
for Convection oven gas (ZANUSSI)



ELECTROLUX 003873



ELECTROLUX



Suitable for:

3786476 HEAT EXCHANGER GASKET 100x100 mm
for Convection oven gas (ZANUSSI)



ELECTROLUX 002629

Suitable for:

3786118 HEAT EXCHANGER GASKET 110x110 mm
for Convection oven gas (ZANUSSI)



ELECTROLUX 003875

3786477 HEAT EXCHANGER GASKET 119x108 mm
for Convection oven gas (ZANUSSI)



ELECTROLUX 002745

3786119 HEAT EXCHANGER GASKET 140x135 mm
for Convection oven gas (ZANUSSI)



ELECTROLUX 003882

3186067 HEATING ELEMENT GASKET
external dimensions 75x50 mm
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)




ELECTROLUX 055327

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm
for Convection oven (ZANUSSI)



ELECTROLUX 057534

3186099 HEATING ELEMENT GASKET
external dimensions 76x50 mm
for Convection oven (ZANUSSI)



ELECTROLUX 053840

3186187 HEATING ELEMENT GASKET
external dimensions 68x13 mm



ELECTROLUX 0H6665

ELECTROLUX 0K1831

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm
for Convection oven electric (ZANUSSI)



ELECTROLUX 002689

3786478 HEATING ELEMENT GASKET
external dimensions 80x45 mm
for Convection oven electric (ZANUSSI)



ELECTROLUX 003726

Suitable for:

Suitable for:

3186429 SEALING GASKET 270x112 mm
for boiler
for Convection oven (ZANUSSI) - Series FCS
Series FCV



ELECTROLUX 002706

Gaskets for oven door

3786124 LOWER GASKET FOR OVEN DOOR 650 mm
made of silicone elastomer
profile dimensions 22x18 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCF/E201/1
FCF/E202/1 - FCV/E201/1 - FCV/E202/1
for Convection oven gas (ZANUSSI) FCF/G201/1
FCF/G202/1



ELECTROLUX 0H6662

3786123 LOWER OVEN DOOR GASKET 745 mm
made of silicone elastomer
profile dimensions 60x16 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) AOS202E
for Convection oven gas (ZANUSSI) AOS202G



ELECTROLUX 0C1196

3286022 OVEN DOOR GASKET - 24 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK
for Convection oven (ZANUSSI) - Series 55



ELECTROLUX 0H6663

3286012 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 15x14 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ELECTROLUX 0H6767

3286014 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 25x7.5 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ELECTROLUX 0H6760

3286042 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ELECTROLUX



Suitable for:

ELECTROLUX



3286078 OVEN DOOR GASKET - 3 m
 made of silicone elastomer
 profile dimensions 15x14 mm
 COLOUR RED
 for Convection oven (JUNO-RÖDER-SENKING)
 for Convection oven (ZANUSSI)



ELECTROLUX 0H6767

3286011 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 15x14 mm
 COLOUR RED
 for Convection oven (JUNO-RÖDER-SENKING)
 for Convection oven (ZANUSSI)



ELECTROLUX 0H6767

3286079 OVEN DOOR GASKET - 3 m
 made of silicone elastomer
 profile dimensions 25x7.5 mm
 COLOUR RED
 for Convection oven (JUNO-RÖDER-SENKING)
 for Convection oven (ZANUSSI)



ELECTROLUX 0H6760

3286013 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 25x7.5 mm
 COLOUR RED
 for Convection oven (JUNO-RÖDER-SENKING)
 for Convection oven (ZANUSSI)



ELECTROLUX 0H6760

3286012 OVEN DOOR GASKET - 25 m
 made of silicone elastomer
 profile dimensions 15x14 mm
 COLOUR RED
 for Convection oven (JUNO-RÖDER-SENKING)
 for Convection oven (ZANUSSI)



ELECTROLUX 0H6767

3286014 OVEN DOOR GASKET - 25 m
 made of silicone elastomer
 profile dimensions 25x7.5 mm
 COLOUR RED
 for Convection oven (JUNO-RÖDER-SENKING)
 for Convection oven (ZANUSSI)



ELECTROLUX 0H6760



ELECTROLUX



Suitable for:

3286082 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK
for Convection oven (ZANUSSI) - Series 55



ELECTROLUX 0H6663

3286021 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK
for Convection oven (ZANUSSI) - Series 55



ELECTROLUX 0H6663

Suitable for:

3286022 OVEN DOOR GASKET - 24 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK
for Convection oven (ZANUSSI) - Series 55



ELECTROLUX 0H6663

3286088 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ELECTROLUX

3286041 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ELECTROLUX

3286042 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ELECTROLUX



Suitable for:

ELECTROLUX



3286011 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 15x14 mm
 COLOUR RED
 for Convection oven (JUNO-RÖDER-SENKING)
 for Convection oven (ZANUSSI)



ELECTROLUX 0H6767

3286013 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 25x7.5 mm
 COLOUR RED
 for Convection oven (JUNO-RÖDER-SENKING)
 for Convection oven (ZANUSSI)



ELECTROLUX 0H6760

3286021 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 21x15.5 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI) - Series 55



ELECTROLUX 0H6663

3286041 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 16x12 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)



ELECTROLUX

3286040 OVEN DOOR GASKET 013 - 25 m
 middle edged gasket
 made of silicone elastomer
 profile dimensions 22x15 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)



ELECTROLUX

3286087 OVEN DOOR GASKET 013 - 3 m
 middle edged gasket
 made of silicone elastomer
 profile dimensions 22x15 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)



ELECTROLUX

3286040 OVEN DOOR GASKET 013 - 25 m
 middle edged gasket
 made of silicone elastomer
 profile dimensions 22x15 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)



ELECTROLUX



Suitable for:

Suitable for:

3286039 OVEN DOOR GASKET 013 - 6 m
 middle edged gasket
 made of silicone elastomer
 profile dimensions 22x15 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)



ELECTROLUX

3286039 OVEN DOOR GASKET 013 - 6 m
 middle edged gasket
 made of silicone elastomer
 profile dimensions 22x15 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)




ELECTROLUX

3186358 OVEN DOOR GASKET 1300 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FVE3
 VAPE3




ELECTROLUX 056480

3186354 OVEN DOOR GASKET 1400x640 mm
 snap-in gasket
 made of silicone elastomer
 profile dimensions 17x17 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCFE40
 FCVE20 - FF/E40
 for Convection oven gas (ZANUSSI) FCFG40 - FF/G40



ELECTROLUX 054986

3186351 OVEN DOOR GASKET 1140 mm
 made of silicone elastomer
 profile dimensions 18x10 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCF/E2
 FCF/E4 - FCF/E40LD3 - ZCF/E2



ELECTROLUX 054850

3786544 OVEN DOOR GASKET 1300 mm
 made of silicone elastomer
 profile dimensions 8x4 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCF/EPN
 FCF/E3N



ELECTROLUX 078168

3186410 OVEN DOOR GASKET 1400x640 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCF/E20
 FCV/E20
 for Convection oven gas (ZANUSSI) FCF/G20
 FCV/G20



ELECTROLUX 003088

ELECTROLUX 005705




Suitable for:

ELECTROLUX



3186425 OVEN DOOR GASKET 1400x650 mm

made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) ACF/E20
 ACV/E201 - ACV/E202 - ECV/E201 - ECV/E202
 FCF/E20 - FCS201EP - FCS201EX - FCS201E4
 FCS202EP - FCS202EX - FCS202E4 - FCV/E201
 FCV/E202 - ZCF/E20 - ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) ACF/G20
 ACV/G201 - ACV/G202 - ECF/G20 - ECV/G201
 ECV/G202 - FCF/G20 - FCS201GP - FCS201GX
 FCS201G4 - FCS202GP - FCS202GX - FCS202G4
 FCV/G201 - FCV/G202 - FDV20G - FDV20GA
 FDV20GZ - FDV40G - FDV40GA - FDV40GZ - ZCF/G20
 ZCV/G201 - ZCV/G202



ELECTROLUX 005711

3186480 OVEN DOOR GASKET 1470x480 mm

made of silicone elastomer
 profile dimensions 31x15 mm
 COLOUR BLACK
 for OVEN AOS201G-AOS201E



ELECTROLUX 0C0881

ELECTROLUX 0C1473

3786121 OVEN DOOR GASKET 1475x660 mm

made of silicone elastomer
 profile dimensions 31x15 mm
 BLACK COLOR
 for Convection oven electric (ZANUSSI) AOS202E
 FCZ202E
 for Convection oven gas (ZANUSSI) AOS202G
 FCZ202G



ELECTROLUX 0C1889

3786122 OVEN DOOR GASKET 1475x660 mm


made of silicone elastomer
 profile dimensions 31x15 mm
 BLACK COLOR
 for Convection oven electric (ZANUSSI) AOS202E
 for Convection oven gas (ZANUSSI) AOS202G



ELECTROLUX 0C1195

4005885 OVEN DOOR GASKET 1600 mm

made of silicone elastomer
 profile dimensions 17x10 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) ACF/E4
 ECF/E4 - FCF/E4 - NCF/E4 - ZCF/E4



ELECTROLUX 005885

3286002 OVEN DOOR GASKET 2554 - 20 m

made of silicone elastomer
 profile dimensions 26x14 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)



ELECTROLUX 057396

ELECTROLUX 057656



ELECTROLUX



Suitable for:

3286075 OVEN DOOR GASKET 2554 - 3 m
made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ELECTROLUX 057396

ELECTROLUX 057656

Suitable for:

3286002 OVEN DOOR GASKET 2554 - 20 m
made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ELECTROLUX 057396

ELECTROLUX 057656

3286001 OVEN DOOR GASKET 2554 - 6 m
made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ELECTROLUX 057396

ELECTROLUX 057656

3286001 OVEN DOOR GASKET 2554 - 6 m
made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ELECTROLUX 057396

ELECTROLUX 057656

3786135 OVEN DOOR GASKET 300x260 mm
made of silicone elastomer
with fixing clips
BLACK COLOR
for Convection oven electric (ZANUSSI) CCO30
CCO30G - ECO312CF - OTS100



ELECTROLUX 0E3680

3186668 OVEN DOOR GASKET 395x290 mm
stiff gasket
BLACK COLOR
for Convection oven electric (ZANUSSI) FCF/E4



ELECTROLUX 005194

40C4159 OVEN DOOR GASKET 435x360 mm
made of silicone elastomer
with fastening clips
COLOUR BLACK
for Convection oven electric (ZANUSSI) ACF/E4
ECF/E4 - FCF/E4



ELECTROLUX 0C4159



Suitable for:

Suitable for:

3186478 OVEN DOOR GASKET 500x480 mm
 made of silicone elastomer
 profile dimensions 31x15 mm
 BLACK COLOR
 for Convection oven electric (ZANUSSI) AOS61E
 EJN061E - FCZ061E - RDR061E
 for Convection oven gas (ZANUSSI) AOS61G - EJN061G
 FCZ061G - RDR061G



ELECTROLUX 0C1496

ELECTROLUX 006992

3186041 OVEN DOOR GASKET 585x395 mm
 snap-in gasket
 made of silicone elastomer
 profile dimensions 17x17 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCF/E6
 FCV/E6
 for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
 FCVA/G6



ELECTROLUX 055414

3786126 OVEN DOOR GASKET 610x430 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven gas (ZANUSSI) ACV/G6 - ECV/G6
 FCS061G - FCS061GP - FCV/G6 - RCV061G2
 ZCV/G6



ELECTROLUX 005707

3186386 OVEN DOOR GASKET 620x414 mm
 made of silicone elastomer
 profile dimensions 23x13 mm
 COLOUR BLACK
 for Steam oven (JUNO-RÖDER-SENKING) - Series 55
 for Steam oven (ZANUSSI) - Series 55



ELECTROLUX 0H6653

3186408 OVEN DOOR GASKET 635x430 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) ACF/E6
 ACV/E6 - ECF/E6 - ECV/E6 - FCF/E6 - FCS061EX
 FCS601E - FCV/E6 - JCF/E6 - NCF/E6 - NCV/E6
 RCF061E - RCV/E6 - RCV061E2 - ZCF/E6 - ZCV/E6
 for Convection oven gas (ZANUSSI) ACF/G6 - ACV/G6
 ECF/G6 - FCF/G6 - FCV/G6 - JCF/G6 - NCF/G6
 NCV/G6 - RCF061G - ZCF/G6



ELECTROLUX 002828

ELECTROLUX 004226

ELECTROLUX 005713

3186385 OVEN DOOR GASKET 699x620 mm
 made of silicone elastomer
 profile dimensions 23x13 mm
 COLOUR BLACK
 for Steam oven (JUNO-RÖDER-SENKING) - Series 55
 for Steam oven (ZANUSSI) - Series 55




ELECTROLUX 0H6656



Suitable for:

3186040 OVEN DOOR GASKET 715x645 mm
 middle edged gasket
 made of silicone elastomer
 profile dimensions 22x15 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI)
 till 2/11/86
 FCF/E20
 for Convection oven gas (ZANUSSI)
 till 2/11/86
 FCF/G20



ELECTROLUX 053751

Suitable for:

3186043 OVEN DOOR GASKET 720x640 mm
 snap-in gasket
 made of silicone elastomer
 profile dimensions 17x17 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI)
 since 3/11/86
 FCF/E10 - FCF/E20 - FCF/E10 - FCF/E20
 for Convection oven gas (ZANUSSI)
 since 3/11/86
 FCF/G10 - FCF/G20 - FCF/G10 - FCF/G20



ELECTROLUX 055315

3786125 OVEN DOOR GASKET 720x640 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCE/E10
 FCF/E10
 for Convection oven gas (ZANUSSI) FCF/G10



ELECTROLUX 005706

3186088 OVEN DOOR GASKET 730x665 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven (JUNO-RÖDER-SENKING) 5712-3-7
 for Convection oven electric (ZANUSSI) ACF/E10
 ACV/E10 - ECF/E10 - ECV/E10 - FCF/E10
 FCS101EP - FCS101EX - FCS101E2 - FCS101E4
 FCS102EP - FCS102EX - FCS102E4 - FCF/E10
 JCF/E10 - NCF/E10 - NCV/E10 - RCF/E10
 RCVE101E4 - RCV101E2 - ZCF/E10 - ZCV/E10
 for Convection oven gas (ZANUSSI) ACF/G10
 ACV/G10 - ECF/G10 - ECV/G10 - FCF/G10
 FCS101GP - FCS101GX - FCS101G2 - FCS101G4
 FCS102GP - FCS102GX - FCS102G4 - FCF/G10
 JCF/G10 - NCF/G10 - NCV/G10 - RCF102G



ELECTROLUX 004227

ELECTROLUX 005712

3786120 OVEN DOOR GASKET 755x660 mm
 made of silicone elastomer
 profile dimensions 31x15 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) AOS102E
 EJN102E - FCZ102E
 for Convection oven gas (ZANUSSI) AOS102G
 EJN102G - FCZ102G



ELECTROLUX 0C1887

3186483 OVEN DOOR GASKET 760x485 mm
 made of silicone elastomer
 profile dimensions 31x15 mm
 BLACK COLOR
 for Convection oven electric (ZANUSSI) AOS101E
 EJN101E - FCZ101E
 for Convection oven gas (ZANUSSI) AOS101G
 EJN101G - FCZ101G - RDR101G



ELECTROLUX 0C1477

ELECTROLUX 007069



ELECTROLUX



Suitable for:

5028525 OVEN DOOR GASKET 800x760 mm
made of silicone elastomer
COLOUR BLACK
for Convection oven electric (LAINOX) CE200M
for Convection oven gas (LAINOX) CG200M



ELECTROLUX 0LX015

Suitable for:

3286036 OVEN GLASS GASKET - 20 m
made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ELECTROLUX 057866

3286035 OVEN GLASS GASKET - 9 m
made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ELECTROLUX 057866

3286036 OVEN GLASS GASKET - 20 m
made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ELECTROLUX 057866

3186352 OVEN GLASS GASKET 1400 mm
made of silicone elastomer
profile dimensions 22x16 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6
for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
FCVA/G6



ELECTROLUX 055412

3186423 OVEN GLASS GASKET 1500 mm
made of silicone elastomer
profile dimensions 35.5x12.5 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) ACF/E6
ECF/E6 - FCF/E6 - NCF/E6 - RCF061E - ZCF/E6
for Convection oven gas (ZANUSSI) ACF/G6 - ECF/G6
FCF/G6 - JCF/G6 - NCF/G6 - RCF061G - ZCF/G6



ELECTROLUX 003680





Suitable for:

Suitable for:

3186407 OVEN GLASS GASKET 2000 mm
 made of silicone elastomer
 profile dimensions 20x16 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E20 - ACV/E10 - ACV/E201 - ACV/E202
 ECF/E10 - ECF/E20 - ECV/E10 - ECV/E201
 ECV/E202 - FCF/E10 - FCF/E10 - FCF/E201
 FCF/E202 - JCF/E10 - NCF/E10 - NCF/E10
 RCV101E2 - RCV101E4 - ZCF/E10 - ZCF/E20
 ZCV/E10
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G20 - ACV/G10 - ACV/G201 - ACV/G202
 ECF/G10 - ECF/G20 - ECV/G10 - ECV/G201
 ECV/G202 - FCF/G10 - FCF/G20 - FCF/G10
 FCF/G201 - FCF/G202 - JCF/G10 - NCF/G10

3186409 OVEN GLASS GASKET 2010 mm
 made of silicone elastomer
 profile dimensions 20x16 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E20 - ECF/E10 - FCF/E10 - FCF/E20
 JCF/E10 - NCF/E10 - ZCF/E10 - ZCF/E20
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G20 - ECF/G10 - ECF/G20 - FCF/G10
 FCF/G20 - JCF/G10 - NCF/G10 - RCF102G
 ZCF/G10 - ZCF/G20




ELECTROLUX 002878

ELECTROLUX 003739

3186355 OVEN GLASS GASKET 2200 mm
 made of silicone elastomer
 profile dimensions 22x16 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCVE10
 FCVE20
 for Convection oven gas (ZANUSSI) FCVA/G10
 FCVG10

3286038 OVEN GLASS GASKET 3524 - 20 m
 made of silicone elastomer
 profile dimensions 7x5 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)



ELECTROLUX 055314

ELECTROLUX

3286037 OVEN GLASS GASKET 3524 - 9 m
 made of silicone elastomer
 profile dimensions 7x5 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)

3286038 OVEN GLASS GASKET 3524 - 20 m
 made of silicone elastomer
 profile dimensions 7x5 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)



ELECTROLUX

ELECTROLUX



Suitable for:

ELECTROLUX



Suitable for:

Gastronorm pans

**3018001 DRIP TRAY U-PAN GN 1/1 530x325xH20 mm
NON-STICK**



ELECTROLUX 0S0870

**3018002 DRIP TRAY U-PAN GN 1/1 530x325xH40 mm
NON-STICK**



ELECTROLUX 0S0871

**3018003 DRIP TRAY U-PAN GN 1/1 530x325xH60 mm
NON-STICK**



ELECTROLUX 0S0872

Gearmotors

3340140 GEARMOTOR 230V 50Hz 30 SECONDS
for STEAM EXHAUST
for Convection oven (ZANUSSI) - Series AOS
Series FCS - Series FCV



ELECTROLUX 002696

Glues

3180052 RED HIGH TEMPERATURE SEALER 280 ml
operating temperature -65+260°C with peaks 320°C
for OVEN GASKETS



ELECTROLUX 059611

Grids for refrigerator-oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



ELECTROLUX 057468

3185055 CHROME PLATED GRID GN 2/1 530x650 mm



ELECTROLUX 025020

ELECTROLUX 081883

Handles

3242674 BOTTOM TIE ROD SHAFT \varnothing 10x112 mm
old series
for Convection oven electric (ZANUSSI) FCV/E10



ELECTROLUX 056570

3242084 BUSHING FOR DOOR HANDLE
for OVEN



ELECTROLUX 003994

3242200 CASE FOR OVEN HANDLE PLATE
for CONVECTION OVEN old series



ELECTROLUX 055059

3242114 CENTRAL LOCK MECHANISM
for OVEN



ELECTROLUX 006977

3242213 CENTRAL LOCK MECHANISM
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCVA/G10 - FCVA/G20



ELECTROLUX 056550

3242451 CLASP \varnothing 3.4x16.5 mm
for OVEN



ELECTROLUX 0H6043

ELECTROLUX 052061

ELECTROLUX 060920

5028241 CLOSING CENTRAL GEAR LEFT
for OVEN



ELECTROLUX 003824

3242739 DIVERTER FOR DOOR HANDLE 107 mm
for OVEN



ELECTROLUX 0C0447

3242204 DIVERTER FOR DOOR HANDLE 59 mm
for CONVECTION OVEN old series



ELECTROLUX 053756

3242460 DIVERTER FOR DOOR HANDLE 70 mm
for OVEN



ELECTROLUX 003747



Suitable for:

ELECTROLUX



3242672 DIVERTER FOR DOOR HANDLE 70 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCF/E40 - FCV/E20
 for Convection oven gas (ZANUSSI) FCF/G20
 FCF/G40 - FCV/G10 - FCV/G20



ELECTROLUX 056069

3242046 DOOR CONDENSATION-EXHAUST DEVICE
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series ZCV
 for Convection oven gas (ZANUSSI) FDV20G - FDV40G



ELECTROLUX 002648

ELECTROLUX 003773

3242202 DOOR HANDLE PUSH-BUTTON
 for CONVECTION OVEN old series



ELECTROLUX 053761

3242456 DOOR HANDLE STRIKE SUPPORT
 distance between mounting holes 40 mm
 for OVEN



ELECTROLUX 0C1583

3242086 DOOR HANDLE SUPPORT
 for OVEN



ELECTROLUX 003826

3391039 DOOR HANDLE SUPPORT
 for Convection oven electric (ZANUSSI) FCV/E10-2
 FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056408

3242289 DOOR LOCK EXTERNAL FOOT
 for OVEN



ELECTROLUX 004104

3242455 DOOR LOCKING MECHANISM
 for OVEN



ELECTROLUX 0C1581

3242462 HANDLE BOTTOM TIE ROD \varnothing 10x420 mm
 for Convection oven electric (ZANUSSI) FCV/E201
 FCV/E202
 for Convection oven gas (ZANUSSI) FCV/G201
 FCV/G202



ELECTROLUX 005038

3242463 HANDLE TOP TIE ROD \varnothing 10x465 mm
 for Convection oven electric (ZANUSSI) FCV/E201
 FCV/E202
 for Convection oven gas (ZANUSSI) FCV/G201
 FCV/G202



ELECTROLUX 005037



Suitable for:

3242457 KEYWAY FOR DOOR HANDLE PUSH-BUTTON
for OVEN



ELECTROLUX 005624

Suitable for:

3242089 LOCK FOR DOOR HANDLE
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056414

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188
RAHRBACH - distance between holes 150 mm
base length 185.5x23.5x33.2h mm
for Convection oven (INOXTREND) SCA4/5E00
SDA4/5EM00 - SDA4/5E00 - SUA4/5E00
SUTA4/5E00
for Convection oven electric (INOXTREND) WBE4E
for Convection oven electric (ZANUSSI) FVE3




ELECTROLUX 002278

ELECTROLUX 055510

ELECTROLUX 056459

3242749 OVEN DOOR CATCH ASSEMBLY
fastening plate 124x45 mm
for Convection oven electric (ZANUSSI) AOS061E
AOS062E - AOS101E - AOS102E - EJN061E
EJN101E - EJN102E - FCZ061E - FCZ101E
FCZ102E - RDR061E
for Convection oven gas (ZANUSSI) AOS061G
AOS062G - AOS101G - AOS102G - EJN061G
EJN101G - EJN102G - FCZ061G - FCZ101G
FCZ102G - RDR061G - RDR101G




ELECTROLUX 0C4477

3242737 OVEN DOOR COMPLETE LOCK
length 1320 mm
for Convection oven electric (ZANUSSI) FCV/E201
FCV/E202
for Convection oven gas (ZANUSSI) FCV/G201
FCV/G202



ELECTROLUX 005342

3242211 OVEN DOOR COMPLETE LOCKING KIT
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCVA/G10 - FCVA/G20



ELECTROLUX 056411

3242674 BOTTOM TIE ROD SHAFT \varnothing 10x112 mm
old series
for Convection oven electric (ZANUSSI) FCV/E10



ELECTROLUX 056570



Suitable for:

3242213 CENTRAL LOCK MECHANISM

for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCVA/G10 - FCVA/G20



ELECTROLUX 056550

3242089 LOCK FOR DOOR HANDLE

for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056414

3212014 OVEN HANDLE TOP/BOT.TIE ROD 170 mm

for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056551

3242673 TOP TIE ROD SHAFT \varnothing 10x112 mm

for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series



ELECTROLUX 056552

ELECTROLUX



Suitable for:

3391039 DOOR HANDLE SUPPORT

for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056408

3528066 NUT INOX M26x1.5 mm

for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056409

3242088 STRIKE FOR DOOR HANDLE

distance between mounting holes 29 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056571

3528067 WASHER 22x12x2 mm

for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056416



ELECTROLUX



Suitable for:

3242113 OVEN DOOR HANDLE
for OVEN series AOS061/101/201/202 ELECTRIC-GAS
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS201E - AOS202E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS201G - AOS202G



ELECTROLUX 006978

Suitable for:

3242114 CENTRAL LOCK MECHANISM
for OVEN



ELECTROLUX 006977

3242201 OVEN DOOR HANDLE
for CONVECTION OVEN old series



ELECTROLUX 053760

ELECTROLUX 055057

3242204 DIVERTER FOR DOOR HANDLE 59 mm
for CONVECTION OVEN old series



ELECTROLUX 053756

3242202 DOOR HANDLE PUSH-BUTTON
for CONVECTION OVEN old series



ELECTROLUX 053761

3242203 SCREW CAP
for CONVECTION OVEN old series



ELECTROLUX 0C6059
ELECTROLUX 055687

ELECTROLUX 055043

ELECTROLUX 055661

3242200 CASE FOR OVEN HANDLE PLATE
for CONVECTION OVEN old series



ELECTROLUX 055059

3242672 DIVERTER FOR DOOR HANDLE 70 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E40 - FCF/E20
for Convection oven gas (ZANUSSI) FCF/G20
FCF/G40 - FCF/G10 - FCF/G20



ELECTROLUX 056069

3242217 PIN FOR OVEN DOOR HANDLE M6x1
dimensions \varnothing 12x66 mm
for OVEN



ELECTROLUX 053766

3242205 SPRING F/DOOR HANDLE DIVERTER \varnothing 22x30 mm
for Convection oven (ZANUSSI) - Series FCF



ELECTROLUX 053757



Suitable for:

3242206 SPRING FOR DOOR HANDLE 176 mm
for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX



Suitable for:

ELECTROLUX 054282

3242214 OVEN DOOR HANDLE
for OVEN series FCF-ZCF-ACF ELECT/GAS 20 SHELVES
for OVEN FCV-ACV-ECV-ZCV ELET/GAS 6-10-20 SHELVES
for OVEN FDV20-FDV40G-FCS201G-FCS202G-FCS201E-
FCS202E
for Convection oven electric (ZANUSSI)
Series ACF - Series ACV - Series ECV - Series FCF
FCS201E - FCS202E - Series FCV - Series ZCF
Series ZCV
for Convection oven gas (ZANUSSI) - Series ACF
Series ACV - Series ECV - Series FCF - FCS201G
FCS202G - Series FCV - FDV20G - FDV40G
Series ZCF - Series ZCV



ELECTROLUX 0A5320

ELECTROLUX 0F0029

ELECTROLUX 002717

ELECTROLUX 002722

3242215 OVEN DOOR HANDLE DUPLO 6200
for OVEN



ELECTROLUX 002647

3242084 BUSHING FOR DOOR HANDLE
for OVEN



ELECTROLUX 003994

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm
for Convection oven (MODULAR) - Series GMBA
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (FAGOR) - Series HME
Series HMI - Series HMM - Series HMP
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Convection oven gas (FAGOR) - Series HCG
Series HVG
for Electric oven (CAPIC) R220



ELECTROLUX 0K2246

ELECTROLUX 003822



Suitable for:

3242216 STRIKE FOR DOOR HANDLE

distance between mounting holes 43 mm
for Convection oven (WHIRLPOOL) AGB633 - AGB638
AGB639 - AGB640
for Convection oven electric (WHIRLPOOL) FMIE102F
FMIE103F - FMIE63F
for Convection oven gas (WHIRLPOOL) FMIG103F
FMIG63F



ELECTROLUX 0K8039

ELECTROLUX 002650

Suitable for:

3242227 OVEN DOOR HANDLE

for Convection oven electric (ZANUSSI) FCF/E2
ZCF/E2



ELECTROLUX 025083

3242228 PIN FOR OVEN DOOR HANDLE M5x1

dimensions \varnothing 10x22 mm
for OVEN



ELECTROLUX 054854

3242229 SPRING FOR DOOR HANDLE 70 mm

for OVEN



ELECTROLUX 055558

3242452 OVEN DOOR HANDLE

for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS102E - AOS201E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS102G - AOS202G



ELECTROLUX 0C1616

3242114 CENTRAL LOCK MECHANISM

for OVEN



ELECTROLUX 006977

3242461 STRIKE FOR DOOR HANDLE

distance between mounting holes 43 mm
for OVEN



ELECTROLUX 0C2215



Suitable for:

Suitable for:

3242453 OVEN DOOR HANDLE
 for Convection oven electric (ZANUSSI) FCF/E6
 FCFE101 - FCFE102
 for Convection oven gas (ZANUSSI) FCF/G6 - FCFG101
 FCFG102

3526137 BUTTON FOR ELETTROSIT VALVE



ELECTROLUX 003683

ELECTROLUX 053820

ELECTROLUX 053992

3242460 DIVERTER FOR DOOR HANDLE 70 mm
 for OVEN

3242457 KEYWAY FOR DOOR HANDLE PUSH-BUTTON
 for OVEN



ELECTROLUX 003747

ELECTROLUX 005624

3243266 O-RING 02081 EPDM

3242205 SPRING F/DOOR HANDLE DIVERTER \varnothing 22x30 mm
 for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX 052779

ELECTROLUX 053757

3242206 SPRING FOR DOOR HANDLE 176 mm
 for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX 054282

3242454 OVEN DOOR HANDLE
 for Convection oven electric (ZANUSSI) FCS101E
 FCS102E - FCS61E
 for Convection oven gas (ZANUSSI) FCS101G
 FCS102G - FCS61G

3242456 DOOR HANDLE STRIKE SUPPORT
 distance between mounting holes 40 mm
 for OVEN



ELECTROLUX 0C1588

ELECTROLUX 0C1583



ELECTROLUX



Suitable for:

3242455 DOOR LOCKING MECHANISM
for OVEN



ELECTROLUX 0C1581

Suitable for:

3242459 STRIKE FOR DOOR HANDLE M8x1
total length 34.5 mm
for OVEN



ELECTROLUX 0C1584

3242735 OVEN DOOR HANDLE
distance between mounting holes 180 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E20 - FCF/E40
for Convection oven gas (ZANUSSI) FCF/G10
FCF/G20 - FCF/G40



ELECTROLUX 003010

ELECTROLUX 053990

3242217 PIN FOR OVEN DOOR HANDLE M6x1
dimensions \varnothing 12x66 mm
for OVEN



ELECTROLUX 053766

3242206 SPRING FOR DOOR HANDLE 176 mm
for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX 054282

3242738 OVEN DOOR HANDLE
for OVEN series FCF-ECF-ZCF-ACF-NCF 6-10 SHELVES
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ELECTROLUX 0F0135

3526137 BUTTON FOR ELETTROSIT VALVE



ELECTROLUX 053820

ELECTROLUX 053992

3242205 SPRING F/DOOR HANDLE DIVERTER \varnothing 22x30 mm
for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX 053757

3242739 DIVERTER FOR DOOR HANDLE 107 mm
for OVEN



ELECTROLUX 0C0447



Suitable for:

3243266 O-RING 02081 EPDM



ELECTROLUX 052779

3242215 OVEN DOOR HANDLE DUPLO 6200
for OVEN



ELECTROLUX 002647

3242210 OVEN DOOR 196x30 mm HANDLE KIT
with strike M5x1 \varnothing 9x45 mm
handle mounting distance 147 mm
for OVEN series FCV-FCF ELECTRIC-GAS 6 SHELVES
for OVEN series FCVA/G 6 SHELVES
for Convection oven (ZANUSSI) - Series FCF
Series FCV
for Convection oven gas (ZANUSSI) FCVA/G6



ELECTROLUX 002084

ELECTROLUX 002085

3242209 SPRING FOR DOOR HANDLE 123 mm
for OVEN



ELECTROLUX 002088

ELECTROLUX



Suitable for:

3242450 OVEN DOOR HANDLE 260x30 mm
handle mounting holes distance 122-133 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E6
for Convection oven gas (ZANUSSI) FCF/G10 - FCF/G6



ELECTROLUX 0H6459

ELECTROLUX 0K1669

3242208 PIN FOR OVEN DOOR HANDLE M5x1
dimensions \varnothing 9x45 mm
for OVEN



ELECTROLUX 002086

3242117 SPRING FOR DOOR HANDLE 97 mm
for OVEN



ELECTROLUX 054560



ELECTROLUX



Suitable for:

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm
 for Convection oven (MODULAR) - Series GMBA
 for Convection oven electric (COVEN) TEC10
 TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
 TEC15MX - TEC20 - TEC20MD
 for Convection oven electric (FAGOR) - Series HME
 Series HMI - Series HMM - Series HMP
 for Convection oven electric (SOLYMAC) SOLYMIX10
 SOLYP10
 for Convection oven gas (COVEN) TEC10G - TEC10GMD
 TEC10GP - TEC15G - TEC15GMD - TEC20G
 TEC20GMD
 for Convection oven gas (FAGOR) - Series HCG
 Series HVG
 for Electric oven (CAPIC) R220



ELECTROLUX 0K2246

ELECTROLUX 003822

Suitable for:

3212014 OVEN HANDLE TOP/BOT.TIE ROD 170 mm
 for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
 old series
 for Convection oven electric (ZANUSSI) FCV/E10-2
 FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056551

3242208 PIN FOR OVEN DOOR HANDLE M5x1
 dimensions \varnothing 9x45 mm
 for OVEN



ELECTROLUX 002086

3242228 PIN FOR OVEN DOOR HANDLE M5x1
 dimensions \varnothing 10x22 mm
 for OVEN



ELECTROLUX 054854

3242217 PIN FOR OVEN DOOR HANDLE M6x1
 dimensions \varnothing 12x66 mm
 for OVEN



ELECTROLUX 053766

3242181 RIGHT OVEN DOOR HANDLE
 for Convection oven (CONVOTHERM) OD06.10 - OD10.20
 OD12.20 - OD20.10 - OD20.20 - OSG20.20
 for Convection oven electric (CONVOTHERM) OD10.10
 OS06.10 - OS10.10 - OS10.20 - OS12.20
 OS20.10 - OS20.20



ELECTROLUX 0K8322

3242203 SCREW CAP
 for CONVECTION OVEN old series



ELECTROLUX 0C6059

ELECTROLUX 055043

ELECTROLUX 055661

ELECTROLUX 055687

3242205 SPRING F/DOOR HANDLE DIVERTER \varnothing 22x30 mm
 for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX 053757



Suitable for:

3242425 SPRING FOR DOOR HANDLE
external dimensions 54x27 mm
for OVEN



ELECTROLUX 0C6978

Suitable for:

3242209 SPRING FOR DOOR HANDLE 123 mm
for OVEN



ELECTROLUX 002088

3242206 SPRING FOR DOOR HANDLE 176 mm
for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX 054282

3242229 SPRING FOR DOOR HANDLE 70 mm
for OVEN



ELECTROLUX 055558

3242117 SPRING FOR DOOR HANDLE 97 mm
for OVEN



ELECTROLUX 054560

3242052 STRIKE FOR DOOR HANDLE
distance between mounting holes 33 mm
for OVEN



ELECTROLUX

3242088 STRIKE FOR DOOR HANDLE
distance between mounting holes 29 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056571

3242216 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm
for Convection oven (WHIRLPOOL) AGB633 - AGB638
AGB639 - AGB640
for Convection oven electric (WHIRLPOOL) FMIE102F
FMIE103F - FMIE63F
for Convection oven gas (WHIRLPOOL) FMIG103F
FMIG63F



ELECTROLUX 0K8039

ELECTROLUX 002650

3242458 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN



ELECTROLUX 0H6728

3242461 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm
for OVEN



ELECTROLUX 0C2215



Suitable for:

3242111 STRIKE FOR DOOR HANDLE M8x1

overall length 50.5 mm
for Convection oven (GIORIK)
for Convection oven (KELVIN)
for Convection oven (SOLYMAC) SOLY5P
for Convection oven electric (COVEN) N6MD - N6MX
TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6
TEC6MD - TEC6MX - TEC7
for Convection oven electric (SOLYMAC) SOLYMIX6
SOLYP6
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



ELECTROLUX 0C4092

Suitable for:

3242459 STRIKE FOR DOOR HANDLE M8x1

total length 34.5 mm
for OVEN



ELECTROLUX 0C1584

3242673 TOP TIE ROD SHAFT \varnothing 10x112 mm

for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series



ELECTROLUX 056552

Heat exchangers

3240745 TOROIDAL EXCHANGER

fan housing \varnothing approx. 410 mm
for Convection oven gas (ZANUSSI)
since 1/11/97
FCV/G10



ELECTROLUX 003881

3786117 HEAT EXCHANGER GASKET 100x100 mm

for Convection oven gas (ZANUSSI)



ELECTROLUX 003873

3786118 HEAT EXCHANGER GASKET 110x110 mm

for Convection oven gas (ZANUSSI)



ELECTROLUX 003875

3786479 INSULATOR FOR HEAT EXCHANGER

dimensions 291x164 mm
for Convection oven electric (ZANUSSI)



ELECTROLUX 003874



Suitable for:

3786643 INSULATOR FOR HEAT EXCHANGER
dimensions 275x155 mm
for Convection oven gas (ZANUSSI)



ELECTROLUX 003883

3240746 TOROIDAL EXCHANGER
fan housing \varnothing approx. 485 mm
for Convection oven gas (ZANUSSI)
since 1/11/97
FCV/G20



ELECTROLUX 003884

3786119 HEAT EXCHANGER GASKET 140x135 mm
for Convection oven gas (ZANUSSI)



ELECTROLUX 003882

3786643 INSULATOR FOR HEAT EXCHANGER
dimensions 275x155 mm
for Convection oven gas (ZANUSSI)



ELECTROLUX 003883

ELECTROLUX



Suitable for:

3786118 HEAT EXCHANGER GASKET 110x110 mm
for Convection oven gas (ZANUSSI)



ELECTROLUX 003875

3786479 INSULATOR FOR HEAT EXCHANGER
dimensions 291x164 mm
for Convection oven electric (ZANUSSI)



ELECTROLUX 003874

Heating elements

3755572 BRACKET FOR HEATING ELEMENT
external \varnothing 90 mm - internal \varnothing 50 mm
thickness 2.5 mm - distance between holes 63 mm



ELECTROLUX 003362

ELECTROLUX 065558



Suitable for:

ELECTROLUX



Suitable for:

Heating elements

3755239 CHAMBER HEATING ELEMENT 5600W 230V
 external \varnothing 495 mm - overall height 65 mm
 flange 80x45 mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E20 - ACV/E10 - ACV/E201 - ACV/E202
 ECF/E10 - ECV/E10 - ECV/E201 - ECV/E202
 FCF/E10 - FCF/E20 - FCS101E - FCS102E
 FCS201E - FCS202E - FCV/E10 - FCV/E20
 FCV/E201 - FCV/E202 - JCF/E10 - NCF/E10
 ZCF/E10 - ZCF/E20 - ZCV/E10 - ZCV/E201
 ZCV/E202



ELECTROLUX 002688

3786478 HEATING ELEMENT GASKET
 external dimensions 80x45 mm
 for Convection oven electric (ZANUSSI)



ELECTROLUX 003726

3755238 CHAMBER HEATING ELEMENT 8000W 400V
 external \varnothing 580 mm - overall height 70 mm
 flange 80x45 mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E20 - ACV/E10 - ACV/E201 - ACV/E202
 ECF/E10 - ECV/E10 - ECV/E201 - ECV/E202
 FCF/E10 - FCF/E20 - FCS101E - FCS102E
 FCS201E - FCS202E - FCV/E10 - FCV/E20
 FCV/E201 - FCV/E202 - JCF/E10 - NCF/E10
 ZCF/E10 - ZCF/E20 - ZCV/E10 - ZCV/E201
 ZCV/E202



ELECTROLUX 0A5330

ELECTROLUX 0C5242

3786478 HEATING ELEMENT GASKET
 external dimensions 80x45 mm
 for Convection oven electric (ZANUSSI)



ELECTROLUX 003726

3186508 HEATING ELEMENT GASKET
 external dimensions 138x80 mm
 for Convection oven electric (ZANUSSI)



ELECTROLUX 002689

3186508 HEATING ELEMENT GASKET
 external dimensions 138x80 mm
 for Convection oven electric (ZANUSSI)




ELECTROLUX 002689



Suitable for:

3755585 HEATING ELEMENT 1000/1100W 230/240V
 length 340 mm - width 350 mm
 flange 80x15 mm
 for Convection oven electric (ZANUSSI) ACF/E4
 FCF/E4



ELECTROLUX 005218

Suitable for:

3355720 HEATING ELEMENT 1000W 220V
 immersed length 225 mm - width 60 mm
 flange 80x28 mm - with receptacle hole
 for Convection oven electric (JUNO-RÖDER-SENKING)
 for Convection oven electric (ZANUSSI)



ELECTROLUX 0H6199

3355724 HEATING ELEMENT 1000W 230V
 immersed length 450 mm - width 65 mm
 flange 70x22 mm
 for Convection oven electric (JUNO-RÖDER-SENKING)
 for Convection oven electric (ZANUSSI)



ELECTROLUX 0H6195

ELECTROLUX 0K0601

3355056 HEATING ELEMENT 17000W 220/380V
 immersed length 470 mm
 flange external \varnothing 63 mm
 complete with O-RING
 complete with cables
 for Convection oven electric (ZANUSSI) FCV/E10-2
 FCV/E10-4 - FV/E4



ELECTROLUX 056012

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm
 for Convection oven electric (CAPIC) AC150 - AC50
 R50



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456

3455337 HEATING ELEMENT 17000W 220V
 immersed depth 575 mm
 flange external \varnothing 63 mm
 complete with O-RING
 for Convection oven electric (ZANUSSI) FCV/E10-2
 FCV/E10-3 - FCV/E10-4 - FCV/E20-2V



ELECTROLUX 058672

ELECTROLUX 058676

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm
 for Convection oven electric (CAPIC) AC150 - AC50
 R50



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456



Suitable for:

3755171 HEATING ELEMENT 17000W 230V

immersed depth 590 mm
flange external \varnothing 63 mm
with bulb sheath
complete with O-RING
for Convection oven electric (ZANUSSI) ACV/E10
ECV/E10 - FCS101E - FCS102E - FCV/E10
FCV/E10-P - ZCV/E10



ELECTROLUX 0C5336
ELECTROLUX 059003

ELECTROLUX 0F0095

ELECTROLUX 058995

Suitable for:

3755572 BRACKET FOR HEATING ELEMENT

external \varnothing 90 mm - internal \varnothing 50 mm
thickness 2.5 mm - distance between holes 63 mm



ELECTROLUX 003362

ELECTROLUX 065558

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm

for Convection oven electric (CAPIC) AC150 - AC50
R50



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456

3755573 HEATING ELEMENT 17000W 400V

immersed length 450 mm
flange external \varnothing 72 mm
with bulb sheath
for Convection oven electric (ZANUSSI) AOS101E
AOW101E - FCZ101E



ELECTROLUX 0C5384

ELECTROLUX 007076

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



ELECTROLUX 0E5037
ELECTROLUX 049909

ELECTROLUX 007029

ELECTROLUX 047156

3355363 HEATING ELEMENT 2000W 230V

length 200 mm - width 35 mm
for 180 mm tangential fan



ELECTROLUX 0K4812



Suitable for:

ELECTROLUX



3355590 HEATING ELEMENT 2000W 230V
 length 325 mm - width 290 mm
 flange 40x22 mm
 for Convection oven electric (ZANUSSI) ACF/E4
 FCF/E4 - FCF/E4D - FCFE4PH



ELECTROLUX 054326

3247036 3-POLE TERMINAL BLOCK
 for CONV/ELECTRIC OVEN 4 SHELVES



ELECTROLUX 054331

3355588 HEATING ELEMENT 20000W 380V
 for boiler
 immersed length 595 mm
 flange external \varnothing 63 mm - complete with cable
 complete with O-RING
 for Convection oven electric (ZANUSSI) FCV/E20-2
 FCV/E20-3 - FCV/E20-4 - FCVE20-2UK
 FCVE20-4UK



ELECTROLUX 056013

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm
 for Convection oven electric (CAPIC) AC150 - AC50
 R50



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456

3755177 HEATING ELEMENT 24000W 400V
 immersed depth 590 mm
 flange external \varnothing 63 mm
 with bulb sheath
 complete with O-RING
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
 ECV/E202 - FCS101E - FCS102E - FCS201E
 FCS202E - FCF/E10 - FCF/E201 - FCF/E202
 ZCV/E10 - ZCV/E201 - ZCV/E202



ELECTROLUX 0C5337

ELECTROLUX 002751

3755572 BRACKET FOR HEATING ELEMENT
 external \varnothing 90 mm - internal \varnothing 50 mm
 thickness 2.5 mm - distance between holes 63 mm



ELECTROLUX 003362

ELECTROLUX 065558

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm
 for Convection oven electric (CAPIC) AC150 - AC50
 R50



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456



Suitable for:

Suitable for:

40C5383 HEATING ELEMENT 2400W 400V SET

immersed length 570 mm
flange external 72 mm
with bulb sheath
complete with O-Ring
for boiler
for Convection oven electric (ZANUSSI) AOS102E
AOS201E - AOS202E - EJN102E - EJN201E
EJN202E - FCZ102E - FCZ201E - FCZ202E
RDR201E



ELECTROLUX 0C5383

ELECTROLUX 007101

3186014 O-RING GASKET 06225 EPDM ø 67 mm



ELECTROLUX 0E5037

ELECTROLUX 007029

ELECTROLUX 047156

3355055 HEATING ELEMENT 2500W 220V

external ø 190 mm - overall height 93 mm
flange 70x22 mm
for Convection oven electric (ZANUSSI)



ELECTROLUX 054317

ELECTROLUX 054834

3186098 HEATING ELEMENT GASKET

external dimensions 71x23 mm
for Convection oven (ZANUSSI)



ELECTROLUX 057534

3355580 HEATING ELEMENT 2500W 230V

inner part length 540 mm - width 350 mm
flange 70x20 mm
for Convection oven electric (ZANUSSI) ACF/E6
ECF/E6 - FCF/E6 - JCF/E6 - NCF/E6 - RCF/061E
ZCF/E6



ELECTROLUX 056945

3186098 HEATING ELEMENT GASKET

external dimensions 71x23 mm
for Convection oven (ZANUSSI)



ELECTROLUX 057534

3355889 HEATING ELEMENT 2500W 230V

external ø 190 mm - total height 70 mm
flange 70x22 mm
for Convection oven electric (GARBIN) 12GX - 23MX
23MXUMI - 43MX - 43MXUMI



ELECTROLUX 004934

3186098 HEATING ELEMENT GASKET

external dimensions 71x23 mm
for Convection oven (ZANUSSI)



ELECTROLUX 057534



Suitable for:

ELECTROLUX



3355722 HEATING ELEMENT 3000W 230V
 immersed length 330 mm - width 135 mm
 flange 85x30 mm
 for Convection oven electric (JUNO-RÖDER-SENKING)
 for Convection oven electric (ZANUSSI)



ELECTROLUX 0H6166

3186187 HEATING ELEMENT GASKET
 external dimensions 68x13 mm



ELECTROLUX 0H6665

ELECTROLUX 0K1831

3355723 HEATING ELEMENT 3000W 230V
 immersed length 565 mm - width 150 mm
 2 flanges 70x22 mm
 for Convection oven electric (JUNO-RÖDER-SENKING)
 for Convection oven electric (ZANUSSI)



ELECTROLUX 0H6188

3755586 HEATING ELEMENT 3200W 400V
 external \varnothing 385 mm - total height 70 mm
 flange 80x45 mm
 for Convection oven electric (ZANUSSI) AOS061E
 EJN061E - FCZ061E - RDR061E



ELECTROLUX 0C5362

ELECTROLUX 006984

3186508 HEATING ELEMENT GASKET
 external dimensions 138x80 mm
 for Convection oven electric (ZANUSSI)



ELECTROLUX 002689

3755518 HEATING ELEMENT 3750W 230V
 length 540 mm - width 350 mm
 altezza totale 635 mm
 for Convection oven electric (ZANUSSI) FCV/E6-1
 FCV/E6-3



ELECTROLUX 056930

3186067 HEATING ELEMENT GASKET
 external dimensions 75x50 mm
 for Convection oven (JUNO-RÖDER-SENKING)
 for Convection oven (ZANUSSI)



ELECTROLUX 055327



Suitable for:

3355718 HEATING ELEMENT 5600W 230V
for boiler
immersed length 270 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (JUNO-RÖDER-SENKING)
5511-3
for Convection oven electric (ZANUSSI)



ELECTROLUX 0H6146

3355586 HEATING ELEMENT 5666W 230V
external \varnothing 490 mm
flange 75x50 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCV/E10 - FCV/E10-P - FCV/E10-2 - FCV/E10-3
FCV/E10-4 - FCV/E20-2V



ELECTROLUX 053839

ELECTROLUX 054620

ELECTROLUX 058196

ELECTROLUX 058197

3755565 HEATING ELEMENT 5670W 400V
external \varnothing 490 mm - total height 75 mm
flange 80x45 mm
for Convection oven electric (ZANUSSI) AOS101E
AOS201E - EJM201E - FCZ101E - FCZ201E
RDR201E



ELECTROLUX 0C5364

ELECTROLUX 007064

Suitable for:

3355719 HEATING ELEMENT 5600W 380V
immersed length 270 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (JUNO-RÖDER-SENKING)
for Convection oven electric (ZANUSSI)



ELECTROLUX 0H6164

3186067 HEATING ELEMENT GASKET
external dimensions 75x50 mm
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ELECTROLUX 055327

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm
for Convection oven electric (ZANUSSI)



ELECTROLUX 002689



Suitable for:

ELECTROLUX



3355106 HEATING ELEMENT 6000W 230/400V

for wash tank and boiler
immersed length 350 mm
flange external \varnothing 72 mm
with thermostat probe receptacle
with O-ring
upon request nut and washer
for Convection oven electric (ANGELO PO) FV2SE
for Convection oven electric (LAINOX) FV03 - FV06
ME05 - ME10 - ME105L - ME105S - ME15 - ME20
ME21 - ME24 - ME40 - MME05 - MME10 - MME15
MME20 - MME21 - MME24 - MME40



ELECTROLUX 049898

Suitable for:

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



ELECTROLUX 0E5037

ELECTROLUX 007029

ELECTROLUX 047156

ELECTROLUX 049909

3355589 HEATING ELEMENT 7900W 230V

for boiler
immersed length 280 mm
flange external \varnothing 63 mm
complete with O-RING
for Convection oven electric (ZANUSSI) FCV/E6-1
FCV/E6-3 - FCVM/E6-2 - XFV/E700



ELECTROLUX 058666

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm

for Convection oven electric (CAPIC) AC150 - AC50
R50



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456

3455300 HEATING ELEMENT 800/1750W 230V

870/1900W 240V
length 340 mm - width 350 mm
flange 120x25 mm
per FORNO FCF/E4
for Convection oven electric (ZANUSSI) FCF/E4



ELECTROLUX 005205



Suitable for:

3355582 HEATING ELEMENT 8000W 230V
 length 645 mm - overall height 245 mm
 flange 75x50 mm
 upon demand nut and washer
 for Convection oven electric (ZANUSSI) FCF/E20
 FCF/E40 - FCV/E20




ELECTROLUX 054050

ELECTROLUX 054051

ELECTROLUX 056929

Suitable for:

3186099 HEATING ELEMENT GASKET
 external dimensions 76x50 mm
 for Convection oven (ZANUSSI)



ELECTROLUX 053840


3355584 HEATING ELEMENT 8000W 380V
 length 645 mm - overall height 240 mm
 flange 75x50 mm
 upon demand nut and washer
 for Convection oven electric (ZANUSSI) FCV/E20
 FCV/E20-P - FCV/E20-4 - FCVE20-2UK
 FCVE20-4UK



ELECTROLUX 055481

ELECTROLUX 056970

3186099 HEATING ELEMENT GASKET
 external dimensions 76x50 mm
 for Convection oven (ZANUSSI)



ELECTROLUX 053840

3755574 HEATING ELEMENT 8000W 400V
 external \varnothing 575 mm - overall height 70 mm
 flange 80x45 mm
 for Convection oven electric (ZANUSSI) AOS102E
 AOS202E - EJN102E - EJN202E - FCZ102E
 FCZ202E



ELECTROLUX 0C1173

ELECTROLUX 0C5365

3186508 HEATING ELEMENT GASKET
 external dimensions 138x80 mm
 for Convection oven electric (ZANUSSI)



ELECTROLUX 002689

3755240 HEATING ELEMENT 9000W 230V
 immersed depth 290 mm
 flange external \varnothing 63 mm
 with bulb sheath
 complete with O-RING
 for Convection oven electric (ZANUSSI) ECV/E6
 FCS061E - FCV/E6 - RCV/E6 - ZCV/E6



ELECTROLUX

ELECTROLUX 002835

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm
 for Convection oven electric (CAPIC) AC150 - AC50
 R50



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456



Suitable for:

3755597 HEATING ELEMENT 9000W 400V
 immersed length 450 mm
 flange external \varnothing 72 mm
 with bulb sheath
 for Convection oven electric (ZANUSSI) AOS061E
 EJN061E - FCZ061E - RDR061E



ELECTROLUX 0C5381

ELECTROLUX 007030

Suitable for:

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



ELECTROLUX 0E5037
ELECTROLUX 049909

ELECTROLUX 007029

ELECTROLUX 047156

Hinges, catches and accessories

3053016 DOOR CATCH FOR HINGE
 distance between holes 79 mm - total length 89 mm
 h 23 mm
 for Convection oven electric (ZANUSSI) FCF/E4



ELECTROLUX 058934

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



ELECTROLUX 053096

ELECTROLUX 059227

40KB730 DOOR LOCK
 for Convection oven electric (ZANUSSI) CC030G
 ECO312CF - OTS100



ELECTROLUX 0KB730

3053233 HINGE POSITIONER
 for Convection oven (ZANUSSI) - Series FCF
 Series NCF - Series ZCF



ELECTROLUX 002653

3053007 LEFTHAND DOOR HINGE FOR OVEN
 distance between holes 175 mm - overall length 205
 height 160 mm



ELECTROLUX 0A2004

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



ELECTROLUX 053096

ELECTROLUX 059227



Suitable for:

3053576 OVEN BOTTOM DOOR HINGE
dimensions 125x50 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series ZCV



ELECTROLUX 002652

Suitable for:

3053233 HINGE POSITIONER
for Convection oven (ZANUSSI) - Series FCF
Series NCF - Series ZCF



ELECTROLUX 002653

3053353 OVEN DOOR BOTTOM HINGE
for OVEN series 10 SHELVES
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series JCF - Series NCF
Series ZCF



ELECTROLUX 003721

3053237 OVEN DOOR GLASS BOTTOM HINGE
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCV - Series ZCV



ELECTROLUX 002875

3053238 OVEN DOOR GLASS TOP HINGE
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCV - Series ZCV



ELECTROLUX 002876

3053237 OVEN DOOR GLASS BOTTOM HINGE
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCV - Series ZCV



ELECTROLUX 002875

3053236 OVEN DOOR TOP HINGE
for Convection oven (ZANUSSI) - Series FCF
Series FCV



ELECTROLUX 055316

3053352 OVEN DOOR TOP HINGE
for OVEN series 10-20 SHELVES
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series JCF - Series NCF
Series ZCF



ELECTROLUX 003720

3053353 OVEN DOOR BOTTOM HINGE
for OVEN series 10 SHELVES
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series JCF - Series NCF
Series ZCF



ELECTROLUX 003721



Suitable for:

ELECTROLUX



3053577 OVEN TOP DOOR HINGE
for OVEN 6-10 GRILLS
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series ZCV



ELECTROLUX 002651

3053233 HINGE POSITIONER
for Convection oven (ZANUSSI) - Series FCF
Series NCF - Series ZCF



ELECTROLUX 002653

3053576 OVEN BOTTOM DOOR HINGE
dimensions 125x50 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series ZCV



ELECTROLUX 002652

3053015 RIGHT/LEFT HINGE FOR OVEN
distance between holes 155 mm - total length 200mm
height 170 mm
for Convection oven electric (ZANUSSI) FCF/E4



ELECTROLUX 056339

3053516 RIGHT/LEFT HINGE FOR OVEN
overall length 210 mm - width 21 mm
holes mounting distance 120 mm
for Convection oven electric (WHIRLPOOL) 4GN1/1
for Convection oven electric (ZANUSSI) ACF/E4
ECF/E4 - FCF/E4 - NCF/E4 - ZCF/E4



ELECTROLUX 005186

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



ELECTROLUX 0A2005

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ELECTROLUX 053096

ELECTROLUX 059227



Suitable for:

Suitable for:

Hose reels

3359553 WASHING UNIT MINIREEL
 stainless steel case aisi 304
 with automatic retractor
 EPDM hose \varnothing 13 mm
 pull-out hose length 160 cm
 complete with shower ECO/F
 for fixing to any equipment



ELECTROLUX 0T1747

ELECTROLUX 006696

3359610 BLACK SHOWER CASE ECO \varnothing 1/2" M
 with coupling 3/8" M x 1/2" M



ELECTROLUX 003175

Hose-end fittings

3315106 3-WAY HOSE END RUBBER FITTING \varnothing 10 mm



ELECTROLUX 047431

Injectors

3500083 GAS JET M10x1 \varnothing 1.70 mm



ELECTROLUX 054083

3500082 GAS JET M10x1 \varnothing 1.90 mm



ELECTROLUX 054033

3500081 GAS JET M10x1 \varnothing 2.10 mm



ELECTROLUX 056147

3500084 GAS JET M10x1 \varnothing 3.30 mm



ELECTROLUX 055388

3500085 GAS JET M10x1 \varnothing 3.40 mm



ELECTROLUX 054128



Suitable for:

ELECTROLUX



Suitable for:

Insulators

3786479 INSULATOR FOR HEAT EXCHANGER
dimensions 291x164 mm
for Convection oven electric (ZANUSSI)



ELECTROLUX 003874

3786643 INSULATOR FOR HEAT EXCHANGER
dimensions 275x155 mm
for Convection oven gas (ZANUSSI)



ELECTROLUX 003883

Interference suppression filters

3160099 INTERFERENCE SUPPRESSION FILTER 0,47μF



ELECTROLUX 046217

3160233 THREE-PHASE FILTER RFI 250V
for Convection oven (ZANUSSI)



ELECTROLUX 049303

Ironmongery (screws,nuts,washers)

3528066 NUT INOX M26x1.5 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056409

1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588
for Convection oven (FRIMA) CD6



ELECTROLUX 0K4516

3528067 WASHER 22x12x2 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ELECTROLUX 056416



Suitable for:

ELECTROLUX



Suitable for:

Knobs

3241867 BLACK KNOB \varnothing 55 mm

D-shaped hole 6x4.6 mm

for Convection oven (WHIRLPOOL) ACF/E10 - ACF/E101

ACF/E102 - ACF/E20 - ACF/E201 - ACF/E202

ACV/E10C4 - ACV/E102/1C4 - ACV/E20/C4

ACV/E202/1C4

for Convection oven electric (ZANUSSI) FCF/E6

for Convection oven gas (WHIRLPOOL) ACV/G10C4

ACV/G102/1C4 - ACV/G20C4 - ACV/G202/1C4

for Convection oven gas (ZANUSSI) FCF/G10

FCF/G20 - FCF/G6 - FCF/G6



ELECTROLUX 0A5323

3241675 BLACK KNOB \varnothing 60 mm

D-shaped hole 6x4.6 mm

for Convection oven (ZANUSSI) - Series AOS



ELECTROLUX 007044

3241673 KNOB WASHER

for Convection oven (ZANUSSI)



ELECTROLUX 002727

3241055 FIXING CLIP

for knob with \varnothing 8 mm hole



ELECTROLUX 025245

3241674 KNOB BUSHING

for Convection oven (ZANUSSI)



ELECTROLUX 002662

3241676 LOCK NUT FOR KNOB 1/2"



ELECTROLUX 051263



Suitable for:

3241328 GREY KNOB ø 55 mm
 D-shaped hole 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCF/E20 - FCF/E6
 for Convection oven gas (ZANUSSI) FCF/G10
 FCF/G20 - FCF/G6



ELECTROLUX 056198

3186342 GASKET FOR OVEN
 soft - external ø 13,5 mm



ELECTROLUX 053816

3241672 GREY KNOB ø 55 mm
 D-shaped hole 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCV/E10
 FCV/E20 - FCV/E6
 for Convection oven gas (ZANUSSI) FCV/G10
 FCV/G20 - FCV/G6



ELECTROLUX 002672

3241329 GREY KNOB ø 55 mm WITH SILKSCREEN PRINT
 D-shaped hole 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCF/E20 - FCF/E40
 for Convection oven gas (ZANUSSI) FCF/G10
 FCF/G20 - FCF/G40



ELECTROLUX 055026

ELECTROLUX 056222

Suitable for:

3241055 FIXING CLIP
 for knob with ø 8 mm hole



ELECTROLUX 025245

3186342 GASKET FOR OVEN
 soft - external ø 13,5 mm



ELECTROLUX 053816



ELECTROLUX



Suitable for:

3241069 GREY KNOB ø 55 mm 0-120°C
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI)
Series 6-10-20-40 GRIGLIE



ELECTROLUX 0C3022

ELECTROLUX 003844

ELECTROLUX 075543

Suitable for:

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm



ELECTROLUX 053816

3241330 GREY KNOB ø 55 mm 0-120°C
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E2 - FCF/E20 - FCF/E40 - FCF/E6 - FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCF/G10
FCF/G20 - FCF/G40 - FCF/G6 - FCV/G10 - FCV/G20



ELECTROLUX 053814

ELECTROLUX 055364

ELECTROLUX 056128

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm



ELECTROLUX 053816

3241327 GREY KNOB ø 55 mm 50-250°C
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E20 - FCF/E40 - FCV/E10 - FCV/E20 - FCV/E6
for Convection oven gas (ZANUSSI) FCF/G10
FCF/G20 - FCF/G40 - FCV/G10 - FCV/G20 - FCV/G6



ELECTROLUX 053813

ELECTROLUX 056197

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm



ELECTROLUX 053816

3241674 KNOB BUSHING
for Convection oven (ZANUSSI)



ELECTROLUX 002662

3241141 KNOB EXTENSION
D-shaped hole 10x8 mm
for gas valve
for OVEN-FRYER



ELECTROLUX 059305



Suitable for:

3241142 KNOB GASKET \varnothing 44 mm



ELECTROLUX 059326

Suitable for:

3241673 KNOB WASHER
for Convection oven (ZANUSSI)



ELECTROLUX 002727

3241676 LOCK NUT FOR KNOB 1/2"



ELECTROLUX 051263

Lamps

3221399 CERAMIC LAMP RECEPTACLE E14
max temperature 300°C
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF




ELECTROLUX 002625

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ELECTROLUX 002626

3520021 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 44 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ELECTROLUX 002627

3520022 OVEN GLASS FRAME \varnothing 76 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ELECTROLUX 002628

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



ELECTROLUX 054319

ELECTROLUX 054840



ELECTROLUX



Suitable for:

3221255 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 140x72 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



ELECTROLUX 0H2410

Suitable for:

3221053 GASKET FOR OVEN LAMP RECEPTACLE

dimensions \varnothing 48x38x5 mm
for OVEN



ELECTROLUX

3221349 GLASS F.OVEN RECEPTACLE LAMP \varnothing 72 mm

for Proving oven electric (MORETTI) L105.105
L60.60 - L65.105
for Proving oven electric (ZANUSSI) FLP55 - FLP80
ZMBD4L - ZMBD6L - ZMMD4L - ZMMD6L



ELECTROLUX 003451

ELECTROLUX 004163

3221256 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 112x65 mm
max temperature 500°C
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



ELECTROLUX 0H6989

ELECTROLUX 0K7522

3520021 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 44 mm

for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ELECTROLUX 002627

3221005 GREEN INDICATOR LAMP 220/380V

head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ELECTROLUX 026456

ELECTROLUX 053148

ELECTROLUX 053154

3221032 GREEN INDICATOR LAMP 230V

head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX 0A2224

ELECTROLUX 058544

3221132 GREEN INDICATOR LAMP 230V

head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX 004169

ELECTROLUX 058544



Suitable for:

3221164 GREEN INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
dashboard mounting



ELECTROLUX 054150+054151

Suitable for:

3221045 GREEN LAMP CAP \varnothing 7 mm



ELECTROLUX 054151

3221045 GREEN LAMP CAP \varnothing 7 mm



ELECTROLUX 054151

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm



ELECTROLUX 004896

3221404 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 370 mm
mounting hole \varnothing 42 mm
for Convection oven electric (ZANUSSI) FCV/E101
FCV/E102 - FCV/E201 - FCV/E202
for Convection oven gas (ZANUSSI) FCS061G
FCV/G101 - FCV/G20 - FCV/G201



ELECTROLUX 0C1555


ELECTROLUX 006106

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ELECTROLUX 002626

3520021 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 44 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ELECTROLUX 002627

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
for Electric oven (ELOMA) 12-21 MULTIMAX



ELECTROLUX 0C2803

ELECTROLUX 002956

ELECTROLUX 007056

3520022 OVEN GLASS FRAME \varnothing 76 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ELECTROLUX 002628



Suitable for:

3221300 LAMP RECEPTACLE E14
max temperature 300°C
for Convection oven electric (ZANUSSI) FCF/E4



ELECTROLUX 054320

Suitable for:

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



ELECTROLUX 054319

ELECTROLUX 054840

3221120 LAMP RECEPTACLE E14 25W 230V
for Convection oven electric (GEMINI FORNI)
Series 2/M - 2/M1
for Convection oven electric (MBM) FCE10 - FCE6
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEMD67SC - FEMD69 - FEM107SC - FEM109
FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050
FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107SC - FGMD109 - FGMD207 - FGMD209
FGMD67SC - FGM107SC - FGM109 - FGM207SC
FGM209 - FGM67SC - FGM69 - FGP050 - FGP080
FGP160



ELECTROLUX 0H6617

ELECTROLUX 054991

3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass ø 54 mm
mounting hole ø 45 mm
max temperature 300°C



ELECTROLUX 056708

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX 0H7035



ELECTROLUX



Suitable for:

3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V
 lamp glass ø 57 mm
 mounting hole ø 42 mm
 max temperature 300°C
 for OVEN
 for Convection oven electric (COVEN) TEC10 - TEC2
 TEC3 - TEC4P - TEC6 - TEC7
 for Convection oven gas (COVEN) TEC6G - TEC7G



ELECTROLUX

Suitable for:

3221041 OVEN LAMP E14 15W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



ELECTROLUX 0H7035

3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V
 lamp glass ø 72 mm
 mounting hole ø 68 mm
 max temperature 300°C



ELECTROLUX 004160

3221068 NEON LAMP FOR OVEN E14 2W 380V
 dimensions ø 13x30 mm
 for OVEN



ELECTROLUX 0H7037

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V
 for Convection oven electric (FAGOR) COE-061
 COE-101 - VE-061 - VE-101 - VPE-061 - VPE-101



ELECTROLUX 0H7038

3221639 NEUTRAL HALOGEN LAMP G4 10W 12V
 max temperature 300°C
 for Convection oven (ZANUSSI)
 for Convection oven electric (DIAMOND) SDE/10CL



ELECTROLUX 0C4396

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
 for Electric oven (ELOMA) 12-21 MULTIMAX



ELECTROLUX 0C2803

ELECTROLUX 002956

ELECTROLUX 007056

3221097 NEUTRAL INDICATOR LAMP 220V
 head ø 8 mm - 120°C



ELECTROLUX 004895

ELECTROLUX 048832

ELECTROLUX 046241

ELECTROLUX 048488



ELECTROLUX



Suitable for:

3221006 ORANGE INDICATOR LAMP 220/380V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ELECTROLUX 045272

ELECTROLUX 053149

ELECTROLUX 053155

Suitable for:

3221112 ORANGE INDICATOR LAMP 220V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



ELECTROLUX 053811+053812

3221011 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX 0A2225

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX 0A2224

ELECTROLUX 058544

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX 0A2408

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX 005215

ELECTROLUX 058522

3221014 ORANGE INDICATOR LIGHT 220V
mounting hole 30x22 mm - 125°C
universal application
for Convection oven gas (MORETTI) TEVERE HI-TECH
for Proving oven electric (MORETTI) AHL
AMALFI L-P120EL - AMALFI L-P60 - AMALFI L-P80
F40EL - F80EL - F80L - L105.105 - L105.65
L60.60 - L65.105 - MHL - P110L - RHL - TVHL



ELECTROLUX 0KM981

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



ELECTROLUX 004928

3520022 OVEN GLASS FRAME \varnothing 76 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ELECTROLUX 002628



Suitable for:

ELECTROLUX



3221041 OVEN LAMP E14 15W 230V

max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX 0H7035

3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



ELECTROLUX 054319

ELECTROLUX 054840

3221140 OVEN LAMP E14 40W 230V

max temperature 300°C
for Convection oven



ELECTROLUX 081696

3221004 RED INDICATOR LAMP 220/380V

head 16x16 mm - hole ø 12 mm - 120°C
universal application



ELECTROLUX 053153

3221005 GREEN INDICATOR LAMP 220/380V

head 16x16 mm - hole ø 12 mm - 120°C
universal application



ELECTROLUX 026456

ELECTROLUX 053148

ELECTROLUX 053154

3221006 ORANGE INDICATOR LAMP 220/380V

head 16x16 mm - hole ø 12 mm - 120°C
universal application



ELECTROLUX 045272

ELECTROLUX 053149

ELECTROLUX 053155



Suitable for:

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX 0A2408

Suitable for:

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE
external dimensions 140x75 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (INOXTREND)
for Convection oven (KELVIN)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



ELECTROLUX 055022

3221358 WHITE LAMP RECEPTACLE
head \varnothing 16 mm - hole \varnothing 13 mm
for Convection oven electric (GIORIK) EF4



ELECTROLUX 046289

Leak detektors for gas

3394009 GAS LEAK FINDER SE151NM
for natural gas and lpg leaks finding.
standard 4 batteries 1.5V power supply
battery life 7 hours of continuous working
with imitation leather case
calibration is reached through sensitivity adjustm
in no polluting gas air so that
the buzzer gives one pulse every second.
As soon as the sensor is in a polluted
environment the pulses frequency
increases.



ELECTROLUX 0S2023

Level regulators

3341000 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz
for Convection oven (ZANUSSI) ACV - ECV
Series FCS - Series FCV - FDV - ZCV



ELECTROLUX 055458

3341003 LEVEL PROBE \varnothing 1/4" M - 110 mm
for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX 056449



Suitable for:

3341002 LEVEL PROBE \varnothing 1/4" M - 114.5 mm
for Convection oven (ZANUSSI) - Series AOS



ELECTROLUX 0C1086

ELECTROLUX 055346

3391037 LEVEL PROBE SPACER
for Steam oven (ZANUSSI)



ELECTROLUX 055347

3341026 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz
for Convection oven electric (FOINOX) FM100EM
FM200EM - FM201EM - FM401EM - FM60EM
for Convection oven gas (FOINOX) FM100GM - FM200GM
FM201GM - FM401GM - FM60GM



ELECTROLUX 088196

ELECTROLUX



Suitable for:

3341001 LEVEL PROBE \varnothing 1/4" M - 155 mm
for Convection oven (ZANUSSI) - Series FCV
Series FCVA - Series FV
for Convection oven electric (ZANUSSI) AR6ES



ELECTROLUX 0C1055

ELECTROLUX 0C1105

ELECTROLUX 053909

3391038 LEVEL PROBE SPACER
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ELECTROLUX 055435

3341038 LEVEL ADJUSTER RL30/3ES/11
24V 50/60Hz
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20 - FV/E4 - FV/G4



ELECTROLUX 053913

Level sensors

3341003 LEVEL PROBE \varnothing 1/4" M - 110 mm
for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX 056449

3341002 LEVEL PROBE \varnothing 1/4" M - 114.5 mm
for Convection oven (ZANUSSI) - Series AOS



ELECTROLUX 0C1086

ELECTROLUX 055346

3341019 LEVEL PROBE \varnothing 1/4" M - 122 mm
for Convection oven (ZANUSSI) - Series FCV
Series FCVA



ELECTROLUX 0A2838

3391037 LEVEL PROBE SPACER
for Steam oven (ZANUSSI)



ELECTROLUX 055347



Suitable for:

3391038 LEVEL PROBE SPACER
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ELECTROLUX 055435

Suitable for:

3341033 LEVEL PROBE \varnothing 1/4" M - 139 mm
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ELECTROLUX 003878

3341001 LEVEL PROBE \varnothing 1/4" M - 155 mm
for Convection oven (ZANUSSI) - Series FCV
Series FCVA - Series FV
for Convection oven electric (ZANUSSI) AR6ES



ELECTROLUX 0C1055

ELECTROLUX 0C1105

ELECTROLUX 053909

3341072 LEVEL PROBE \varnothing 1/4" M - 240 mm
for Convection oven (ZANUSSI) - Series ACV
Series AOS - Series ECV - Series EJV - Series FCS
Series FCV - Series FCZ - Series ZCV



ELECTROLUX 005879

3341034 LEVEL PROBE 77 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series FDV
Series ZCV
for Convection oven gas (ZANUSSI) RCV101G4



ELECTROLUX 002632

3341032 SPACER FOR PROBE 16 mm
for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX 002633

3341032 SPACER FOR PROBE 16 mm
for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX 002633



Suitable for:

ELECTROLUX



3397173 WATER LEVEL PROBE 125 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series RCV
Series ZCV



ELECTROLUX 002694

Suitable for:
3391037 LEVEL PROBE SPACER
for Steam oven (ZANUSSI)



ELECTROLUX 055347

3391038 LEVEL PROBE SPACER
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ELECTROLUX 055435

Magnet groups

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ELECTROLUX 056587

3182005 MAGNETIC UNIT SIT
ø head 19 mm - ø end 14,5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ELECTROLUX 056588

3182008 MAGNETIC UNIT SIT
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ELECTROLUX 056589



Microswitches

3240401 ACTUATOR FOR MICROSWITCH
 for OVEN
 for Convection oven electric (ZANUSSI) FCFE40
 FCFE40D - FCVE10-2 - FCVE10-4 - FCVE20-2
 FCVE20-4
 for Convection oven gas (ZANUSSI) FCFG40 - FCFG40D
 FCVG10-2 - FCVG10-4 - FCVG20-2 - FCVG20-4



ELECTROLUX 054902

3240605 DOOR MICROSWITCH M1AX20 10A 250V
 for Convection oven electric (GIORIK) EF10GM
 EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - EGE05
 EGE10 - EPE04 - EPE05 - EPE10
 for Convection oven gas (GIORIK) GF10GM - GF4PM
 GF5GM - GF6PM - GF7GM - GF8PM
 for Convection oven gas (ZANUSSI) FCS061G



ELECTROLUX 002785

ELECTROLUX 046063

3240469 MAGNETIC MICROSWITCH E7101B
 50VA 250V - NO contact - head 50x19 mm
 for Convection oven (ZANUSSI) - Series AOS



ELECTROLUX 049621

3240148 MICROSWITCH MAGNET 63x19x11 mm
 for Convection oven (ZANUSSI) - Series AOS



ELECTROLUX 049627

3240407 MECHANICAL MICROSWITCH KIT 16A 250V
 3 locking positions
 the kit includes 5 levers:
 lever 75 mm - lever 27 mm - lever 15 mm
 lever 15 mm with wheels - lever 27 mm with wheels



ELECTROLUX 069484

3240410 MICRO SWITCH 16A 250V
 for ANGELO PO OLD OVENS FC-FCV
 for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
 FC1211G-FC1211E
 for ANGELO PO FRYER 030FE1-030FE1B-70FE
 70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
 30FES2-30FES2B-091FE28
 for IMESA DRYER ES10-ES55-ES75
 for IMESA WASHING MACHINE
 LM30-LM40-LM55-LM70-LM85
 RC30-RC40-RC55-RC70
 for SIRMAN CUTTER C4-C6-C6VV-C9
 for GRANDIMPIANTI DRYER EMS10-EMS15
 for FAGOR CALENDER PE30/140-PE30/160-PE30/200
 for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G
 JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G
 for IPSO CALENDER RI1600/30-RI1600/30AV



ELECTROLUX

3240148 MICROSWITCH MAGNET 63x19x11 mm
 for Convection oven (ZANUSSI) - Series AOS



ELECTROLUX 049627

3240406 MICROSWITCH 10A 250V
 for Convection oven electric (JUNO-RÖDER-SENKING)
 5717-3



ELECTROLUX 0H6597



Suitable for:

ELECTROLUX



Suitable for:

3240123 MICROSWITCH 16A 250V



ELECTROLUX 0KI505

3240820 MICROSWITCH 16A 250V



ELECTROLUX 0KB678

ELECTROLUX 046286

ELECTROLUX 047485

3240401 ACTUATOR FOR MICROSWITCH

for OVEN

for Convection oven electric (ZANUSSI) FCFE40
FCFE40D - FCVE10-2 - FCVE10-4 - FCVE20-2
FCVE20-4

for Convection oven gas (ZANUSSI) FCFG40 - FCFG40D
FCVG10-2 - FCVG10-4 - FCVG20-2 - FCVG20-4



ELECTROLUX 054902

3240166 MOUNTING PLATE FOR MICROSWITCH

external dimensions 46x26 mm
for Convection oven (ZANUSSI)



ELECTROLUX 045404

ELECTROLUX 45404

3240166 MOUNTING PLATE FOR MICROSWITCH

external dimensions 46x26 mm
for Convection oven (ZANUSSI)



ELECTROLUX 045404

ELECTROLUX 45404



Suitable for:

ELECTROLUX



Suitable for:

Motors

3240290 MAIN SHAFT SEALING GASKET

external \varnothing 38 mm
internal \varnothing 16 mm
height 17 mm
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G102/1 - ACV/G10C4 - ACV/G10C6
ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
ACV/G202/1C4 - ACV/G61C3 - JCF/G6



ELECTROLUX 002699

3340063 MOTOR FAN 24/28W 220/240V 50/60Hz for Convection oven electric (WHIRLPOOL) FFE4



ELECTROLUX 005202

3340064 MOTOR FAN \varnothing 145 mm for Convection oven electric (WHIRLPOOL) FFE4



ELECTROLUX 005221

3240907 MOTOR FLANGE external \varnothing 270 mm - flange internal \varnothing 16 mm height 3.5 mm for Convection oven electric (ZANUSSI) for Convection oven gas (ZANUSSI)



ELECTROLUX 058957

3240115 MOTOR HANNING L7ZAW4D-099 0.245Kw 230/415V 50/60Hz for Convection oven (FRIMA) CD101 - CD201 - CD6 for Convection oven electric (HOBART) CS0611E for Convection oven electric (KÜPPERSBUSCH) ECD106 ECD120 for Convection oven electric (RATIONAL) CC101 CC201 - CC6 - CD101 - CD20 - CD201 - CD6 CM101 - CM20 - CM201 - CM6



ELECTROLUX 0H6929



Suitable for:

ELECTROLUX



3240742 MOTOR LM/FB 100L 4/6 0.75/0.22Kw 230V
 50/60Hz - 2.4/1.0A - 955/1460rpm
 capacitor 16 μ F
 for Convection oven electric (ZANUSSI) AOS102E
 AOS202E
 for Convection oven gas (ZANUSSI) AOS102G
 AOS202G



ELECTROLUX 0C1171

ELECTROLUX 0C6563

3240740 MOTOR LM/FB 80 4/6 0.19/0.06Kw 230V
 50/60Hz - 1.5/0.7A - 930/1380rpm
 capacitor 12.5 μ F
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
 ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
 FCS061E - FCS101E - FCS102E
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G102/1 - ACV/G10C4 - ACV/G10C6
 ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
 ACV/G202/1C4 - ACV/G61C3 - FCS101G - FCS102G
 JCF/G6



ELECTROLUX 002698

ELECTROLUX 005028

3240741 MOTOR LM/FB 80 4/6 0.19/0.06Kw 230V
 50/60Hz - 1.6/0.75A - 890/1385rpm
 capacitor 12.5 μ F
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS201G



ELECTROLUX 006998

3240287 MOTOR LM/FB80 4/6 0.11/0.35Kw 230V
 50/60Hz - 1.3/2.7A - 900/1400rpm
 capacitor 16 μ F
 for Convection oven (ZANUSSI) - Series FCS
 Series FCV - Series JCF
 for Convection oven electric (ZANUSSI)
 ACV/E102/1C4



ELECTROLUX 002748

3240262 MOTOR LM80/4 0.19Kw 230V 50/60Hz
 1.3A - 1450/1750rpm
 for Convection oven electric (ZANUSSI)
 Series ACF/E - Series ACV/E - C7E4 - C7E6 - C7PE4
 Series FCF/E - FCS101E - Series FCV/E - FCV/E201
 FCV/E202 - Series ZCF/E - ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) - Series ACF/G
 ACF/G101 - Series ACV/G - Series FCF/G
 FCF/G101 - FCS061G - FCS101G - Series FCV/G
 FCV/G201 - FCV/G202 - Series ZCF/G - ZCV/G201
 ZCV/G202



ELECTROLUX 0F0007

ELECTROLUX 002616

ELECTROLUX 005750

3240261 MOTOR LM80/4 0.35Kw 230V 50/60Hz
 2.7A - 1400/1700rpm - capacitor 16 μ F
 for 10 GRILLS versions
 for Convection oven (ZANUSSI) - Series FCF
 Series NCF - Series ZCF



ELECTROLUX 002739



ELECTROLUX



Suitable for:

3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm
for Convection oven (ZANUSSI)



ELECTROLUX 058731

Suitable for:

3240263 MOTOR WITH FAN 38W 220V 50Hz
fan \varnothing 153 mm
for Convection oven electric (ZANUSSI) AFCF/E2
FCF/E2 - ZCF/E2



ELECTROLUX 054842

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm
for Convection oven
for Convection oven electric (COVEN) C6E - TEC10
TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H
TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6
TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6



ELECTROLUX 0A2010

ELECTROLUX 004933

ELECTROLUX 031484

ELECTROLUX 054314

3240744 MOTOR WITH FAN 50W 220/230V 50Hz
fan \varnothing 80 mm
for Convection oven electric (ZANUSSI) CCO30
CCO30G - OTS100



ELECTROLUX 0KB666

3240016 MOTOR 1052.2500 0.19Kw 220/380V 50Hz
1.4/0.9A 1400rpm
for Convection oven electric (ZANUSSI) FCF/E10
FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
for Convection oven gas (ZANUSSI) FCF/G10
FCV/G10



ELECTROLUX 054836

3240111 FAN \varnothing 350 mm
thickness 135 mm
total blades 6 - \varnothing hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
for Convection oven gas (ZANUSSI) FCF/G10
FCV/G10



ELECTROLUX 053782

ELECTROLUX 054890

3240015 MOTOR 1052M 0.1Kw 220V 50Hz
1A 1400rpm - capacitor 4 μ f
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6 - FCV/E6-1
for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
FCV/G6-1 - ZOFCV/G6-3



ELECTROLUX 054829

3240110 FAN \varnothing 280 mm
thickness 100 mm
total blades 6 - \varnothing hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6 - FCV/E6-1
for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
FCV/G6-1 - ZOFCV/G6-3



ELECTROLUX 054585

ELECTROLUX 055422



ELECTROLUX



Suitable for:

3240019 MOTOR 1053.2500 0.35Kw 220/380V 50Hz
 1.8/1.04A 1400rpm
 for Convection oven electric (ZANUSSI) FCF/E20
 FCF/E40 - FCFE202 - FCFV/E20 - FCFV/E6-1
 ZOFCV/E202 - ZOFCV/E204
 for Convection oven gas (ZANUSSI) FCF/G20
 FCF/G40 - FCFC202 - FCFG202



ELECTROLUX 054837

ELECTROLUX 058607

Suitable for:

3240112 FAN ø 440 mm
 thickness 152 mm
 total blades 6 - ø hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E20
 FCF/E40 - FCFE202 - FCFV/E20 - FCFV/E6-1
 ZOFCV/E202 - ZOFCV/E204
 for Convection oven gas (ZANUSSI) FCF/G20
 FCF/G40 - FCFC202 - FCFG202



ELECTROLUX 000274

ELECTROLUX 054014

ELECTROLUX 055378

3240715 MOTOR 1092M 0.1Kw 220V 50Hz
 0.9A 1350rpm - capacitor 4 µf
 for Convection oven electric (ZANUSSI) FCF/E6
 FCFV/E6
 for Convection oven gas (ZANUSSI) FCF/G6 - FCFV/G6



ELECTROLUX 058587

3240110 FAN ø 280 mm
 thickness 100 mm
 total blades 6 - ø hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E6
 FCFV/E6 - FCFV/E6-1
 for Convection oven gas (ZANUSSI) FCF/G6 - FCFV/G6
 FCFV/G6-1 - ZOFCV/G6-3



ELECTROLUX 054585

ELECTROLUX 055422

3391040 MOTOR BASE
 for Convection oven (ZANUSSI)



ELECTROLUX 058729

3240907 MOTOR FLANGE
 external ø 270 mm - flange internal ø 16 mm
 height 3.5 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)



ELECTROLUX 058957

3240017 MOTOR 110.4.370M 0.37Kw 230V 50/60Hz
 2.7A 1400rpm - capacitor 10 µf
 (old type)
 for Convection oven (ZANUSSI)



ELECTROLUX 057970



Suitable for:

Suitable for:

Non-return and expansion valves

1526503 NON-RETURN VALVE \varnothing 40 mm
ballcock - outlets \varnothing 12 mm
stainless steel cap



ELECTROLUX 005762

ELECTROLUX 049332

Outlet solenoid valves and accessories

3525014 BOILER MOTOR DRAIN VALVE
230V 50/60Hz 2.5W
fittings \varnothing 1"FF DN25
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCV - Series ZCV



ELECTROLUX 005026

3525021 BOILER MOTOR DRAIN VALVE
230V 50/60Hz
fittings \varnothing 3/4"FF
for Convection oven (ZANUSSI) - Series AOS
Series AOW - Series CS - Series ECV - Series EJV
Series FCS - Series FCV - Series FCZ - Series RDR
Series ZCV



ELECTROLUX 0C0882

ELECTROLUX 002713

OR and ORM gaskets

1186230 O-RING GASKET 0164 EPDM



ELECTROLUX 068799

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm
for Convection oven electric (CAPIC) AC150 - AC50
R50



ELECTROLUX 046213

ELECTROLUX 067620

ELECTROLUX 069456

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



ELECTROLUX 0E5037

ELECTROLUX 049909

ELECTROLUX 007029

ELECTROLUX 047156

3160044 O-RING 03187 EPDM



ELECTROLUX 053809



Suitable for:

ELECTROLUX



Suitable for:

3786008 O-RING 04112 BROWN VITON
for coffee group upper piston



ELECTROLUX 002873

Penetration probes

3397100 PENETRATION PROBE
2 wires - faston connection
probe length 140 mm
chamber internal cable 950 mm
chamber external cable 1500 mm
for Convection oven electric (ZANUSSI) FCS201E4
FCS202E4
for Convection oven gas (ZANUSSI) ACV/G201
ACV/G202 - ECV/G201 - ECV/G202 - FCS201G4
FCV/G20 - FCV/G201 - FCV/G202 - ZCV/G201
ZCV/G202



ELECTROLUX 006174

3397209 PENETRATION PROBE
13 wires - connections
probe length 93 mm
lunghezza cavo interno camera 1500 mm
cable length ext. Chamber 950 mm
for Convection oven electric (ZANUSSI) AOS061E
for Convection oven gas (ZANUSSI) AOS061G



ELECTROLUX 0C1164

3397210 PENETRATION PROBE
13 wires - connections to connector
probe length 93 mm
chamber internal cable length 1500 mm
chamber external cable length 950 mm
from serial number 250
for Convection oven electric (ZANUSSI) AOS061E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G



ELECTROLUX 006982

3397195 PENETRATION PROBE PT 1000
2 wires - faston connection
bulb \varnothing 4x150 mm
cable length 1560 mm
for Convection oven (ZANUSSI) - Series ACF
Series ACV - Series ECF - Series ECV - Series FCF
Series FCS - Series FCV - Series NCF - Series NCV
Series ZCF - Series ZCV



ELECTROLUX 006192



Suitable for:

Suitable for:

3397010 PENETRATION PROBE PT100
 2 wires - connector fitting
 probe length 185 mm
 compartment internal cable length 900 mm
 compartment external cable length 1550 mm
 for Convection oven electric (ZANUSSI) FCV/E10
 FCV/E20 - FCV/E20P - FCV/E6
 for Convection oven gas (ZANUSSI) FCV/G10
 FCV/G20 - FCV/G20P - FCV/G6 - FCVA/G10
 FCVA/G201 - FCVA/G203 - FCVA/G6



ELECTROLUX 055472

3397013 PENETRATION PROBE PT100
 2 wires - faston connection
 probe length 160 mm
 chamber internal cable length 1200 mm
 chamber external cable length 1850 mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACV/E10 - ACV/E201 - ACV/E202 - ECF/E10
 ECV/E202 - ECV/E10 - ECV/E201 - FCF/E10
 FCV/E10 - FCV/E201 - FCV/E202 - JCF/E10
 NCF/E10 - RCF/E10 - RCVE101E4 - ZCF/E10
 ZCV/E10 - ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) ACF/G10
 ACV/G10 - ECF/G10 - ECV/G10 - FCF/G10
 FCS101G - FCS102G - FCV/G10 - JCF/G10
 NCF/G10 - NCV/G10 - RCF102G - RCV101G4
 ZCF/G10 - ZCV/G10



ELECTROLUX 002821

3397015 PENETRATION PROBE PT100
 2 wires - faston fitting
 probe length 140 mm
 compartment internal cable length 1000 mm
 compartment external cable length 1550 mm
 for Convection oven electric (ZANUSSI) ACF/E20
 ACV/E201 - ACV/E202 - ECV/E201 - ECV/E202
 FCF/E20 - FCV/E201 - FCV/E202 - ZCF/E20
 ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) ACF/G20
 ACV/G201 - ACV/G202 - ECF/G20 - ECV/G201
 ECV/G202 - FCF/G20 - FCV/G201 - FCV/G202
 ZCF/G20 - ZCV/G201 - ZCV/G202



ELECTROLUX 003094

ELECTROLUX 003853

3397012 PENETRATION PROBE PT1000
 2 wires - faston fitting
 probe length 140 mm
 compartment internal cable length 530 mm
 compartment external cable length 1550 mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E6 - ACV/E10 - ACV/E6 - ECF/E10 - ECF/E6
 ECV/E10 - FCF/E10 - FCF/E6 - FCFE/10 - FCS061E
 FCV/E10 - FCV/E6 - JCF/E10 - JCF/E6 - NCF/E10
 NCF/E6 - NCV/E6 - RCF/E10 - RCV/E6 - RCVE101E4
 RCV061E2 - ZCF/E10 - ZCF/E6 - ZCV/E10 - ZCV/E6
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G101 - ACF/G6 - ACV/G10 - ACV/G6 - BCV/G6
 ECF/G10 - ECF/G6 - ECV/G10 - ECV/G6 - FCF/G10
 FCF/G6 - FCS061G - FCV/G10 - FCV/G6 - JCF/G10
 JCF/G6 - NCF/G10 - NCF/G6 - RCF061G - RCF102G



ELECTROLUX 002673

Pilot burners and accessories

3020144 BRASS NUT M15x1



ELECTROLUX 020997

3020077 FITTING FOR PIPE ø 4 mm



ELECTROLUX 046755



ELECTROLUX



Suitable for:

Suitable for:

3020145 JET HOLDER M15

3020144 BRASS NUT M15x1



ELECTROLUX 020988

ELECTROLUX 051948

ELECTROLUX 020997

3020541 NOZZLE FOR PILOT BURNER 0.35 mm

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX

ELECTROLUX 052833

3020084 NUT & OLIVE \varnothing 6 mm

3020085 NUT FOR SPARKING PLUG CONNECTION



ELECTROLUX 052834

ELECTROLUX 057960

3020082 OLIVE FOR 12 mm \varnothing PIPE

3020111 OLIVE FOR 4 mm \varnothing PIPE



ELECTROLUX 027478

ELECTROLUX 050682

ELECTROLUX 054979

ELECTROLUX 053665

3020081 OLIVE FOR 6 mm \varnothing PIPE

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



ELECTROLUX 053666

ELECTROLUX 006725

3020201 PILOT GAS JET \varnothing 0.14 mm

3020044 PILOT GAS JET \varnothing 0.20 mm



ELECTROLUX 059216

ELECTROLUX 054037

ELECTROLUX 054286



ELECTROLUX



Suitable for:

3020202 PILOT GAS JET \varnothing 0.27 mm



ELECTROLUX 059215

3020045 PILOT GAS JET \varnothing 0.50 mm



ELECTROLUX 054038

3020156 PILOT JET \varnothing 0.25 mm



ELECTROLUX 058330

3020040 PILOT JET \varnothing 0.30 mm



ELECTROLUX 053667

ELECTROLUX 057388

3020041 PILOT JET \varnothing 0.41 mm



ELECTROLUX 053670

3020113 PILOT OLIVE TARGET \varnothing 4 mm



ELECTROLUX 059161

Suitable for:

3020043 PILOT GAS JET \varnothing 0.36 mm



ELECTROLUX 003626

3020054 PILOT JET \varnothing 0.20 mm



ELECTROLUX 056799

3020157 PILOT JET \varnothing 0.25 mm



ELECTROLUX 054593

3020055 PILOT JET \varnothing 0.35 mm




ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

3020187 PILOT NOZZLE \varnothing 0.51 mm



ELECTROLUX 053668

3020114 PILOT OLIVE TARGET \varnothing 6 mm



ELECTROLUX 003863



Suitable for:

ELECTROLUX



3020106 PILOT WITH 0.25 mm \varnothing JET



ELECTROLUX 052281

Suitable for:

3020107 PILOT WITH 0.35 mm \varnothing JET



ELECTROLUX 052686

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)



ELECTROLUX 059379

3020200 THERMOCOUPLE NUT



ELECTROLUX 0C0121

ELECTROLUX 003609

3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting
for Convection oven gas (ZANUSSI)



ELECTROLUX 054032

3020077 FITTING FOR PIPE \varnothing 4 mm



ELECTROLUX 046755

3020085 NUT FOR SPARKING PLUG CONNECTION



ELECTROLUX 057960

3020111 OLIVE FOR 4 mm \varnothing PIPE



ELECTROLUX 053665

3020044 PILOT GAS JET \varnothing 0.20 mm



ELECTROLUX 054037

ELECTROLUX 054286

3020045 PILOT GAS JET \varnothing 0.50 mm



ELECTROLUX 054038



ELECTROLUX



Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



ELECTROLUX 052610
ELECTROLUX 059380

ELECTROLUX 056720
ELECTROLUX 059988

ELECTROLUX 057410

Suitable for:

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



ELECTROLUX 003859

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



ELECTROLUX 0C0494
ELECTROLUX 051976
ELECTROLUX 058329

ELECTROLUX 050813
ELECTROLUX 054335

ELECTROLUX 051624
ELECTROLUX 057737

3020077 FITTING FOR PIPE \varnothing 4 mm



ELECTROLUX 046755

3020054 PILOT JET \varnothing 0.20 mm



ELECTROLUX 056799

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



ELECTROLUX 0C0488
ELECTROLUX 056754

ELECTROLUX 051565

ELECTROLUX 051977

3020055 PILOT JET \varnothing 0.35 mm



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



ELECTROLUX 052610
ELECTROLUX 059380

ELECTROLUX 056720
ELECTROLUX 059988

ELECTROLUX 057410

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



ELECTROLUX 003859



ELECTROLUX



Suitable for:

3020036 THREE-FLAME PILOT BURNER SIT
with NG nozzle \varnothing 0.35 mm
with 3 positions bracket



ELECTROLUX 050812

ELECTROLUX 058329

3020054 PILOT JET \varnothing 0.20 mm



ELECTROLUX 056799

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



ELECTROLUX 0C0488
ELECTROLUX 056754

ELECTROLUX 051565

ELECTROLUX 051977

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



ELECTROLUX 003859

3020103 THREE-POSITION BRACKET



ELECTROLUX 005618

Suitable for:

3020077 FITTING FOR PIPE \varnothing 4 mm



ELECTROLUX 046755

3020055 PILOT JET \varnothing 0.35 mm



ELECTROLUX 056656

ELECTROLUX 056750

ELECTROLUX 056797

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



ELECTROLUX 052610
ELECTROLUX 059380

ELECTROLUX 056720
ELECTROLUX 059988

ELECTROLUX 057410

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



ELECTROLUX 003859



Potentiometers

3057322 COMPLETE POTENTIOMETER WITH CABLE

D-shaped pin 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCS/E101EP
 FCS/E101EX - FCS/061EX - FCS/102EP - FCS/102EX
 FCS/201EP - FCS/201EX - FCS/202EP - FCS/202EX
 FCV/E61/1 - ZCV/E61/1
 for Convection oven gas (ZANUSSI) FCS/061GP
 FCS/061G4 - FCS101GP - FCS101GX - FCS102GP
 FCS102GX - FCS201GP - FCS201GX - FCS202GP
 FCS202GX



ELECTROLUX 0C0974


Pre-rinse units

3359610 BLACK SHOWER CASE ECO \varnothing 1/2" M with coupling 3/8" M x 1/2" M



ELECTROLUX 003175

3359347 STAINLESS STEEL HOSE \varnothing 1/2" FF 100 cm stainless steel 18/10 double braid nickel plated brass coupling \varnothing 1/2" F



ELECTROLUX 0D2999

3359605 WHITE SHOWER HEAD NEW \varnothing 1/2" F



ELECTROLUX 003167

3359606 WHITE SPRAY CUP WITH FILTER



ELECTROLUX 003164

Pressure gauges

3245010 PRESSURE GAUGE \varnothing 52 mm

fitting \varnothing 1/4" M
 scale 0-6 bar
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E6 - ECV/E10 - FCS101E - FCV/E10 - FCV/E6
 NCV/E10 - NCV/E6
 for Convection oven gas (ZANUSSI) ACV/G10 - ACV/G6
 FCS061G - FCS101G - FCV/G10 - FCV/G6 - NCV/G10
 NCV/G6



ELECTROLUX 058941

3349589 FITTING

for new series
 for Convection oven (ZANUSSI)



ELECTROLUX 006453



Suitable for:

3350028 PRESSURE REDUCER VALVE \varnothing 1/2"FF
for Convection oven (ANGELO PO) - Series FCV
Series FM



ELECTROLUX 002678

ELECTROLUX



Suitable for:

Pressure regulators

3350028 PRESSURE REDUCER VALVE \varnothing 1/2"FF
for Convection oven (ANGELO PO) - Series FCV
Series FM



ELECTROLUX 002678

Pressure switches

3320051 ADJUSTABLE PRESSURE SWITCH \varnothing 1/4" M
operating pressure regulation 5-20 mbar
differential 3 mbar
contact capacity 16(4)A 250V
max operating temperature 85°C
for Convection oven gas (ZANUSSI) ACV/G10
ECV/G10 - ECV/G6 - FCS061G - FCS101G - FCS102G
FCV/G10 - FCV/G6 - NCV/G10 - ZCV/G10 - ZCV/G6



ELECTROLUX 002635

3320056 PRESSURE SWITCH HONEYWELL C6065A12752
pressure 0.4-10 mbar
enabling ON switching
for Convection oven gas (ZANUSSI) ACV/G10
ACV/G20 - ECV/G10 - FCF/G20 - FCS101G
FCS102G - FCV/G10 - FCV/G20 - FDV20G - FDV40G
NCV/G10 - ZCV/G10 - ZCV/G20



ELECTROLUX 002640

ELECTROLUX 003772



Suitable for:

ELECTROLUX



Suitable for:

Probes

3397028 CHAMBER TEMPERATURE PROBE

3 wires - loop-faston connection
 bulb \varnothing 4x70 mm
 cable length 920 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS102E - AOS201E - AOS202E
 EJN061E - EJN102E - EJN201E - EJN202E
 FCZ061E - FCZ102E - FCZ201E - RDR061E
 RDR201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS201G - AOS202G - EJN201G
 FCZ201G - RDR201G



ELECTROLUX 0C0325

3397208 CHAMBER TEMPERATURE PROBE

3 wires - loop connection
 bulb \varnothing 4x70 mm
 cable length 1180 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS102E - AOS201E - AOS202E
 EJN061E - EJN101E - EJN102E - EJN201E
 EJN202E - FCZ061E - FCZ102E - FCZ201E
 RDR061E - RDR101E - RDR201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS102G - AOS201G - AOS202G
 EJN061G - EJN101G - EJN102G - EJN201G
 EJN202G - FCZ201G - RDR061G - RDR101G
 RDR201G



ELECTROLUX 0C6539

3397207 CHAMBER TEMPERATURE SENSOR

3 wires - loop-faston connection
 bulb \varnothing 4x70 mm
 cable length 570 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS102E - AOS201E - AOS202E
 EJN101E - EJN102E - EJN201E - EJN202E
 FCZ061E - FCZ102E - FCZ201E - RDR061E
 RDR101E - RDR201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS102G - AOS201G - AOS202G
 EJN061G - EJN101G - EJN102G - EJN201G
 EJN202G - FCZ201G - RDR061G - RDR101G
 RDR201G



ELECTROLUX 0C0324

ELECTROLUX 0C6538

3397131 LAMBDA PROBE

bulb \varnothing 12 mm - total length 85 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS102E - AOS201E - AOS202E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS102G - AOS201G - AOS202G



ELECTROLUX 0C6465

ELECTROLUX 006995

3445109 PROBE TCJ EC-SND-2312 3000 mm

2 wires - temperature range -50+350°C
 error limits \pm 0.75% below 0°C
 30 seconds response time
 bulb \varnothing 6x100 mm
 vetrotex cable



ELECTROLUX 004116

3445070 PTC PVC PROBE 1500 mm

2-wire probe temperature range -30+80°C
 bulb \varnothing 6x40 mm



ELECTROLUX 0S0302

ELECTROLUX 083583



Suitable for:

ELECTROLUX



3397027 TEMPERATURE PROBE PT100

2 wires - connector fitting
bulb ø4x60 mm
cable length 1300 mm
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20 - FCV/E202V-P - FCV/E6
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCVA/G10 - FCVA/G20 - FCVA/G6



ELECTROLUX 058669

Suitable for:

3397080 TEMPERATURE PROBE PT1000

2 wires - faston connection
probe length 275 mm
cable length 1800 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series NCV
Series RCV - Series ZCV
for Convection oven electric (ZANUSSI) CS10GE4
CS10GE6 - CS10LCE4 - CS10LCE6 - CS10ME4
CS10ME6 - CS20GE4 - CS20GE6 - CS20LCE4
CS20LCE6 - CS20ME4 - CS20ME6 - CS7GE4 - CS7GE6
CS7LCE4 - CS7LCE6 - CS7ME4 - CS7ME6



ELECTROLUX 0C5342

ELECTROLUX 002615

3440147 THERMOCOUPLE SENSOR 100 mm FOR "UL"

supplied with olive
terminal block connection
for Convection oven gas (MORETTI)
TIVOLI GAS HI-TECH - TREVIGAS



ELECTROLUX 003439

Rating-plates

3399043 BLUE ELECTRONIC PLATE

dimensions 460x160 mm
for Convection oven electric (ZANUSSI) AOS101E
AOS102E - AOS201E - AOS202E - AOS61E
for Convection oven gas (ZANUSSI) AOS101G
AOS102G - AOS201G - AOS202G - AOS61G



ELECTROLUX 007057

3399045 GREY ELECTROMECHANICAL PLATE

dimensions 425x120 mm
for Convection oven electric (ZANUSSI) FCVE6-3CE



ELECTROLUX 056673

Relays

1351021 RELAY G7L-2A-TUB 25A 240V

for Convection oven electric (ZANUSSI) AOS061E



ELECTROLUX 088267

3351901 RELAY 60.62 10A 230V 50/60Hz

2 switching contacts



ELECTROLUX 0D0013
ELECTROLUX 083215


ELECTROLUX 058857

ELECTROLUX 069882



Suitable for:

3351605 RELAY 60.63 10A 230V 50/60Hz
3 switching contacts




ELECTROLUX 056446
ELECTROLUX 085296

ELECTROLUX 056466
ELECTROLUX 086214

ELECTROLUX 056510

Suitable for:

3351008 RELAY 62.83 16A 230V 50/60Hz
3 switching contacts



ELECTROLUX 0A9596
ELECTROLUX 088197

ELECTROLUX 005033

ELECTROLUX 005034

Rotary switches

3057050 CONNECTING BRACKET
connecting thermostat and switch



ELECTROLUX 0A2205
ELECTROLUX 054376

ELECTROLUX 0KT779

ELECTROLUX 006712

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



ELECTROLUX 026945

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Convection oven (COVEN)
for Convection oven (SOLYMAC) - Series SOLYMAX
for Convection oven electric (GIERRE) BRIOMAXI
BRIOMIDI - FEV106M - FEV120M - FEV166E
FEV166M - FEV166P - FEV168E - FEV168M
FEV168P - FEV56M - FEV60M
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - EF10GM - EF4PM
EF5GM - EF6PM - EF7GM - EF8PM
for Convection oven gas (GIERRE) FEV107M - FEV121M
FEV167E - FEV167M - FEV167P - FEV169E
FEV169M - FEV169P - FEV57M - FEV61M
for Convection oven gas (GIORIK) CG06MX - CG10MX



ELECTROLUX 0A2227

ELECTROLUX 003124

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Convection oven electric (INOXTREND) CRCA107E
CRCA111E



ELECTROLUX 054375




Suitable for:

ELECTROLUX




3057178 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin 6x4.6 mm
 for Convection oven electric (GIORIK) EF4



ELECTROLUX 032677

3059057 SELECTOR SWITCH 0-1 POSITIONS
 ON-OFF-START
 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ANGELO PO) FC1011E
 FC1221E - FC611E
 for Convection oven gas (ANGELO PO) FC1011G
 FC1221G - FC611G




ELECTROLUX 048271

3057009 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ZANUSSI)




ELECTROLUX 057934

3057010 SELECTOR SWITCH 0-4 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (FOINOX) - Series FC
 for Convection oven electric (LAINOX) CES24M
 CES40M - CE041M - CE051M - CE071M - CE100M
 CE106M - CE110M - CE200M - CE210M - MCE051M
 MCE071M - MCE101M - MCE102M - MCE201M
 MCE202M
 for Convection oven gas (LAINOX) CGS24M - CGS40M
 CG051M - CG071M - CG100M - CG106M - CG110M
 CG200M - CG210M - FG105M - FG105X - FG110M
 FG110X - MCG051M - MCG071M - MCG101M - MCG102M
 MCG201M - MCG202M - PG040M - PG040X - PG080M
 PG080X



ELECTROLUX 057934

3057012 SELECTOR SWITCH 0-5 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (ZANUSSI) - Series FCV



ELECTROLUX 055365

3057136 SELECTOR SWITCH 0-6 POSITIONS
 5 cams - contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6
 for OVEN 6-10-20 SHELVES
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series NCV
 Series ZCV
 for Convection oven electric (WHIRLPOOL) ACV/E10C2
 ACV/E20C4 - ACV/E202/1
 for Convection oven gas (WHIRLPOOL) ACV/G10C2
 ACV/G20C4 - ACV/G202/1C4 - ACV/G61C3



ELECTROLUX 002661



ELECTROLUX



Suitable for:

3057039 SELECTOR SWITCH 2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm
for Convection oven electric (ZANUSSI) ACF/E4
FCF/E4



ELECTROLUX 054324

Suitable for:

3057111 SELECTOR SWITCH 4 POSITIONS
5 cams - contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm




ELECTROLUX 0H6387

3057116 SELECTOR SWITCH 4 POSITIONS
14 cams - contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm



ELECTROLUX 0H6101

3057034 SELECTOR SWITCH 7 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm
for Convection oven electric (ZANUSSI)
since 1/01/91
FCF/E10 - FCF/E20
for Convection oven gas (ZANUSSI)
since 1/01/91
FCF/G10 - FCF/G20
since 1/01/87
FCF/G40



ELECTROLUX 055017

Solenoid valves

3120292 FLOWRATE ADJUSTER \varnothing 1.45 mm
for Convection oven (ZANUSSI)



ELECTROLUX 002091

3120261 MULLER SOLENOID VALVE 230V \varnothing 12 mm
solenoid valve 180° - 220/230V 50/60Hz - max 90°C
3/4" inlet - \varnothing 12 mm outlet



ELECTROLUX 0G2196

3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



ELECTROLUX 0L0166

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



ELECTROLUX 0W2908



Suitable for:

4007017 SOLENOID VALVE CEME 230V 50Hz
 588 - connections with hose-end fitting
 with coil 5536 13.5VA 230VAC 50Hz
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS201G



ELECTROLUX 007017

Suitable for:

3120255 SOLENOID VALVE 220/240V ø 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - two outlets ø 10 mm
 with red flowrate reducer at the outlet
 for Convection oven (ZANUSSI)



ELECTROLUX 047579

3120404 SOLENOID VALVE 230V ø 10.5 mm
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 3/4" inlet - 1 outlet ø 10.5 mm



ELECTROLUX 0C0688

ELECTROLUX 0C4984

ELECTROLUX 056350

3120406 SOLENOID VALVE 230V ø 10.5 mm
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 inlet 3/4"- 2 outlets ø 10.5 mm



ELECTROLUX 069295

3120550 SOLENOID VALVE 240V ø 11.5 mm
 solenoid valve 180° - 240V 6W - max 90°C
 inlet 3/4" - outlet ø 11.5 mm
 for Convection oven electric (RATIONAL)
 since 1/01/08
 Series CM
 for Convection oven gas (RATIONAL)
 since 1/01/08
 Series CM



ELECTROLUX 0C3254

3120013 SOLENOID VALVE 263 220/240V ø 10 mm
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - triple outlet ø 10 mm



ELECTROLUX 047539

ELECTROLUX 047540

ELECTROLUX 049077

ELECTROLUX 069296

3120014 SOLENOID VALVE 264 220/240V ø 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - triple outlet ø 10 mm



ELECTROLUX 0E0330

ELECTROLUX 047538

ELECTROLUX 069464

3120004 SOLENOID VALVE 319 220/240V ø 10 mm
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet ø 10 mm



ELECTROLUX 0A2064

ELECTROLUX 047531

ELECTROLUX 0KM766

ELECTROLUX 055350

ELECTROLUX 002613



Suitable for:

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



ELECTROLUX 002753
 ELECTROLUX 055132

ELECTROLUX 047756
 ELECTROLUX 086014

ELECTROLUX 048894

Suitable for:

3120505 SOLENOID VALVE 329 24V \varnothing 10 mm
 solenoid valve 180° - 24V 50Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



ELECTROLUX 058996

3120006 SOLENOID VALVE 339 220/240V \varnothing 10 mm
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - dual outlet \varnothing 10 mm



ELECTROLUX 055444

ELECTROLUX 056872

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - dual outlet \varnothing 10 mm



ELECTROLUX 0K5389
 ELECTROLUX 047536

ELECTROLUX 045631
 ELECTROLUX 069463

ELECTROLUX 046427

3120507 SOLENOID VALVE 349 24V \varnothing 10 mm
 solenoid valve 180° - 24V 50Hz - max 90°C
 inlet 3/4" - dual outlet \varnothing 10 mm



ELECTROLUX 046796

ELECTROLUX 048180

3120008 SOLENOID VALVE 350 220/240V \varnothing 14 mm
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 14 mm



ELECTROLUX 047529
 ELECTROLUX 048898

ELECTROLUX 047532
 ELECTROLUX 069179

ELECTROLUX 048178

3120511 SOLENOID VALVE 350 24V \varnothing 14 mm
 solenoid valve 90° - 24V 50Hz - max 90°C
 3/4" inlet - \varnothing 14 mm outlet



ELECTROLUX 0H2513

ELECTROLUX 0L0175

3120009 SOLENOID VALVE 351 220/240V \varnothing 14 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 14 mm



ELECTROLUX 072282

3120512 SOLENOID VALVE 351 24V \varnothing 14 mm
 solenoid valve 180° - 24V 50Hz - max 90°C
 3/4" inlet - \varnothing 14 mm outlet



ELECTROLUX 0E5070

3120010 SOLENOID VALVE 352 220/240V \varnothing 14 mm
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - dual outlet \varnothing 14 mm



ELECTROLUX 049056



ELECTROLUX



Suitable for:

Suitable for:

3120011 SOLENOID VALVE 353 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 14 mm

3120514 SOLENOID VALVE 353 24V ø 14 mm
solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - two outlets ø 14 mm



ELECTROLUX 069262

ELECTROLUX 072364

ELECTROLUX 0KZ810

3120104 SOLENOID-VALVE 319 220/240V ø 14 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14mm



ELECTROLUX 048817

ELECTROLUX 049626

ELECTROLUX 088194

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



ELECTROLUX 0A2073

ELECTROLUX 003376

ELECTROLUX 004240

ELECTROLUX 0A2097

ELECTROLUX 0K9979

ELECTROLUX 0M0476

ELECTROLUX 051884

ELECTROLUX 053647

ELECTROLUX 003214

ELECTROLUX 004248

ELECTROLUX 054134

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



ELECTROLUX 003552

ELECTROLUX 004251

ELECTROLUX 054141



Suitable for:

ELECTROLUX

Suitable for:



Sparking and detection plugs

3020180 BOILER FLAME SPARKLING PLUG \varnothing 9.5x110 mm
overall length 130 mm
complete with silicone covered cable 1100 mm
for Convection oven gas (ZANUSSI) - Series AOS



ELECTROLUX 0C1137

3020185 BURNER FLAME DETECTION PLUG
 \varnothing 9x54 mm - overall length 104 mm
complete with covered cable length 500 mm
for Convection oven gas (ZANUSSI) - Series AOS



ELECTROLUX 0C1049

3020178 BURNER FLAME SPARKLING PLUG
 \varnothing 9.5x54 mm - overall length 95 mm
complete with silicone covered cable 500 mm
for Convection oven gas (ZANUSSI) - Series AOS



ELECTROLUX 0C1134


ELECTROLUX 0C1771

3020186 FLAME DETECTION PLUG \varnothing 9x95 mm
overall length 130 mm
complete with covered cable length 830 mm
for Convection oven gas (ZANUSSI) - Series AOS



ELECTROLUX 0C1068

7102151 ROUND DETECTION PLUG \varnothing 9x40 mm
overall length 75 mm
complete with silicone coated cables 670 mm
for OVEN FCV/G6-ECV/G6-ZCV/G6-ACV/G6-RCV061G2-
FCS061G



ELECTROLUX 005910

3020203 ROUND DETECTION PLUG \varnothing 9x60 mm
overall length 137 mm
for Convection oven gas (ZANUSSI)
since 1/01/95



ELECTROLUX 002343

3020206 ROUND DETECTOR ELECTRODE \varnothing 9.5x60 mm
overall length 109 mm
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20



ELECTROLUX 002638

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 58 mm



ELECTROLUX 054336

ELECTROLUX 056754



Suitable for:

3020205 ROUND IGNITION ELECTRODE \varnothing 9.5x60 mm
overall length 90 mm
for Convection oven gas (ZANUSSI) FCV/G10L
FCV/G6L4



ELECTROLUX 002637

Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



ELECTROLUX 0C0488
ELECTROLUX 056754

ELECTROLUX 051565

ELECTROLUX 051977

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



ELECTROLUX 052610
ELECTROLUX 059380

ELECTROLUX 056720
ELECTROLUX 059988

ELECTROLUX 057410

3020164 ROUND SPARKING PLUG \varnothing 9.5x60 mm
overall length 104 mm
for Convection oven gas (ZANUSSI) FCS101 - FCS201
FCV/G101 - FCV/G20 - FCV/G201



ELECTROLUX 0H6803

3020204 ROUND SPARKING PLUG \varnothing 9x60 mm
overall length 96 mm
for Convection oven gas (ZANUSSI) FCV/G6L4
FCVMG62



ELECTROLUX 002344

40C4461 SPARKING AND DETECTION PLUG KIT
 \varnothing 9.5x90 mm - overall length 130-140 mm
1 cable 440 mm long - 2 cables 240 mm long
for OVEN FCZ061G-FCZ101G-EJN061G-EJN101G-RDR061G-
RDR101G-AOS061G-AOS101G-AOS062G



ELECTROLUX 0C4461

Supports

3391037 LEVEL PROBE SPACER
for Steam oven (ZANUSSI)



ELECTROLUX 055347

3391038 LEVEL PROBE SPACER
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ELECTROLUX 055435



Suitable for:

3391040 MOTOR BASE
for Convection oven (ZANUSSI)



ELECTROLUX 058729

Suitable for:

3391035 TRAY SUPPORT



ELECTROLUX 031970

Switches

3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK
mounting hole \varnothing 25 mm



ELECTROLUX 053978

ELECTROLUX 058274

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



ELECTROLUX 053979

3319627 DOUBLE CHANGE OVER SWITCH 16A 250V



ELECTROLUX 003766

3319160 GREEN BIPOLAR PUSH-BUTTON 16A 250V
with indicator lamp
flash silk-screen printing
temperature max 120°C
mounting hole 22x30 mm



ELECTROLUX 056717

3319012 GREEN BIPOLAR SWITCH 16A 250V
with indicator light and switch cover
screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ELECTROLUX 053810

3319013 GREEN BIPOLAR SWITCH 16A 250V
with indicator lamp and switch cover
"0 - II" symbol screenprinted
max temperature 120°C
mounting hole 22x30 mm
for Convection oven electric (ZANUSSI)



ELECTROLUX 053837



Suitable for:

ELECTROLUX



Suitable for:

3319014 GREEN BIPOLAR SWITCH 16A 250V
 with indicator lamp and switch cover
 "fan" symbol screenprinted
 max temperature 120°C
 mounting hole 22x30 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)



ELECTROLUX 054552

3319928 GREEN BIPOLAR SWITCH 16A 250V
 with indicator lamp
 max. temperature 120°C
 mounting hole ø 25 mm



ELECTROLUX 054518

3319944 GREEN BIPOLAR SWITCH 16A 250V
 with indicator light
 0-I silk-screen printing
 temperature max 120°C
 mounting hole 22x30 mm



ELECTROLUX 056703

3319011 RED TWO-POLE PUSH-BUTTON 16A 250V
 normally closed
 with indicator lamp and push-button cap
 max temperature 120°C
 mounting hole 22x30 mm
 for Steam oven gas (ZANUSSI)



ELECTROLUX 054547

ELECTROLUX 055014

3319151 SWITCH PROTECTION CAP
 ø external 34 mm
 for push-buttons with mounting hole ø 25 mm



ELECTROLUX 053979

3319297 PUSH-BUTTON EXTENSION
 external ø 7 mm
 for circuit boards
 for Convection oven electric (WHIRLPOOL)
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (WHIRLPOOL)
 for Convection oven gas (ZANUSSI)



ELECTROLUX 002670

3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V
 with protection cap
 mounting hole ø 16 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (WHIRLPOOL) ACV/G10C2
 ACV/G10C4 - ACV/G10C6 - ACV/G102/1C4
 ACV/G102/1C6 - ACV/G20C4 - ACV/G61C3
 ACVG202/1C4
 for Convection oven gas (ZANUSSI)



ELECTROLUX 002418



Suitable for:

Suitable for:

- 3319151 SWITCH PROTECTION CAP**
ø external 34 mm
for push-buttons with mounting hole ø 25 mm



ELECTROLUX 053979

Tangential fans

- 3526166 TANGENTIAL BLOWER QLK45 120 mm RIGHT**
230V 50/60Hz - ø 45 mm
QLK45/1200 A36-2513L-93



ELECTROLUX 081795

- 3526150 TANGENTIAL FAN 180 mm LEFT**
230V 50/60Hz - ø 60 mm - 25 W
operating temperature -30°+135°C



ELECTROLUX 0A2272

ELECTROLUX 0A3008

Telethermometers

- 3441024 TELETHERMOMETER BLACK ø 52 mm 50-350°C**
metal body
covered capillary length 1500 mm
bulb ø 6x30 mm
for Convection oven



ELECTROLUX 053808

ELECTROLUX 056383

- 3441026 TELETHERMOMETER BLACK ø 60 mm 50-350°C**
metal body
capillary length 1500 mm
bulb ø 4x104 mm
for Convection oven



ELECTROLUX 057622

ELECTROLUX 058081

- 3441025 TELETHERMOMETER WHITE ø 52 mm 50-350°C**
metal body
capillary length 1500 mm
bulb ø 4x120 mm
for Convection oven



ELECTROLUX 052987



Suitable for:

ELECTROLUX



Suitable for:

Terminal blocks

3247015 12-POLE PLASTIC TERMINAL BLOCK

for cable max 4 mm²
operating temperature 150°C
nominal voltage 450V



ELECTROLUX 0W3543

3247006 2-POLE CERAMIC TERMINAL BLOCK

for cable max 6 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 25x22x21 mm



ELECTROLUX 053805

3247036 3-POLE TERMINAL BLOCK for CONV/ELECTRIC OVEN 4 SHELVES



ELECTROLUX 054331

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX 046357

3247005 4-POLE CERAMIC TERMINAL BLOCK

for cable max 2.5 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 40x18x16 mm



ELECTROLUX 054042

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX 046347

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX 005420

ELECTROLUX 058613



Suitable for:

Suitable for:

Thermocouples and accessories

3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm
cut-off contact with cables 100 cm



ELECTROLUX 002784

ELECTROLUX 003528

ELECTROLUX 056914

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



ELECTROLUX 056574

3440015 INTERRUPTION CONNECTOR M9x1



ELECTROLUX 005687

3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX 055033

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



ELECTROLUX 0M0893

ELECTROLUX 003281

3440045 THERMOCOUPLE ASA SIT 150 cm



ELECTROLUX 056715

3440042 THERMOCOUPLE ASA SIT 85 cm



ELECTROLUX 057343

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



ELECTROLUX 055032

3440047 THERMOCOUPLE M8X1 75 cm



ELECTROLUX 054102

ELECTROLUX 054103

ELECTROLUX 054104

ELECTROLUX 058332

3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS



ELECTROLUX 054102

ELECTROLUX 054103

ELECTROLUX 054104

ELECTROLUX 058332

3440133 THERMOCOUPLE SIT M10x1 100 cm



ELECTROLUX 0A2161

3440135 THERMOCOUPLE SIT M10x1 150 cm



ELECTROLUX 0H6252



ELECTROLUX



Suitable for:

Suitable for:

3440126 THERMOCOUPLE SIT M10x1 75 cm

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



ELECTROLUX 0H6251

ELECTROLUX 0H6253

ELECTROLUX 0U2960

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



ELECTROLUX 0U2960

ELECTROLUX 0U2960

3440031 THERMOCOUPLE SIT M8x1 120 cm

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



ELECTROLUX 0K5730

ELECTROLUX 0K5730

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



ELECTROLUX 0K5730

3440032 THERMOCOUPLE SIT M8x1 150 cm

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ELECTROLUX 0G2023

ELECTROLUX 051119

ELECTROLUX 0G2023

ELECTROLUX 051119

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ELECTROLUX 0G2023

ELECTROLUX 051119

ELECTROLUX 050235



ELECTROLUX



Suitable for:

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



ELECTROLUX 050235

Suitable for:

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ELECTROLUX 050235

3440028 THERMOCOUPLE SIT M8x1 60 cm



ELECTROLUX 050856

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ELECTROLUX 050856

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ELECTROLUX 050856

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ELECTROLUX 0K5688

ELECTROLUX 055106

3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1



ELECTROLUX 0K5688

ELECTROLUX 055106

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ELECTROLUX 0K5688

ELECTROLUX 055106

3440029 THERMOCOUPLE SIT M8x1 85 cm



ELECTROLUX 0G2906

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



ELECTROLUX 0G2906

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



ELECTROLUX 0G2906

3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ELECTROLUX 052163



ELECTROLUX



Suitable for:

Suitable for:

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS

3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ELECTROLUX 027036

ELECTROLUX 027350

ELECTROLUX 053043

ELECTROLUX LF-3440061

3440061 THERMOCOUPLE SIT M9x1 100 cm THREAD M8x1

3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ELECTROLUX

ELECTROLUX LF-3440061

3440037 THERMOCOUPLE SIT M9x1 100 cm.

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ELECTROLUX 027036

ELECTROLUX 027350

ELECTROLUX 053043

ELECTROLUX 027036

ELECTROLUX 027350

ELECTROLUX 053043

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



ELECTROLUX 0K3464

ELECTROLUX 020094

ELECTROLUX 0K3464

ELECTROLUX 020094

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1



ELECTROLUX 0K3464

ELECTROLUX 020094

ELECTROLUX

3440039 THERMOCOUPLE SIT M9x1 150 cm

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ELECTROLUX 059064

ELECTROLUX 059064



ELECTROLUX



Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ELECTROLUX 059064

3440063 THERMOCOUPLE SIT M9x1 150 cm THREAD M8x1



ELECTROLUX 020756

3440034 THERMOCOUPLE SIT M9x1 50 cm



ELECTROLUX 025204

ELECTROLUX 027317

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



ELECTROLUX 025204

ELECTROLUX 027317

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ELECTROLUX 025677

ELECTROLUX 026273

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



ELECTROLUX 025677

ELECTROLUX 026273

Suitable for:

3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ELECTROLUX 020756

3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ELECTROLUX 020756

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



ELECTROLUX 025204

ELECTROLUX 027317

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ELECTROLUX 004942

ELECTROLUX 025031

ELECTROLUX 057781

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ELECTROLUX 025677

ELECTROLUX 026273



ELECTROLUX



Suitable for:

Suitable for:

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ELECTROLUX 004942

ELECTROLUX 025031

ELECTROLUX 057781

ELECTROLUX 004942

ELECTROLUX 025031

ELECTROLUX 057781

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ELECTROLUX 052814

ELECTROLUX 058386

ELECTROLUX 028982

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ELECTROLUX 028982

ELECTROLUX 028982

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ELECTROLUX 052814

ELECTROLUX 058386

ELECTROLUX 052814

ELECTROLUX 058386

3440009 THERMOCOUPLE SIT M9x1 100 cm M8x1

3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ELECTROLUX 052163

ELECTROLUX 052163

3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



ELECTROLUX 0M0893

ELECTROLUX 003281

ELECTROLUX 0M0893

ELECTROLUX 003281



Suitable for:

3440000 UNIVERSAL THERMOCOUPLE LF 120 cm
12 slotted pieces kit



ELECTROLUX 0S0056

Suitable for:

3440001 UNIVERSAL THERMOCOUPLE LF 90 cm
12 slotted pieces kit



ELECTROLUX 0S0055

Thermostats

3444253 BIPOLAR THERMOSTAT 340°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 3x195 mm
for very old series
for Convection oven (ZANUSSI)



ELECTROLUX 058222

3444121 MILLED GLAND FOR THERMOSTAT 9x1




ELECTROLUX 027061

3444124 PROTECTION CAP
for security thermostat



ELECTROLUX 0A2187

3444410 SINGLE-PHASE THERMOSTAT 0-255°C
D-shaped pin 6x4.6 mm
covered capillary length 1440 mm - 16A 230V
bulb \varnothing 3x160 mm
for Steam oven (JUNO-RÖDER-SENKING) - Series 55



ELECTROLUX 0H6241

3444352 SINGLE-PHASE THERMOSTAT 130°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb \varnothing 6x129 mm
for Convection oven electric (FOINOX) J01011E
J01021E - J02011E - J02021E - J0611E
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G



ELECTROLUX 004912

3444415 SINGLE-PHASE THERMOSTAT 176°C
with manual reset
covered capillary length 1450 mm - 16A 380V
bulb \varnothing 4x110 mm - with bulb coupling \varnothing 8.6x32 mm
for Steam oven (JUNO-RÖDER-SENKING) - Series 50
Series 54 - Series 55



ELECTROLUX 0H6141



Suitable for:

ELECTROLUX



3444266 SINGLE-PHASE THERMOSTAT 338°C
 with manual reset
 covered capillary length 830 mm - 16A 250V
 button bulb \varnothing 14x10 mm
 for Convection oven (LAINOX)



ELECTROLUX 002730

3444312 SINGLE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 1500 mm - 3 contacts 16A 250V
 bulb \varnothing 4x110 mm
 for Convection oven (ZANUSSI)




ELECTROLUX 003594

ELECTROLUX 053980

ELECTROLUX 057442

3444413 SINGLE-PHASE THERMOSTAT 50-250°C
 D-shaped pin 6x4.6 mm
 covered capillary length 2400 mm - 16A 230V
 bulb \varnothing 3x160 mm
 for Steam oven (JUNO-RÖDER-SENKING) - Series 50
 Series 54



ELECTROLUX 0K0646

ELECTROLUX 0K0674

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Convection oven (LAINOX)
 for Convection oven (ZANUSSI)



ELECTROLUX 029918

ELECTROLUX 057937

3444429 SINGLE-PHASE THERMOSTAT 50-280°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1270 mm - 16A 250V
 bulb \varnothing 3x200 mm
 for Convection oven electric (ZANUSSI) ACF/E4
 ECF/E4 - FCF/E4 - JCF/E4 - NCF/E4 - ZCF/E4



ELECTROLUX 005207

3444432 SINGLE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1000 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Convection oven electric (LAINOX) CE041M
 CE051M - CE071M - CE100M - CE200M - ME061M
 ME101M - ME102M - ME201M - ME202M - VE061M
 VE101M - VE102M - VE201M - VE202M
 for Convection oven gas (LAINOX) CG051M - CG071M
 CG100M - CG200M - MG061M - MG101M - MG102M
 MG201M - MG202M - VG061M - VG101M - VG102M
 VG201M - VG202M



ELECTROLUX 056384

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Convection oven (BONNET)
 for Convection oven (BOURGEOIS)
 for Convection oven (ZANUSSI)



ELECTROLUX 005421

3444753 SINGLE-PHASE THERMOSTAT 78°C
 with automatic reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 3x230 mm
 for Convection oven (ZANUSSI) - Series FCV
 Series FCVA - Series FDV



ELECTROLUX 055367



ELECTROLUX



Suitable for:

3444007 THERMOSTAT TR2 0-300°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb \varnothing 3.5x190 mm



ELECTROLUX 054323

Suitable for:

3444040 THREE-PHASE THERMOSTAT 100-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb \varnothing 6x80 mm



ELECTROLUX 052916

3444589 THREE-PHASE THERMOSTAT 150°C
with manual reset
covered capillary length 1700 mm
bulb \varnothing 6x75 mm
for Convection oven (ZANUSSI) - Series AOS
Series ECV - Series EJM - Series FCV - Series FCZ
Series RDR - Series ZCV



ELECTROLUX 0C1147

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length 1120 mm - 10A 400V
bulb \varnothing 3x190 mm
for Convection oven electric (SMEG) ALFA135X
ALFA135X1 - ALFA151X - ALFA161X - ALFA200X



ELECTROLUX 0H6134

ELECTROLUX 004919

3444251 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb \varnothing 3x220 mm



ELECTROLUX 004917

ELECTROLUX 059235

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm
for Convection oven



ELECTROLUX 0A2206

ELECTROLUX 0A2236

3444044 THREE-PHASE THERMOSTAT 60-260°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb \varnothing 4x130 mm
for Convection oven (ZANUSSI)



ELECTROLUX 051362

3444038 THREE-PHASE THERMOSTAT 60-320°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb \varnothing 4x130 mm



ELECTROLUX 052099



Suitable for:

ELECTROLUX



3444430 3-PHASE THERMOSTAT 150°C
 with manual reset
 covered capillary length 1650 mm - 16A 230V
 bulb \varnothing 6x80 mm
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series FDV
 Series NCV - Series ZCV
 for Convection oven electric (ZANUSSI) ACF/E4
 FCF/E4



ELECTROLUX 002711

3444446 3-PHASE THERMOSTAT 338°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x53 mm - nut coupling M10x1
 for Convection oven (ZANUSSI) - Series AOS
 Series EJM - Series FCZ - Series RDR



ELECTROLUX 007042

Timers

3446075 TIMER P045 2 CAMS 230V 50Hz
 cycle 120 minutes - D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (ZANUSSI) - Series ACF
 Series ACV - Series AFCF - Series ECF - Series ECV
 Series FCF - Series FCS - Series FCV - Series FDV
 Series NCF - Series NCV - Series ZCF - Series ZCV
 for Convection oven electric (GIERRE) BRIOMAXI
 BRIOMIDI - FEV060M - FEV062M - FEV064M
 FEV106M - FEV122M - FEV124M - FEV166M
 for Convection oven gas (GIERRE) FEV057M - FEV061M
 FEV063M - FEV123M



ELECTROLUX 003893

3446070 TIMER P205 2 CAMS 230V 50/60Hz
 cycle 144 minutes - D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (ZANUSSI) - Series FCF
 Series FCV - Series JCF
 for Convection oven electric (ZANUSSI) FCF/E6
 RCF061E



ELECTROLUX 055366

3446010 TIMER P345 2 CAMS 230V 50/60Hz
 cycle 30 minutes - D-shaped pin \varnothing 6x4.6 mm
 for old series
 for Convection oven (ZANUSSI)



ELECTROLUX 045909

3446001 TIMER 120 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCF/E4
 FCF/E4D - FCFE202 - FCFE4PH - FCFE40 - FCFE40D
 FCFE40F - FCFE40UK - 4238N



ELECTROLUX 003432

ELECTROLUX 057936

ELECTROLUX 029920

ELECTROLUX 053817



Suitable for:

3446004 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (ANGELO PO)
for Convection oven (ZANUSSI)



ELECTROLUX 003431

Suitable for:

3446095 TIMER 120 MINUTES CR5 M230

manually set mechanical timer
manually set cycle 120 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 120°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (ZANUSSI)



ELECTROLUX 0H6118

3446016 TIMER 1806726 24V

electromechanical multiscale timer
programmable time range 6h-60"-6"-60 seconds-
6 seconds
white dial dimensions 72x72 mm
power supply 24V 50/60Hz
2 poles with contact capacity 6(4)A 250V
max room temperature -10+55°C
connection with 8-pin socket (included)
for Convection oven (ZANUSSI) FV4N
for Convection oven electric (ZANUSSI) FV4E
for Convection oven gas (ZANUSSI) FVGC4 - FV4G



ELECTROLUX 053917

3446094 TIMER 60 MINUTES CR5 M229

manually set mechanical timer
manually set cycle 60 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 120°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



ELECTROLUX 0H6117

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ELECTROLUX 0A2269

ELECTROLUX 004120

ELECTROLUX 082378

ELECTROLUX 083833



Suitable for:

ELECTROLUX




Suitable for:

Vibrating pumps

40C5371 POMPA A VIBRAZIONE 230-240V 50/60Hz 35W

entrata \varnothing 7 mm - uscita \varnothing 6 mm
MARCA DEFOND



ELECTROLUX 0C2341

ELECTROLUX 0C5371

ELECTROLUX 0C9067

ELECTROLUX 007018

Washing showers for ovens

3359416 COMPLETE OVEN WASH SHOWER SET

flow rate 11 L/min at 4 bar
with stainless steel hose \varnothing 1/2" FF 2000 mm
with shower support



ELECTROLUX 0S0323

3359614 STAINLESS STEEL HOSE \varnothing 1/2" FF 150 cm

stainless steel 18/10 double braid
with transparent PVC coating
nickel-plated brass coupling \varnothing 1/2" F



ELECTROLUX 0S0348

3359606 WHITE SPRAY CUP WITH FILTER



ELECTROLUX 003164

Water purification filters

3010617 PURITY CARTRIDGE C 500

per trattamento acqua uso TECNICO



ELECTROLUX 0S1056

3010601 PURITY CLEAN EXTRA 1200

water softener suitable for DISHWASHERS
specific for WARM WATER
adjustable by-pass
capacity at 10°KH 3100 L
flow rate 300 L/h
max pressure 6 bar
min pressure 2 bar
operating temperature 4°C/60°C
pressure loss at flow rate 0.45 bar
size: height 550 mm - \varnothing 255 mm
weight: empty 18 Kg - full 24 kg
fittings: inlet \varnothing 1" M - outlet \varnothing 3/4" M
horizontal or vertical mounting
montaggio orizzontale o verticale



ELECTROLUX 0S0803



Suitable for:

3010600 PURITY CLEAN 1200

water softener suitable for DISHWASHERS
 specific for WARM WATER
 adjustable by-pass
 capacity at 10°KH 12000 L
 flow rate 300 L/h
 max pressure 6 bar
 min pressure 2 bar
 operating temperature 4°C/60°C
 pressure loss at flow rate 0.45 bar
 size: height 550 mm - ø 255 mm
 weight: empty 18 Kg - full 24 kg
 fittings: inlet ø 1" M - outlet ø 3/4" M
 horizontal or vertical mounting
 montaggio orizzontale o verticale



ELECTROLUX 0S0801

Suitable for:

3010604 PURITY ST 1200

water softener suitable COFFEE MACHINES-DISPENSERS
 OVENS - ICE MAKERS
 specific for ODOR REMOVAL
 adjustable by-pass
 capacity at 10°KH 13187 L
 flow rate 200 L/h
 max pressure 6.9 bar
 min pressure 2 bar
 operating temperature 4°C/30°C
 pressure loss at flow rate 1.05 bar
 dimensions: height 550 mm - ø 288 mm
 weight: empty 18 Kg - full 24 kg
 fittings: inlet ø 3/8" M - outlet ø 3/8" M
 horizontal or vertical mounting



ELECTROLUX 0S0682

Water softeners and accessories

3010061 MANUAL WATER SOFTENER 12 L ø 3/4"

stainless steel cylinder capacity 12 L
 connection fittings 3/4"
 dimensions: height 500 mm - ø 185 mm
 resin content 9 L
 regeneration salt(NaCl-table salt) 1.5 Kg
 for average dishwashers and dispensers



ELECTROLUX 0S0330

3010102 MANUAL WATER SOFTENER 12 L ø 3/4"

plasma welding
 STAINLESS STEEL cylinder capacity 12 L
 connection fitting 3/4"
 dimensions: height 500 mm - ø 185 mm
 resin content 9 L
 regeneration salt(NaCl-table salt) 1.5 Kg
 inlet water max temperature 60°C
 for average dishwashers and dispensers,



ELECTROLUX 0S0330

3010063 MANUAL WATER SOFTENER 20 L ø 3/4"

stainless steel cylinder capacity 20 L
 connection fittings 3/4"
 dimensions: height 900 mm - ø 185 mm
 resin content 15 L
 regeneration salt(NaCl-table salt) 3 Kg
 for dishwashers, large automatic dispensers



ELECTROLUX 0S0329

3010104 MANUAL WATER SOFTENER 20 L ø 3/4"

plasma welding
 STAINLESS STEEL cylinder capacity 20 L
 connection fitting 3/4"
 dimensions: height 900 mm - ø 185 mm
 resin content 15 L
 regeneration salt(NaCl-table salt) 3 Kg
 inlet water max temperature 60°C
 for dishwashers, large dispensers,



ELECTROLUX 860430



Suitable for:

ELECTROLUX



3010060 **MANUAL WATER SOFTENER 8 L ø 3/4"**
 stainless steel cylinder capacity 8 L
 connection fittings 3/4"
 dimensions: height 400 mm - ø 185 mm
 resin content 5.8 L
 regeneration salt(NaCl-table salt)1 Kg
 for cup washers, small automatic dispensers



ELECTROLUX 0C1903

3010101 **MANUAL WATER SOFTENER 8 L ø 3/4"**
 plasma welding
 STAINLESS STEEL cylinder capacity 8 L
 connection fitting 3/4"
 dimensions: height 400 mm - ø 185 mm
 resin content 5.8 L
 regeneration salt(NaCl-table salt)1 Kg
 inlet water max temperature 60°C
 for cup washers, small automatic dispensers



ELECTROLUX 0C1903

3010094 **WATER SOFTENER"MATI 12" 12 L ø 3/4"**
 AUTOTROL chronometric head 255/440i
 230V 50Hz
 time programmer mod.440 (weekly)
 operating temperature 2°÷35°C
 cylinder capacity 11.8 L - resin content 8 L
 salt container 30 kg
 regeneration salt(NaCl-table salt)1.5 Kg
 inlet/outlet fittings 3/4"
 dimensions: width 260 mm - depth 480 mm
 height without head 435 - overall height 650 mm
 We recommend to use always a mechanical filter
 before the softener in order to remove
 impurities from the water
 impurità presenti nell'acqua



ELECTROLUX 0S0332

3010074 **WATER SOFTENER"MATI 8" 8 L ø 3/4"**
 AUTOTROL chronometric head 255/440i
 230V 50Hz
 time programmer mod.440 (weekly)
 operating temperature 2°÷35°C
 cylinder capacity 8.5 L - resin content 5.4 L
 salt container 20 kg
 regeneration salt(NaCl-table salt)1 Kg
 inlet/outlet fittings 3/4"
 dimensions: width 200 mm - depth 430 mm
 height without head 335 - overall height 550 mm
 We recommend to use always a mechanical filter
 before the softener in order to remove
 impurities from the water
 impurità presenti nell'acqua



ELECTROLUX 0S0716