



Spare parts for:

**Ovens**



Suitable for:

**THIRODE**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211807





Suitable for:

# THIRODE



Suitable for:

## Axial motors

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



THIRODE 304194

## Cables for piezo igniters

**3001002 SIT IGNITION LEAD 1000 mm**  
with faston 6.35x0.8 mm ignition  
with faston  $\varnothing$  4 mm for electrode



THIRODE

## Capacitors

**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



THIRODE 2001118H

THIRODE 304259

**3068027 CAPACITOR  $\mu$ F 20 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



THIRODE 2001119H

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



THIRODE 2001120H



Suitable for:

# THIRODE



Suitable for:

## Contact thermostats

**3444954 CONTACT THERMOSTAT 150°C**  
for steam generator  
for Convection oven (THIRODE) - Series EMERAUDE



THIRODE 301056

**3444923 CONTACT THERMOSTAT 45°C**  
differential 10°  
normally open contact  
for Convection oven (THIRODE) - Series EMERAUDE



THIRODE 301045

**3443076 CONTACT THERMOSTAT 60°C**  
connection M4  
for Convection oven electric (BONNET)  
EQ4.8/81/1.EI - EQ4-121/1.MI - EQ4-201/1.EI  
EQ4-201/1.MI - EQ4-201/1.PC - EQ4-201/1.SI  
EQ4-8/81/1.MI - EQ4-81/1.EI - EQ4-81/1.MI  
for Convection oven gas (BONNET) EQ3.201/1.MID.G



THIRODE 301065

## Drain assembly

**3439014 COMPLETE DRAIN NOZZLE**  
for Convection oven electric (THIRODE) 635



THIRODE 144521

## Electrical cables

**3030002 BOARD CONNECTING CABLE**  
two connectors - length 1400 mm  
for Convection oven (THIRODE) - Series 635



THIRODE 15396445

THIRODE 309417



Suitable for:

# THIRODE



Suitable for:

## Electrical gas valves and accessories


- 3526141 VALVE 830 TANDEM  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 thermocouple fitting M10x1  
 maximum gas inlet pressure 60 mbar  
 outlet gas pressure setting range 3÷50 mbar  
 room temperature 0÷60°C  
 power supply 230V 50Hz  
 for Convection oven gas (ZANUSSI) - Series ACV  
 Series ECV - Series FCS - Series FCV - Series NCV  
 Series RCV - Series ZCV



THIRODE 310305

## Electronic printed-circuit boards

- 3390277 CONTROL BOARD FOR BOILER WATER LEVEL**  
 for Convection oven electric (THIRODE)  
 EMERAUDE TGC - EMERAUDE 1035E4  
 EMERAUDE 2035E4K



THIRODE 170997

## Energy regulators

- 3350026 ENERGY ADJUSTER**  
 contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
 for Convection oven (KELVIN)  
 for Convection oven electric (GIERRE) FEV106M  
 FEV166E - FEV166M - FEV166P - FEV168E  
 FEV168M - FEV56M  
 for Convection oven electric (SMEG) ALFA30V  
 ALFA31V  
 for Convection oven gas (GIERRE) FEV107M - FEV167E  
 FEV167M - FEV167P - FEV57M



THIRODE 301200



## Fans for motors

- 3411001 FAN  $\varnothing$  300 mm**  
 thickness 100 mm  
 total blades 6 -  $\varnothing$  tapered hole 17-14 mm  
 for Convection oven (THIRODE) - Series 635



THIRODE 304256

## Fuses

- 3049045 QUICK ACTING FUSE 5x20 - 10 PCS**  
 250V 800mA



THIRODE 2001921H


## Gaskets and seals

- 3786606 CONTROL BOARD GASKET**  
 made of silicone elastomer  
 COLOUR BLACK  
 for Convection oven (THIRODE) - Series 635



THIRODE 366453

- 3786605 GASKET FOR OVEN LAMP RECEPTACLE GLASS**  
 external  $\varnothing$  97 mm - internal  $\varnothing$  80 mm - thickn. 1.1 mm  
 for Convection oven (THIRODE) - Series 635



THIRODE 366481

- 3786607 GASKET FOR TEMPERATURE PROBE**  
 external  $\varnothing$  10 mm - internal  $\varnothing$  3.5 mm  
 for Convection oven (THIRODE) - Series 635



THIRODE 366471

- 3786603 HEATING ELEMENT GASKET**  
 external  $\varnothing$  68 mm - internal  $\varnothing$  58 mm  
 for Convection oven (BONNET) EQ4.101/1.ECE  
 for Convection oven (THIRODE) - Series 635



THIRODE 366461



Suitable for:

# THIRODE



Suitable for:

## 3786604 MOTOR SHAFT GASKET

external  $\varnothing$  40 mm - internal  $\varnothing$  17 mm  
for Convection oven (THIRODE) - Series 635



THIRODE 145587

## Gaskets for oven door

### 3786363 OVEN DOOR GASKET 1480x680 mm

made of silicone elastomer  
COLOUR BLACK  
for Convection oven (THIRODE) EMERAUDE 2035  
EMERAUDE 2056



THIRODE 366449

### 3786602 OVEN DOOR LOWER GASKET 1000 mm

adhesive - profile dimensions 7x5 mm  
COLOUR RED  
for Convection oven (THIRODE) - Series 635



THIRODE 366350

## Handles

### 3242727 COMPLETE CLOSING PLATE

base  $\varnothing$  50 mm - top  $\varnothing$  42 mm  
height 12 mm  
for Convection oven (THIRODE) - Series 635



THIRODE 384162

### 3242605 OVEN DOOR CLOSING ASSEMBLY

for Convection oven (THIRODE) POCHR E4C0



THIRODE 144507

## Heating elements

### 3455219 HEATING ELEMENT 6000W 220V

immersed depth 415 mm  
flange external  $\varnothing$  100 mm  
complete with O-RING  
for Convection oven electric (THIRODE) 435RE - 846



THIRODE 130049

### 3786580 O-RING $\varnothing$ 68.10x57x7.04 mm



THIRODE 366185



# THIRODE



Suitable for:

Suitable for:

**3455120 HEATING ELEMENT 6000W 230/400V**  
 immersed depth 385 mm  
 flange external  $\varnothing$  72 mm  
 with bulb sheath  
 complete with O-RING  
 for Convection oven (BONNET) EQ4.101/1.ECE  
 for Convection oven electric (THIRODE)  
 EMERAUDE COMPACT

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



THIRODE 303122

THIRODE 318044

THIRODE 966001

**3455121 HEATING ELEMENT 7500W 230/400V**  
 immersed depth 480 mm  
 flange external  $\varnothing$  72 mm  
 with bulb sheath  
 complete with O-RING  
 for OVEN THIRODE 6-10-20 shelves  
 for Convection oven electric (THIRODE)  
 EMERAUDE LINE 94

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



THIRODE 303124

THIRODE 318044

THIRODE 966001

**3455122 HEATING ELEMENT 7500W 230/400V**  
 immersed depth 475 mm  
 flange external  $\varnothing$  72 mm  
 complete with O-RING  
 for STEAM OVEN 6-10-20 shelves  
 for Convection oven electric (THIRODE)  
 EMERAUDE LINE 94

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



THIRODE 303125

THIRODE 318044

THIRODE 966001

**3455160 HEATING ELEMENT 8000W 230/400V**  
 immersed depth 370 mm  
 flange external  $\varnothing$  72 mm  
 complete with O-RING  
 for Convection oven (BONNET) EQ4.101/1.ECE  
 for Steam oven electric (THIRODE)

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



THIRODE 303127

THIRODE 318044

THIRODE 966001



Suitable for:


# THIRODE



Suitable for:

## Knobs

- 3241789 SILVER KNOB**  
D shaft hole 6x5 mm  
for Convection oven (THIRODE) EMEURODE 1035  
EMEURODE 635



THIRODE 145419

THIRODE 147183

THIRODE 15285762

## Lamps

- 3221638 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max temperature 300°C  
for Convection oven (OLIS)  
for Convection oven electric (BOURGEOIS) CP0612  
CP1012 - CP1022



THIRODE 308477

## Microswitches

- 3737002 MAGNET FOR MICROSWITCH  $\varnothing$  10x50 mm**  
for Convection oven (THIRODE) - Series 635



THIRODE 384100

- 3240407 MECHANICAL MICROSWITCH KIT 16A 250V**  
3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheels - lever 27 mm with wheels



THIRODE 300688





# THIRODE



Suitable for:

## 3240189 MICRO SWITCH M1DX20 10A 250V

for Convection oven (ANGELO PO)  
till 31/12/99  
for Convection oven electric (ANGELO PO)  
till 13/11/99  
FCV101E - FCV101EDM - FCV101EDS - FCV141E  
FCV141EDM - FCV141EDS - FCV241E - FCV241EDM  
FCV241EDS - FCV401EDM - FCV61E - FCV61EDM  
FCV61EDS - FC101E - FC241E - FC61E  
for Convection oven gas (ANGELO PO)  
till 13/11/99  
FCV101 - FCV141DM - FCV141DS - FCV241 - FCV241G  
FCV61 - FC101 - FC61



THIRODE 1700340

THIRODE 900502

Suitable for:

## 3240181 PROTECTED MAGNET 62x18x10 mm

for Convection oven (MARENO)



THIRODE 2001868H

## Motors

## 3122718 MOTOR 1079/TH 0.12Kw 230/400V 50Hz

for Convection oven (THIRODE) - Series 635  
for Convection oven electric (THIRODE)  
EMERAUDE COMPACT



THIRODE 304254

## 3411001 FAN ø 300 mm

thickness 100 mm  
total blades 6 - ø tapered hole 17-14 mm  
for Convection oven (THIRODE) - Series 635



THIRODE 304256

## 3786604 MOTOR SHAFT GASKET

external ø 40 mm - internal ø 17 mm  
for Convection oven (THIRODE) - Series 635



THIRODE 145587

## OR and ORM gaskets

## 3786580 O-RING ø 68.10x57x7.04 mm



THIRODE 366185

## 3186013 O-RING GASKET 06187 EPDM ø 58 mm

for Convection oven electric (CAPIC) AC150 - AC50  
R50



THIRODE 2001827H



Suitable for:

# THIRODE



Suitable for:

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



THIRODE 318044

THIRODE 966001

## Pilot burners and accessories

**3020157 PILOT JET  $\varnothing$  0.25 mm**



THIRODE 310274

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



THIRODE 2020124

THIRODE 311022

## Potentiometers

**3057313 POTENTIOMETER 2 POSITIONS WITH CABLE**  
for Convection oven (THIRODE) - Series 635



THIRODE 309413

**3057312 POTENTIOMETER 5 POSITIONS WITH CABLE**  
for Convection oven (THIRODE) - Series 635



THIRODE 309412

**3341063 TEMPERATURE ADJUSTING POTENTIOMETER**  
for Convection oven (THIRODE) EMERAUDE 1056  
EMERAUDE 2035MCI



THIRODE 309411



## Probes

**3397154 TEMPERATURE PROBE**  
 2 wires - bulb  $\varnothing$  4x86 mm  
 cable length 1300 mm  
 for Convection oven (THIRODE)  
 Series EMERAUDE1056 - Series EMERAUDE635  
 for Convection oven gas (BONNET)  
 Series EQ3.201/1.MID.G



THIRODE 301461

**3786607 GASKET FOR TEMPERATURE PROBE**  
 external  $\varnothing$  10 mm - internal  $\varnothing$  3.5 mm  
 for Convection oven (THIRODE) - Series 635



THIRODE 366471


## Relays

**3351901 RELAY 60.62 10A 230V 50/60Hz**  
 2 switching contacts



THIRODE 2001867H

**3351605 RELAY 60.63 10A 230V 50/60Hz**  
 3 switching contacts



THIRODE 2001887H

## Solenoid valves

**3120404 SOLENOID VALVE 230V  $\varnothing$  10.5 mm**  
 solenoid valve 90° - 230V 50/60Hz - max 90°C  
 3/4" inlet - 1 outlet  $\varnothing$  10.5 mm



THIRODE 634085

**3120405 SOLENOID VALVE 230V  $\varnothing$  10.5 mm**  
 solenoid valve 180° - 230V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10.5 mm



THIRODE 634084

**3120407 SOLENOID VALVE 230V  $\varnothing$  10.5 mm**  
 solenoid valve 180° - 230V 50/60Hz - max 90°C  
 inlet 3/4"- 2 outlets  $\varnothing$  10.5 mm



THIRODE 634086

**3120408 SOLENOID VALVE 230V  $\varnothing$  13.5 mm**  
 solenoid valve 90° - 230V 50/60Hz - max 90°C  
 inlet 3/4" - 1 outlet  $\varnothing$  13.5 mm



THIRODE 23458



# THIRODE



Suitable for:

**3120409 SOLENOID VALVE 230V ø 13.5 mm**  
solenoid valve 180° - 230V 50/60Hz - max 90°C  
inlet 3/4" - 1 outlet ø 13.5 mm



THIRODE 904693

Suitable for:

**3120415 SOLENOID VALVE 230V ø 13.5 mm**  
solenoid valve 90° - 230V 50/60Hz - max 90°C  
inlet 3/4"- 3 outlets ø 13.5 mm



THIRODE 634089

**3120005 SOLENOID VALVE 329 220/240V ø 10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet ø 10 mm



THIRODE 2001650H

**3120010 SOLENOID VALVE 352 220/240V ø 14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet ø 14 mm



THIRODE 241447

THIRODE 241754

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz  
for Convection oven (COVEN)  
for Convection oven electric (SOLYMAC) SOLYMIX10  
SOLYMIX6



THIRODE 308465

## Sparking and detection plugs

**3020060 ROUND SPARKING PLUG ø 7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



THIRODE 308480



## Switches

**3319617 DOUBLE CONTACT SWITCH 16A 250V**  
for Convection oven (FOINOX)



THIRODE 2001544H

**3452003 TRIANGULAR PROT.COVER FOR PUSH-BUTTON**  
COLOR GREEN  
for Convection oven (THIRODE) - Series 635



THIRODE 366428

## Thermocouples and accessories

**3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1**



THIRODE 310193

## Thermostats

**3744009 SINGLE-PHASE THERMOSTAT 100-350°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x75 mm  
for Convection oven (BONNET)  
for Convection oven (THIRODE)



THIRODE 301017

**3444924 SINGLE-PHASE THERMOSTAT 145°C**  
with manual reset  
covered capillary length 1160 mm - 16A 250V  
bulb  $\varnothing$  4x100 mm - with stuff.gland coupling M9x1  
for Convection oven (BONNET) EQ4.101/1.ECE  
for Convection oven (THIRODE) - Series 1035  
Series 1065 - Series 1256 - Series 1265  
Series 1656 - Series 2035 - Series 2056  
Series 635 - Series 665  
for Convection oven electric (BONNET) ECEEQ3



THIRODE 301064

THIRODE 301067

**3444912 SINGLE-PHASE THERMOSTAT 320°C**  
with manual reset  
covered capillary length 860 mm - 16A 250V  
bulb  $\varnothing$  4x100 mm  
for Convection oven (THIRODE) - Series 1035  
Series 1065 - Series 1256 - Series 1265  
Series 1656 - Series 2035 - Series 2056  
Series 635 - Series 665



THIRODE 301039

THIRODE 301066

**3744063 THREE-PHASE THERMOSTAT 400°C**  
with manual reset  
capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  4x230 mm



THIRODE 301049



Suitable for:

# THIRODE



## 3444927 3-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x170 mm  
for Convection oven (THIRODE)



THIRODE 301023

Suitable for:

## 3444926 3-PHASE THERMOSTAT 50-260°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1550 mm - 10A 400V  
bulb  $\varnothing$  6x140 mm - with stuff.gland coupling M9x1  
with complete tank sealing coupling M12x1  
for Convection oven (THIRODE)  
Series EMERAUDE COMPACT



THIRODE 301052