



Spare parts for:

**Ovens**



Suitable for:

**CB**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2016-07200841





Suitable for:

CB



Suitable for:

## Cables for piezo igniters

- 3001016 IGNITION LEAD 1000 mm**  
 with faston  $\varnothing$  2.4 mm for ignition  
 with faston  $\varnothing$  4 mm for electrode



CB 08061352

## Contactors

- 3351049 CONTACTOR SIEMENS 3RT2016-1AP01**  
 9A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



CB 0707001

## Energy regulators

- 3350026 ENERGY ADJUSTER**  
 contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



CB 0902004

## Gaskets for oven door

- 5025703 GUARNIZIONE PORTA FORNO 650x400 mm**  
 in elastomero silconico  
 con mollette di fissaggio  
 COLORE NERO



CB 05020025

- 3186774 OVEN DOOR GASKET 390x310 mm**  
 made of silicone elastomer  
 with fastening clips  
 COLOUR BLACK  
 for Convection oven electric (CB) GOLOS04



CB 05020016



## Handles

- 3398021 OVEN DOOR CATCH**  
 distance between holes 47 mm  
 catch distance 27 mm



CB

## Heating elements

- 3755674 HEATING ELEMENT 2570/2800W 230/240V**  
 external  $\varnothing$  190 mm - total height 70 mm  
 flange 100x22 mm  
 for Convection oven electric (CB) GOLOS04



CB 07030065

## Indicator lights

- 3221095 ORANGE INDICATOR LAMP 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



CB 07051486

- 3221080 RED INDICATOR LAMP 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C



CB 07050994

## Knobs

- 3444187 BLACK KNOB  $\varnothing$  50 mm 50-500°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for EGO thermostat



CB 10010030



Suitable for:

CB



Suitable for:

## Lamp receptacles and spare parts

### 3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V

lamp glass  $\varnothing$  72 mm  
mounting hole  $\varnothing$  68 mm  
max temperature 300°C




CB 07020018

CB 07020968

## Motors

### 3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan  $\varnothing$  150 mm



CB 07010013

CB 07010078

## Pilot burners and accessories

### 3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



CB 08100602

## Spark generators

### 3181002 SPARK GENERATOR 2 OUTLETS

220/240V 50/60Hz




CB 08060011



## Switches

**3319376 BLACK BIPOLAR PUSH-BUTTON 16A 250V**  
 16(4)A 250V - with push-button cap  
 max temperature 120°C  
 mounting hole 22x30 mm



CB 07040033

**3319254 CHANGEOVER SWITCH 2 POLE BLACK 16A 250V**  
 16(4)A 250V - max. temperature 120°C  
 with push-button cap - mounting hole 22x30 mm  
 for Convection oven (CB)



CB 07040032

## Tangential and radial fans


**3526150 FAN TANGENTIAL 180 mm LH**  
 25W 230V 50/60Hz - ø 60 mm  
 operating temperature -30°+100°C



CB 07012360

## Terminal blocks

**3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**  
 for cable max 6 mm<sup>2</sup>  
 operating temperature 150°C  
 nominal voltage 450 V



CB 07100009


## Thermocouples and accessories

**3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1**



CB 08090003

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS CONNECTOR M8x1**



CB 08090003



Suitable for:

**3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1**



CB 08090001

**CB**




Suitable for:

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS CONNECTOR M8x1**



CB 08090001

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**



CB 08090604

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



CB 08090604


## Thermostats

**3444266 SINGLE-PHASE THERMOSTAT 338°C**  
with manual reset  
covered capillary length 830 mm - 16A 250V  
button bulb  $\varnothing$  14x10 mm



CB 09010019

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



CB 09010021

**3444586 SINGLE-PHASE THERMOSTAT 75-450°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x228 mm



CB 09010027



## Timers


**3322257 CONTROLLER 11902F3 2 CAMS**  
 230V 50/60Hz - cycle 144 minutes  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (CB)



CB 09030002

CB 09030160

**3446001 TIMER 120 MINUTES**  
 complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 manual left hand positioning possible  
 120 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



CB 09030065

CB 09030100

## Water softeners and accessories

**3010002 MANUAL WATER SOFTENER 12 L  $\varnothing$  3/8"**  
 for water treatment for TECHNICAL purposes  
 STAINLESS STEEL cylinder capacity 12 L  
 connection 3/8"  
 dimensions: height 500 mm -  $\varnothing$  185 mm  
 resin content 9 L  
 regeneration salt(NaCl-table salt)1.5 Kg



CB 14100041

**3010003 MANUAL WATER SOFTENER 16 L  $\varnothing$  3/8"**  
 for water treatment for TECHNICAL purposes  
 STAINLESS STEEL cylinder capacity 16 L  
 connection 3/8"  
 dimensions: height 600 mm -  $\varnothing$  185 mm  
 resin content 12 L  
 regeneration salt(NaCl-table salt)2 Kg



CB 14100042

**3010004 MANUAL WATER SOFTENER 20 L  $\varnothing$  3/8"**  
 for water treatment for TECHNICAL purposes  
 STAINLESS STEEL cylinder capacity 20 L  
 connection 3/8"  
 dimensions: height 900 mm -  $\varnothing$  185 mm  
 resin content 15 L  
 regeneration salt(NaCl-table salt)3 Kg



CB 14100043

**3010001 MANUAL WATER SOFTENER 8 L  $\varnothing$  3/8"**  
 for water treatment for TECHNICAL purposes  
 STAINLESS STEEL cylinder capacity 8 L  
 connection 3/8"  
 dimensions: height 400 mm -  $\varnothing$  185 mm  
 resin content 5.8 L  
 regeneration salt(NaCl-table salt)1 Kg



CB 14100040



Suitable for:

CB



**3010094 WATER SOFTENER "MATIC 12" 12 L  $\varnothing$  3/4"**  
for water treatment for TECHNICAL purposes  
AUTOTROL chronometric head 255/460TC  
230V 50Hz  
time controller mod.460TC (weekly)  
operating temperature  $2^{\circ} \div 35^{\circ}C$   
cylinder capacity 11.8 L - resin content 8 L  
salt container 30 Kg  
regeneration salt(NaCl-table salt)1.5 Kg  
inlet/outlet connections  $\varnothing$  3/4"F  
dimensions: width 260 mm - depth 480 mm  
height without head 435 - overall height 650 mm  
We always recommend to use a mechanical filter  
before the softener, in order to remove  
impurities from water



CB 14100249

**3010099 WATER SOFTENER "MATIC 20" 20 L  $\varnothing$  3/4"**  
for water treatment for TECHNICAL purposes  
AUTOTROL head with mixer 255/460TC  
230V 50Hz  
time controller mod.460TC (weekly)  
composite material cylinder 7x35"  
cylinder capacity 21.6 L  
connection 3/4"F  
dimensions: width 325 mm, depth 505 mm  
height without head 900 - overall height 1100 mm  
resin content 13 L - salt container 80 Kg  
regeneration salt(NaCl-table salt)2.5 Kg  
We always recommend to use a mechanical filter  
before the softener, in order to remove  
impurities from water



CB 14100253

**3010074 WATER SOFTENER "MATIC 8" 8 L  $\varnothing$  3/4"**  
for water treatment for TECHNICAL purposes  
AUTOTROL chronometric head 255/460TC  
230V 50Hz  
time controller mod.460TC (weekly)  
operating temperature  $2^{\circ} \div 35^{\circ}C$   
cylinder capacity 8.5 L - resin content 5.4 L  
salt container 20 Kg  
regeneration salt(NaCl-table salt)1 Kg  
inlet/outlet connections  $\varnothing$  3/4"F  
dimensions: width 200 mm - depth 430 mm  
height without head 335 - overall height 550 mm  
We always recommend to use a mechanical filter  
before the softener, in order to remove  
impurities from water





















CB 14100153



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [www.lfircambi724.mobi](http://www.lfircambi724.mobi)  
[info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
  -  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
  -  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)