




Spare parts for:

**Ovens**



Suitable for:

**COVEN**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2016-05301638





Suitable for:

# COVEN



Suitable for:

## Axial motors

**3240337 AXIAL VENTILATOR SUNON 80x80x38 mm**  
 ball bearings  
 230V 50/60Hz 18W 2400rpm  
 SF23080A-2083HBL.GN



COVEN EMMOAS6

## Boilers

**3048001 STEAM BOILER 2kW**  
 with probe and safety thermostat  
 for Convection oven electric (COVEN) TEC10MX  
 TEC3MX - TEC4MX - TEC6MX  
 for Convection oven gas (COVEN) TEC6GMX



COVEN EMGBVKW2

COVEN EMGBVKW2+EMSOLVX4

**3048002 STEAM BOILER 3Kw 220V**  
 with bracket and safety thermostat  
 for Convection oven electric (COVEN) TEC10MX  
 TEC4MX - TEC6MX  
 for Convection oven gas (COVEN) TEC6GMX



COVEN EMGCBKW3

COVEN EMGBVKW3

COVEN EMGBVKW3+EMSOLVX4

## Buzzers

**3397022 ALARM WITH CARD**  
 dimensions 32x52 mm  
 for OVEN ALL MODELS  
 for Convection oven (COVEN)



COVEN EMFTES07



## Contactors

**3351049 CONTACTOR SIEMENS 3RT2016-1AP01**  
 9A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



COVEN EMCN1H25


**3454006 CONTACTOR SIEMENS 3RT2016-1AP02**  
 9A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact  
 for Convection oven electric (COVEN) N5PMEC  
 TEC10 - TEC10MD - TEC10MX - TEC10P - TEC15  
 TEC15MX - TEC20 - TEC20MD - TEC3MD - TEC3MX  
 TEC4MX - TEC4P - TEC5P - TEC6 - TEC6MD  
 TEC6MX - TEC7  
 for Convection oven gas (COVEN) TEC15GMD



COVEN EMCNAH25

## Door glasses for oven and accessories

**5029596 GLASS EXTERNAL OVEN DOOR 500x370 mm**  
 for Convection oven (COVEN)



COVEN MCVE0005

## Drain pumps

**3122327 DRAIN ELECTRIC PUMP 40W 240V 50Hz**  
 inlet external  $\varnothing$  24 mm - output external  $\varnothing$  23 mm  
 for Convection oven (COVEN)  
 TEC10MX-TEC4MX-TEC6MX-10EMX-6EMX  
 for Convection oven gas (COVEN) TEC6GMX-6GMX



COVEN MCPOMPAMX

## Electronic boxes

**3091014 CONTROL BOX CM11**  
 model BRAHMA - 230V 50/60Hz 7VA  
 for Convection oven gas (COVEN) N6GMD - N6GMX  
 TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC  
 TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP  
 TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G



COVEN EMCOFIN6G



Suitable for:

# COVEN

Suitable for:



## Electronic controllers

- 3445020 THERMOSTAT TLK38 TCJ/TCK/PT100**  
power supply 12V  
thermostat setting range -200+1370°C  
ON-OFF control with two actuation points  
2 exchange relay outputs 8(3)A 250V  
room temperature 0+50°C  
probe type TCJ-TCK-PT100 (not included)  
connections by screwed terminal block  
front dimensions 75x33x64 mm  
mounting hole 71x29 mm  
for Convection oven (COVEN)



COVEN EMRESC04

## Electronic printed-circuit boards

- 5027986 PC BOARD AUTOREVERSE 141x63 mm**  
for Convection oven (COVEN) N5PMEC - TEC10GP  
TEC10GPMEC - TEC10P - TEC10PMEC - TEC5GP  
TEC5GPMEC - TEC5PMEC  
for Convection oven (COVEN) TEC5P



COVEN ELSCAR5P

## Energy regulators

- 3350026 ENERGY ADJUSTER**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



COVEN EMPUAH00



## Fans for motors

- 3340073 FAN  $\varnothing$  240 mm**  
 thickness 43 mm  
 total blades 55 -  $\varnothing$  hole 13 mm  
 for Convection oven gas (COVEN) C6G - TEC6G  
 TEC6GMD - TEC6GMX - 6GMD - 6GMX



COVEN MCCVE2406G

COVEN MCVN0250

## Gas burners


- 5051606 BURNER  $\varnothing$  50x578 mm**  
 overall length 585 mm  
 made of stainless steel  
 for Convection oven gas (COVEN) C6G - TEC10G  
 TEC6G



COVEN EMBR0006


## Gaskets for oven door

- 3786513 GASKET OVEN DOOR**  
 made of silicone elastomer  
 profile dimensions 17x14 mm  
 COLOUR: RED  
 SOLD BY METER  
 for Convection oven electric (COVEN) N5PMEC - TEC3  
 TEC3MD - TEC3MX - TEC4P



COVEN MCGP3/4P

- 3286052 OVEN DOOR GASKET - 15 m**  
 made of silicone elastomer  
 profile dimensions 25x22 mm  
 COLOUR BLACK  
 for Convection oven electric (COVEN) TEC10MD  
 TEC10MX - TEC10NMD - TEC10NMX - TEC15  
 TEC15MD - TEC20 - TEC20MD - TEC3MD - TEC3MX  
 TEC4MX - TEC5P - TEC6 - TEC7  
 for Convection oven gas (COVEN) TEC10G - TEC15G  
 TEC15GMD - TEC20G - TEC20GMD - TEC5GP - TEC7G



COVEN MCGPN004



Suitable for:

# COVEN



## 3286051 OVEN DOOR GASKET - 3 m


made of silicone elastomer  
 profile dimensions 25x22 mm  
 COLOUR BLACK  
 for Convection oven electric (COVEN) TEC10MD  
 TEC10MX - TEC10NMD - TEC10NMX - TEC15  
 TEC15MD - TEC15MX - TEC20 - TEC20MD - TEC3MX  
 TEC4MX - TEC5P - TEC6 - TEC7  
 for Convection oven gas (COVEN) TEC10G - TEC15G  
 TEC15GMD - TEC20G - TEC20GMD - TEC5GP - TEC7G



COVEN MCGPN004

## 3286034 OVEN DOOR GASKET 2514 - 25 m


made of silicone elastomer  
 profile dimensions 21.5x12.5 mm  
 COLOUR BLACK  
 for Convection oven electric (COVEN) TEC10  
 TEC10MX - TEC2 - TEC3 - TEC4MX - TEC4P  
 for Convection oven gas (COVEN) TEC6G - TEC6GMX  
 TEC7G - TEC7GP



COVEN MCGP0002

## 3286086 OVEN DOOR GASKET 2514 - 3 m


made of silicone elastomer  
 profile dimensions 21.5x12.5 mm  
 COLOUR BLACK  
 for Convection oven electric (COVEN) TEC10  
 TEC10MX - TEC2 - TEC3 - TEC4MX - TEC4P  
 for Convection oven gas (COVEN) TEC6G - TEC6GMX  
 TEC7G - TEC7GP



COVEN MCGP0002

## 3286033 OVEN DOOR GASKET 2514 - 6 m

made of silicone elastomer  
 profile dimensions 21.5x12.5 mm  
 COLOUR BLACK  
 for Convection oven electric (COVEN) TEC10  
 TEC10MX - TEC2 - TEC3 - TEC4MX - TEC4P  
 for Convection oven gas (COVEN) TEC6G - TEC6GMX  
 TEC7G - TEC7GP



COVEN MCGP0002

## 3786618 OVEN DOOR GASKET 3000 mm


made of silicone elastomer  
 profile dimensions 30x10 mm  
 COLOUR BLACK  
 for Convection oven electric (COVEN) N5P - N5PMEC  
 N6MD - N6MX - 10EMD - 10EMX - 6CE - 6EMD  
 6EMX  
 for Convection oven gas (COVEN) N6GMD - N6GMX  
 10GMD - 6CG - 6GMD - 6GMX



COVEN MCGFC06N

## 3786324 OVEN GLASS GASKET 1300 mm

made of silicone elastomer  
 profile dimensions 15x6 mm  
 COLOUR BLACK  
 for Convection oven electric (COVEN) TEC2 - TEC3  
 TEC4P




COVEN MCGV0003



Suitable for:


**3786179 OVEN GLASS GASKET 3500 mm**  
 made of silicone elastomer  
 profile dimensions 13x11 mm  
 COLOUR BLACK  
 for Convection oven (COVEN) - Series TEC5  
 Series TEC6  
 for Convection oven electric (COVEN) TEC3MD  
 TEC3MX - TEC7



COVEN MCGV0002

Suitable for:

**3786171 OVEN GLASS GASKET 7000 mm**  
 made of silicone elastomer  
 profile dimensions 13x11 mm  
 COLOUR BLACK  
 for Convection oven (COVEN) - Series TEC15  
 Series TEC20  
 for Convection oven electric (COVEN) TEC10  
 for Convection oven gas (COVEN) TEC10G - TEC10GMD



COVEN MCGV0002

## Guides

**5032454 PAIR OF SLIDEWAYS FOR GRID**  
 overall length 320 mm - width 16 mm  
 overall height 19 mm  
 for Convection oven (COVEN) TEC6



COVEN CAGUID45

## Handles

**3242255 CENTRAL LOCK MECHANISM RIGHT**  
 for OVEN  
 for Convection oven electric (COVEN) TEC10  
 TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD  
 TEC15MX - TEC20 - TEC20MD  
 for Convection oven gas (COVEN) TEC10G - TEC10GMD  
 TEC10GP - TEC15G - TEC15GMD - TEC20G  
 TEC20GMD



COVEN MCCHMC10



Suitable for:

# COVEN



Suitable for:

## Handles

### 3242110 COMPLETE OVEN DOOR HANDLE

for Convection oven electric (COVEN) N5P - N5PMEC  
N6MD - N6MX - TEC3MD - TEC3MX - TEC4MX - TEC5P  
TEC5PMEC - TEC6 - TEC6EMD - TEC6EMX - TEC6MD  
TEC6MX - TEC7  
for Convection oven gas (COVEN) N6GMD - TEC5GP  
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G



COVEN MCCHSAMX

### 3242409 LATCH DOUBLE FOR DOOR HANDLE M8

overall length 51.5 mm



COVEN MCP2AMX

### 3242422 COMPLETE OVEN DOOR HANDLE

for Convection oven electric (COVEN) TEC10  
TEC10MD - TEC10MX - TEC10P - TEC10PMEC - TEC15  
TEC15MD - TEC15MX - TEC20 - TEC20MD - 10EMD  
10EMX  
for Convection oven gas (COVEN) TEC10G - TEC10GMD  
TEC10GP - TEC10GPMEC - TEC15G - TEC15GMD  
TEC20G - TEC20GMD - 10GMD



COVEN MCCHSA10

### 3242292 DOOR LOCKING MECHANISM

for OVEN



COVEN

### 3242111 STRIKE FOR DOOR HANDLE M8

overall length 50.5 mm  
for Convection oven electric (COVEN) N6MD - N6MX  
TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6  
TEC6MD - TEC6MX - TEC7  
for Convection oven gas (COVEN) N6GMD - N6GMX  
TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



COVEN MCCHAGMX

### 3242255 CENTRAL LOCK MECHANISM RIGHT

for OVEN  
for Convection oven electric (COVEN) TEC10  
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD  
TEC15MX - TEC20 - TEC20MD  
for Convection oven gas (COVEN) TEC10G - TEC10GMD  
TEC10GP - TEC15G - TEC15GMD - TEC20G  
TEC20GMD



COVEN MCCHMC10





Suitable for:

**3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm**  
for Convection oven electric (COVEN) TEC10  
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD  
TEC15MX - TEC20 - TEC20MD  
for Convection oven gas (COVEN) TEC10G - TEC10GMD  
TEC10GP - TEC15G - TEC15GMD - TEC20G  
TEC20GMD



COVEN MCCHME10

**3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN




COVEN MCCHNA04

**3242409 LATCH DOUBLE FOR DOOR HANDLE M8**  
overall length 51.5 mm



COVEN MCPR2AMX

**3398079 OVEN DOOR CATCH**  
for Convection oven electric (COVEN) TEC2 - TEC3  
TEC3H - TEC4P



COVEN MCCH0002

## COVEN



Suitable for:

**3242685 STRIKE FOR DOOR HANDLE**  
distance between holes 20 mm  
for Convection oven electric (COVEN) TEC10  
TEC10GMD - TEC10MD - TEC10MX - TEC10P - TEC15  
TEC15MD - TEC15MX - TEC20 - TEC20GMD - TEC20MD  
for Convection oven gas (COVEN) TEC10G - TEC10GP  
TEC15G - TEC15GMD - TEC20G



COVEN COC10278

**3242292 DOOR LOCKING MECHANISM**  
for OVEN



COVEN

**3398021 OVEN DOOR CATCH**  
distance between holes 47 mm  
catch distance 27 mm  
for Convection oven (COVEN) - Series TEC5 - TEC8  
TEC9P  
for Convection oven electric (COVEN) TEC10MX  
TEC4MX  
for Convection oven gas (COVEN) TEC6G - TEC7G



COVEN MCCHPI00



Suitable for:

# COVEN



**3242144 OVEN DOOR HANDLE 260x30 mm**  
 with strike mounting distance 45 mm  
 handle mounting distance 133 mm  
 for Convection oven electric (COVEN) TEC3MD  
 TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC  
 TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7  
 for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC  
 TEC6G - TEC6GMD - TEC6GMX - TEC7G



COVEN MCCHIN04

Suitable for:

**3242718 DOOR HANDLE STRIKE**  
 for high temperatures  
 mounting distance 43 mm  
 for OVEN



COVEN MCCHNA04

**3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm**  
 for Convection oven electric (COVEN) TEC10  
 TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD  
 TEC15MX - TEC20 - TEC20MD  
 for Convection oven gas (COVEN) TEC10G - TEC10GMD  
 TEC10GP - TEC15G - TEC15GMD - TEC20G  
 TEC20GMD



COVEN MCCHME10

**3242685 STRIKE FOR DOOR HANDLE**  
 distance between holes 20 mm  
 for Convection oven electric (COVEN) TEC10  
 TEC10GMD - TEC10MD - TEC10MX - TEC10P - TEC15  
 TEC15MD - TEC15MX - TEC20 - TEC20GMD - TEC20MD  
 for Convection oven gas (COVEN) TEC10G - TEC10GP  
 TEC15G - TEC15GMD - TEC20G



COVEN COC10278


**3242111 STRIKE FOR DOOR HANDLE M8**  
 overall length 50.5 mm  
 for Convection oven electric (COVEN) N6MD - N6MX  
 TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6  
 TEC6MD - TEC6MX - TEC7  
 for Convection oven gas (COVEN) N6GMD - N6GMX  
 TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



COVEN MCCHAGMX


## Heating elements

**3755264 HEATING ELEMENT 10000W 240V**  
 external  $\varnothing$  355 mm - overall height 177 mm  
 flange 140x25 mm  
 for Convection oven electric (COVEN) TEC10P  
 TEC10PMEC - TEC15 - TEC15MD - TEC15MX - TEC20  
 TEC20MD - TEC5P - TEC5PMEC - TEC7



COVEN EMR10000

**3455366 HEATING ELEMENT 2500W 240V**  
 length 350 mm - width 405 mm  
 flange 100x22 mm  
 for Proving oven electric (COVEN) LIEVITATORE10  
 LIEVITATORE8



COVEN EMRSA025



Suitable for:

**3755265 HEATING ELEMENT 3000W 240V**  
 external  $\varnothing$  190 mm - total height 75 mm  
 flange 100x22 mm  
 for Convection oven electric (COVEN) TEC10  
 TEC10MX - TEC3 - TEC3H - TEC3MX - TEC4MX  
 TEC4P - TEC6 - TEC6MX



COVEN EMRSB030


Suitable for:

**5040429 HEATING ELEMENT 3300W 230V**  
 external  $\varnothing$  190 mm - overall height 70 mm  
 flange 100x22 mm  
 for Convection oven electric (COVEN) TEC10MD  
 TEC3MD - TEC6MD  
 for Convection oven electric (COVEN) 6EMD



COVEN EMRSB033

**3455326 HEATING ELEMENT 7500W 230V**  
 external  $\varnothing$  310 mm - internal  $\varnothing$  295 mm  
 flange 142x25 mm  
 for Convection oven electric (COVEN) N5P - N5PMEC  
 N6MD - N6MX



COVEN EMRSN675

## Incandescent lamps and neon lamps

**5049560 NEUTRAL HALOGEN LAMP G9 25W 240V**  
 max. temperature 250°C



COVEN EMPLAL25

**3221041 OVEN LAMP E14 15W 230V**  
 max temperature 300°C  
 for OVEN - PIZZA OVEN



COVEN EMPLLAHO

**3221061 OVEN LAMP E14 25W 230V**  
 max temperature 300°C  
 for OVEN - PIZZA OVEN



COVEN EMPLL025



Suitable for:

# COVEN



Suitable for:

## Indicator lights

**3221085 INDICATOR LAMP GREEN 230V**  
ø head 18 mm - ø hole 12 mm - 120°C



COVEN EMLSAHRO

## Knobs

**3241736 BLACK KNOB ø 36 mm**  
round hole ø 6 mm  
for thermostat and selector switch  
for Convection oven (COVEN)



COVEN MCMAT10N

COVEN MCMAT10N+MCCAT10N

**3241277 BLACK KNOB ø 48 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (COVEN)



COVEN MCMA0M0T

## Lamp receptacles and spare parts

**3221172 FRAME FOR OVEN LAMP RECEPTACLE**  
external dimensions 96x80 mm



COVEN EMPLQU25B

**3221233 GLASS FOR OVEN LAMP RECEPTACLE ø 42 mm**  
thread ø 33 mm - overall height 26 mm  
for Convection oven (COVEN)




COVEN EMPLG042

**3221232 GLASS FOR OVEN LAMP RECEPTACLE ø 53 mm**  
thread ø 33 mm - overall height 32 mm  
for Convection oven (COVEN)



COVEN EMPLG800

**3221268 LAMP RECEPTACLE W/LAMP G9 25W 240V**  
external dimensions 96x80 mm  
max temperature 300°C  
for Convection oven electric (COVEN) TEC10MD  
TEC10MX - TEC10P - TEC10PMEC - TEC15 - TEC15MD  
TEC15MX - TEC20 - TEC20MD - TEC6MX  
for Convection oven gas (COVEN) TEC10G - TEC10GMD  
TEC10GP - TEC10GPMEC - TEC15G - TEC15GMD  
TEC20G - TEC20GMD



COVEN EMPLQU25



Suitable for:

**3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
 lamp glass  $\varnothing$  57 mm  
 mounting hole  $\varnothing$  42 mm  
 max temperature 300°C  
 for OVEN  
 for Convection oven electric (COVEN) TEC10 - TEC2  
 TEC3 - TEC4P - TEC6 - TEC7  
 for Convection oven gas (COVEN) TEC6G - TEC7G



COVEN EMPLP042


Suitable for:

**3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V**  
 lamp glass  $\varnothing$  42 mm  
 mounting hole  $\varnothing$  38 mm  
 max temperature 300°C  
 for OVEN



COVEN EMPLP042

**3221231 LAMP RECEPTACLE WITH LAMP G9 25W 240V**  
 lamp glass  $\varnothing$  53 mm  
 mounting hole  $\varnothing$  40 mm  
 max temperature 300°C  
 for Convection oven electric (COVEN) N5P - TEC10MD  
 TEC10MX - TEC3MD - TEC3MX - TEC4MX - TEC5P  
 TEC6MD - TEC6MX  
 for Convection oven gas (COVEN) TEC5GP - TEC6GMD  
 TEC6GMX



COVEN EMPLP800

## Microswitches


**3240286 DOOR MICROSWITCH MS09 5A 250V**  
 for Convection oven (COVEN)



COVEN EMMS1600

## Motors

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
 fan  $\varnothing$  150 mm  
 for Convection oven electric (COVEN) C6E - TEC10  
 TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H  
 TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6  
 TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX



COVEN EMMVR150



Suitable for:

# COVEN



Suitable for:


## Motors

**3240285 MOTOR 1055.1401 0.2Kw 230V 50Hz**  
 1.5A 1380rpm - capacitor 8  $\mu$ F  
 for Convection oven electric (COVEN) N5P - N5PMEC  
 N6MD - N6MX - TEC10P - TEC10PMEC - TEC15  
 TEC15MD - TEC15MX - TEC20 - TEC20MD - TEC5P  
 TEC5PMEC - TEC7 - 10EMD - 10EMX - 6EMD - 6EMX  
 for Convection oven gas (COVEN) N6GMD - N6GMX  
 TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC  
 TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP  
 TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G  
 10GMD - 6GMD - 6GMX



COVEN EMMTAH13

**3340073 FAN  $\varnothing$  240 mm**  
 thickness 43 mm  
 total blades 55 -  $\varnothing$  hole 13 mm  
 for Convection oven gas (COVEN) C6G - TEC6G  
 TEC6GMD - TEC6GMX - 6GMD - 6GMX



COVEN MCCVE2406G

COVEN MCVN0250

## Penetration probes

**3397021 PENETRATION PROBE PT100**  
 3 wires  
 probe length 185 mm  
 cable length 3000 mm  
 for OVEN ALL MODELS  
 for Convection oven (COVEN)



COVEN EMSOCU04

COVEN EMSONSPEC

## Pilot burners and accessories

**3020006 THREE-FLAME PILOT BURNER SIT**  
 multigas with jet  $\varnothing$  0.20 mm  
 with 3 positions bracket



COVEN EMSITBP0

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M4x1 mm  
 total length 65 mm



COVEN EMSITCA0



## Probes

- 3445021 PROBE TEMPERATURE PT100**  
 3 wires - with fastening fitting  $\varnothing$  1/4"  
 bulb  $\varnothing$  4x120 mm - cable length 1500 mm  
 for chamber temperature  
 for all models  
 for Convection oven (COVEN)



COVEN EMSONDAT

COVEN EMSONTERTEC

## Rotary switches


- 3057019 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Convection oven (COVEN)  
 for Convection oven electric (COVEN) TEC10MX  
 TEC15MX - TEC4MX - TEC6MX  
 for Convection oven gas (COVEN) N6GMD - TEC10GMD  
 TEC15GMD - TEC6GMD



COVEN EMIGSFMX


COVEN EMIG1600

- 3057138 SELECTOR SWITCH 0-3 POSITIONS**  
 for steam adjustment  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (COVEN) TEC10MX  
 TEC15MX - TEC4MX - TEC6MX - 10EMX  
 for Convection oven gas (COVEN) TEC6GMX



COVEN EMIGSUMX

- 3057214 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (COVEN) TEC10MD  
 TEC20MD - TEC3MX - TEC6MD



COVEN EMIGSNMX

## Solenoid valves

- 3120004 SOLEN. VALVE ELBITYPE 319 1 WAY 90°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet  $\varnothing$  10.5 mm



COVEN EMUASRPE

- 3120006 SOLEN. VALVE ELBITYPE 339 2 WAY 90°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - two outlets  $\varnothing$  10.5 mm



COVEN EMUA2RPE



Suitable for:

Suitable for:

**3120013 SOLENOID VALVE ELBI TYPE 359 3-WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - three outlets ø 10.5 mm



COVEN EMUA3C04

**Spark generators**

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz



COVEN EMACA000

**Sparking and detection plugs**

**3020176 ROUND DETECTION PLUG ø 7 mm**  
overall length 195 mm  
for Convection oven gas (COVEN) N6GMD - N6GMX  
TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC  
TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP  
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G



COVEN EMCAS2

**3001003 ROUND SPARKING PLUG ø 7x44 mm**  
male faston M4x1 mm  
total length 65 mm



COVEN EMSITCA0

**3020175 ROUND SPARKING PLUG ø 7x68 mm**  
overall length 200 mm  
for Convection oven gas (COVEN) N6GMD - N6GMX  
TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC  
TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP  
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G



COVEN EMCAS1





## Switches

- 3319689 SWITCH 2-POLE BLACK 16A 250V**  
 16(4)A 250V  
 max. temperature 100°C  
 mounting hole  $\varnothing$  24 mm  
 for Convection oven electric (COVEN) TEC10P  
 TEC4P - TEC5P  
 for Convection oven gas (COVEN) TEC10GP - TEC5GP



COVEN EMDEVOL

## Telethermometers

- 3441071 WHITE TELETHERMOMETER  $\varnothing$  60 mm 50-350°C**  
 metal sheath  
 covered capillary length 1600 mm  
 plastic covered bulb  $\varnothing$  6x20 mm



COVEN EMTR0350

## Thermocouples and accessories

- 3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



COVEN EMSITT20

- 3440037 THERMOCOUPLE SIT M9x1 100 cm.**



COVEN EMSITT20

- 3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



COVEN EMSITT20



Suitable for:

# COVEN



**3440039 THERMOCOUPLE SIT M9x1 150 cm**



COVEN EMSITT150

Suitable for:

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



COVEN EMSITT150

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**




COVEN EMSITT150

## Thermostats

**3444440 SINGLE-PHASE THERMOSTAT 50-280°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm  
for Convection oven electric (COVEN) TEC10  
TEC10P - TEC10PMEC - TEC15 - TEC2 - TEC20  
TEC3 - TEC4P - TEC5PMEC - TEC6  
for Convection oven gas (COVEN) TEC10G  
TEC10GPMEC - TEC15G - TEC20G - TEC5GPMEC



COVEN EMTS0300

## Timers

**3446004 TIMER 120 MINUTES**


complete with silk-screen printed plate  
mechanical timer with sound alarm  
mechanical movement with balance wheel  
manual left hand positioning possible  
120 minutes manually set cycle  
bipolar with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



COVEN EMTM0120

**3446038 TIMER 120 MINUTES M2**

mechanical movement with balance wheel  
with manual position  
120 minute manual reset cycle  
2-pole with contact capacity 16(4)A 250V  
max temperature 125°C - D-shaped pin  $\varnothing$  6x4.6 mm




















COVEN EMFTC120

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [www.lfircambi724.mobi](http://www.lfircambi724.mobi)  
[info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
-  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
-  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
-  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
-  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
-  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteilech724.mobi](http://www.lfersatzteilech724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
-  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
-  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
-  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
-  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
-  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
-  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
-  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
-  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
-  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
-  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)