



Spare parts for:

Ovens



Suitable for:

FOINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2016-05301713





Suitable for:

FOINOX



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



FOINOX 10724

3240502 AXIAL FAN SUNON 80x80x25 mm
ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN



FOINOX 10720

FOINOX 10721

Capacitors, electrical

3068081 CAPACITOR ELECTRICAL 12.5µF
450V 50/60Hz - ø 35xh71 mm



FOINOX 0932

3068095 CAPACITOR ELECTRICAL 4µF
450V 50/60Hz - ø 30xh51 mm



FOINOX 1103

Castors, rollers and accessories

3346066 CASTOR SWIVEL PLATE WITH BRAKE
with ZINC PLATED supports
dimension ø 125x30 mm - capacity 80 Kg
fixing plate 60x60 mm
distance between holes 44 mm



FOINOX 15034

3346065 CASTOR SWIVEL WITH PLATE
with ZINC PLATED supports
dimension ø 125x30 mm - capacity 80 Kg
fixing plate 60x60 mm
distance between holes 44 mm



FOINOX 15033


Contactors

1454001 CONTACTOR ALLEN-BRADLEY K09 20A 400V
coil 230V 50/60Hz
4 normally open contacts



FOINOX 10071


5052636 CONTACT AUXILIARY ALLEN-BRADLEY
10A
3 contacts NO
1 contacts NC
for Convection oven (FOINOX)



FOINOX 10000

Suitable for:

3446509 CONTACTOR SIEMENS 3RT1025-1A
 coil 17A 240V 50Hz 7.5Kw
 3 normally open contacts
 1 normally open auxiliary contact
 1 normally closed auxiliary contact



FOINOX 10004

Suitable for:

3351049 CONTACTOR SIEMENS 3RT2016-1AP01
 9A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



FOINOX 10001

3351059 RELAY THERMAL SIEMENS 1.8-2.5A
 1 contact NO
 1 contact NC
 3RU2116-1CB0 series S00
 for Convection oven electric (FOINOX) MM10EB



FOINOX 10003

3351062 RELAY THERMAL SIEMENS 2.8-4 A
 1 contact NO
 1 contact NC
 3RU2116-1EB0 series S00



FOINOX 10012

Door catches

3242298 CATCH 6195 69 mm - 42 mm
 mounting distance 57 mm - 30 mm
 RAHRBACH



FOINOX 0117B

Door glasses for oven and accessories

5016468 GLASS EXTERNAL OVER DOOR 545x445 mm
 for Convection oven (FOINOX)



FOINOX 15196

5057096 GLASS EXTERNAL OVER DOOR 722x650 mm
 for Convection oven (FOINOX)



FOINOX 15165

5027185 GLASS INTERNAL OVER DOOR 1490x695 mm
 for Convection oven (FOINOX)



FOINOX 40907



Suitable for:

FOINOX



Suitable for:


Electrical gas valves and accessories

3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



FOINOX 0766

3526181 VALVE VK4105C HONEYWELL \varnothing 1/2"
 inlet-outlet \varnothing 1/2" unthreaded
 maximum gas inlet pressure 60 mbar
 room temperature -15 ÷ 60°C
 power supply 220/240V 50Hz
 for Convection oven gas (FOINOX) J00611G - J01011G
 J01021G - J02011G - J02021G




FOINOX 11017

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3 ÷ 30 mbar
 room temperature 0 ÷ 70°C
 power supply 230V 50Hz



FOINOX 3015

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 maximum gas inlet pressure 60 mbar
 max. gas outlet pressure adjustment range 7 ÷ 50 mbar
 outlet gas pressure setting range min. 2 ÷ 45 mbar
 room temperature 0 ÷ 60°C
 power supply 230V 30A rectified



FOINOX 11002

Electronic boxes

3526402 CONTROL BOX S4560A1008
 model HONEYWELL - 220/240V 50Hz 10VA



FOINOX 11003

FOINOX 11020

FOINOX 11020+10807A


3526182 CONTROL BOX S4565A2092B
 model HONEYWELL - 220/240V 50/60Hz 4VA
 for Convection oven (FOINOX) FC05G - MID1005GM
 for Convection oven gas (FOINOX) FC100GM - FC200GM
 FC201GM - FC401GM - FC60GM - FM100GM
 FM100GTD - FM200GM - FM200GTD - FM201GM
 FM201GTD - FM401GM - FM60GM - FM60GTD
 FP100GM - FP50GM - J00611G - J01011G - J01021G
 J02011G - J02021G - MM100GTD - MM200GTD
 MM201GTD - MM60GTD



FOINOX 11016

Suitable for:

3091032 CONTROL BOX S4565BD1064
model HONEYWELL - 220/240V 50/60Hz 4VA



FOINOX

Suitable for:

3091024 CONTROL BOX 537 ABC
model SIT - 230V 50/60Hz 10VA
for Convection oven gas (FOINOX) FM401GTD
FP100GTD



FOINOX 11010

Electronic controllers

3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000
power supply 12Vca/dc 1.5VA
thermostat setting range 99+600°C
ON-OFF control with one actuation point
1 exchange relay output 6(3)A 250V
inbuilt alarm buzzer
access to configuration parameters through
password
serial port for data exchange
room temperature 0+60°C
PTC/NTC/PT100/PT1000 type probe (not included)
connections by screwed terminal block
front dimensions 74x32x65 mm
mounting hole 71x29 mm



FOINOX 1549

Electronic printed-circuit boards

5023359 CONTROL PC BOARD 393x76 mm
for Convection oven (FOINOX)




FOINOX 10535

5047417 CONTROL PC BOARD 475x92 mm
two D-shaped pins \varnothing 6x4.6 mm
for Convection oven (FOINOX)




FOINOX 10514

7100752 PC BOARD DISPLAY 91x80 mm
for Convection oven (FOINOX)



FOINOX 10029

5070061 PC BOARD FOR BOILER 119x93 mm
for Convection oven (FOINOX)



FOINOX 10538



Suitable for:

FOINOX



Suitable for:

7109021 PC BOARD REVERSE 95x80 mm
for Convection oven (FOINOX)



FOINOX 10672

Energy regulators


3350024 ENERGY ADJUSTER
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction



FOINOX 0280

Fans for motors

5025719 FAN \varnothing 145 mm
thickness 38 mm
number of blades 28 - \varnothing hole 7 mm
for Convection oven (FOINOX)



FOINOX 15007


Gas burners

3023155 BURNER \varnothing 40x420 mm
overall length 425 mm
made of STAINLESS steel
for Convection oven gas (FOINOX) FC06G - FC06GA
FM06GDA - FP05G - FP05GA - MM06GA - MM06GB



FOINOX 0768

3023158 BURNER \varnothing 50x325 mm
overall length 355 mm
made of STAINLESS steel
for Convection oven gas (FOINOX) FM06GDG - FM10GB
FM10GDG - FM100GEP - FM100GM - FM100GTD
FM20GDG - FM200GEP - FM200GM - FM200GTD
FM201GEP - FM201GM - FM60GEP - FM60GM
FM60GTD - J01011G - J01021G - J0611G



FOINOX 3131

Suitable for:

Suitable for:

3023159 BURNER ø 50x480 mm
 overall length 490 mm
 made of STAINLESS steel
 for Convection oven gas (FOINOX) FC12G - FC12GA
 FM10GB - FP10G - FP10GA - MM10GA - MM10GB

3023154 BURNER ø 51x620 mm
 overall length 625 mm
 made of STAINLESS steel
 for Convection oven gas (FOINOX) FC100GEP
 FC100GM - FC20G - FC20GA - FC200GEP - FC200GM
 FC201GEP - FC201GM - FC401GEP - FC401GM
 FC401GTD - FC60GEP - FC60GM - FM100GM
 FM100GTD - FM200GM - FM200GTD - FM201GTD
 FM401GTD - FM60GM - FM60GTD - FP100GM
 FP50GEP - FP50GM - JO1011G - JO1021G - JO2011G
 JO2021G - JO611G - MM100GTD - MM200GTD
 MM201GTD - MM60GTD



FOINOX 0767A

FOINOX 11030

FOINOX 1361

Gaskets for oven door

5058644 GASKET FOR OVEN DOOR 760x665 MM
 made of silicone elastomer
 profile dimensions 15/12x27 mm
 colour black
 for Convection oven (FOINOX)

7104565 GASKET FOR OVEN DOOR 2700 mm
 made of silicone elastomer
 profile dimensions 22x15 mm
 COLOUR: BLACK
 for Convection oven (FOINOX)




FOINOX 14097

FOINOX 60321

5021131 GASKET FOR OVEN DOOR 320x260 mm
 made of silicone elastomer
 with fastening clamps
 black colour
 for Convection oven (FOINOX)

3286028 GASKET FOR OVEN GLASS 3198 - 25 m
 made of silicone elastomer
 profile dimensions 14x12 mm
 BLACK COLOR
 for Convection oven electric (FOINOX) FC20EA
 FM10EB - FM10EDG - FM20EB - FM20EDG - MM20EA
 MM20EB
 for Convection oven gas (FOINOX) FM10GB - FM10GDG
 FM20GB - FM20GDG - MM10GA - MM10GB - MM20GA
 MM20GB



FOINOX 0161

FOINOX 0489

FOINOX 1444



Suitable for:


FOINOX



Suitable for:

3286027 GASKET FOR OVEN GLASS 3198 - 6 m

made of silicone elastomer
 profile dimensions 14x12 mm
 BLACK COLOR
 for Convection oven electric (FOINOX) FC20EA
 FM10EB - FM10EDG - FM20EB - FM20EDG - MM20EA
 MM20EB
 for Convection oven gas (FOINOX) FM10GB - FM10GDG
 FM20GB - FM20GDG - MM10GA - MM10GB - MM20GA
 MM20GB




FOINOX 0489

FOINOX 1444

3786108 GLASS TOP/BOTTOM GASKET

length 490 mm
 made of silicone elastomer
 profile dimensions 12x5 mm
 BLACK COLOR
 for Convection oven electric (FOINOX) J01011E
 J01021E - J02011E - J02021E
 for Convection oven gas (FOINOX) J01011G - J01021G
 J02011G - J02021G



FOINOX 14018

3786110 GLASS TOP/BOTTOM GASKET


length 492 mm
 made of silicone elastomer
 profile dimensions 12x5 mm
 BLACK COLOR
 for Convection oven electric (FOINOX) J00611E
 for Convection oven gas (FOINOX) J00611G



FOINOX 14027

5069306 KIT GASKET FOR OVEN DOOR

made of silicone elastomer
 4 pieces profile dimensions 26.4x26 mm
 2 pcs length 475 mm - 2 pcs length 680 mm
 COLOUR: BLACK
 for Convection oven (FOINOX)



FOINOX 0323

FOINOX 1095

FOINOX 1442(2)+1443(2)

3786109 LATERAL OVEN GLASS GASKET 1210 m m


made of silicone elastomer
 profile dimensions 12x5 mm
 COLOUR BLACK
 for Convection oven electric (FOINOX) J02011E
 J02021E
 for Convection oven gas (FOINOX) J02011G - J02021G



FOINOX 14017

3786111 LATERAL OVEN GLASS GASKET 443 m m

made of silicone elastomer
 profile dimensions 12x5 mm
 COLOUR BLACK
 for Convection oven electric (FOINOX) J00611E
 for Convection oven gas (FOINOX) J00611G



FOINOX 14026



Suitable for:

Suitable for:

3786114 LATERAL OVEN GLASS GASKET 655 mm
 made of silicone elastomer
 profile dimensions 12x5 mm
 COLOUR BLACK
 for Convection oven electric (FOINOX) J01011E
 J01021E
 for Convection oven gas (FOINOX) J01011G - J01021G



FOINOX 14019

3286032 OVEN DOOR GASKET - 25 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED
 for Convection oven (FOINOX)



FOINOX 14011
 FOINOX 14014
 FOINOX 14028

FOINOX 14012
 FOINOX 14020
 FOINOX 14029

FOINOX 14013
 FOINOX 14021

3286085 OVEN DOOR GASKET - 3 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED
 for Convection oven (FOINOX)




FOINOX 14011
 FOINOX 14014
 FOINOX 14028

FOINOX 14012
 FOINOX 14020
 FOINOX 14029

FOINOX 14013
 FOINOX 14021

3286031 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED
 for Convection oven (FOINOX)




FOINOX 14011
 FOINOX 14014
 FOINOX 14028

FOINOX 14012
 FOINOX 14020
 FOINOX 14029

FOINOX 14013
 FOINOX 14021

3286030 OVEN DOOR GASKET 04880 - 15 m
 made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR
 for Convection oven (FOINOX)




FOINOX 0324
 FOINOX 3351

FOINOX 1093
 FOINOX 3352

FOINOX 1217

3286084 OVEN DOOR GASKET 04880 - 3 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 BLACK COLOUR
 for Convection oven (FOINOX)




FOINOX 0324
 FOINOX 3351

FOINOX 1093
 FOINOX 3352

FOINOX 1217

3286029 OVEN DOOR GASKET 04880 - 6 m
 made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR
 for Convection oven (FOINOX)



FOINOX 0324
 FOINOX 3351

FOINOX 1093
 FOINOX 3352

FOINOX 1217

3786115 OVEN DOOR GASKET 1435x660 mm
 made of silicone elastomer
 COLOR BLACK
 for Convection oven electric (FOINOX) J02011E
 J02021E
 for Convection oven gas (FOINOX) J02011G - J02021G
 for Convection oven (FOINOX) FC401CEME



FOINOX 14082




Suitable for:

FOINOX



3786621 OVEN DOOR GASKET 2200 mm
 made of silicone elastomer
 profile dimensions 22x11 mm
 COLOUR BLACK
 for Convection oven (FOINOX) - Series KC06
 Series KM06 - Series LCM6 - Series LC6
 Series LP40 - Series LP50 - Series REGEN06
 Series W07



FOINOX 60320

Suitable for:

3786622 FASTENING PLATE FOR GASKET
 for Convection oven (FOINOX)



FOINOX 60303

3786619 OVEN DOOR GASKET 400x330 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (FOINOX) FE2/3
 for Convection oven (FOINOX) FE2/3PSUBM




FOINOX 0162

3786637 OVEN DOOR GASKET 470x390 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven (FOINOX) - Series SPEEDY
 for Convection oven (FOINOX) SPEEDYONE



FOINOX 14070

3786112 OVEN DOOR GASKET 650x515 mm
 made of silicone elastomer
 profile dimensions 26x16 mm
 COLOUR BLACK
 for Convection oven electric (FOINOX) J00611E
 for Convection oven gas (FOINOX) J00611G
 for Convection oven (FOINOX) FM60EEP2




FOINOX 14080

3786620 OVEN DOOR GASKET 660x380 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (FOINOX) BLUPASTRYM
 BLUPASTRYVIP




FOINOX 14076

3786113 OVEN DOOR GASKET 775x660 mm
 made of silicone elastomer
 profile dimensions 26x16 mm
 COLOUR BLACK
 for Convection oven electric (FOINOX) J01011E
 for Convection oven gas (FOINOX) J01011G



FOINOX 14081

3186344 OVEN GLASS GASKET 1100 mm
 made of silicone elastomer
 profile dimensions 15x12 mm
 COLOUR BLACK
 for Convection oven (FOINOX) - Series MM



FOINOX 30093



Handles

- 3242110 COMPLETE OVEN DOOR HANDLE**
 for Convection oven (FOINOX) MIDI005GM
 for Convection oven electric (FOINOX) FC05EU
 MIDI005EEP - MM06EBM
 for Convection oven gas (FOINOX) MIDI005GEP



FOINOX 90199

- 3242250 COMPLETE OVEN DOOR HANDLE**
 for Convection oven (FOINOX) - Series FC
 Series FD - Series FM - Series FP - Series MM



FOINOX 1742

FOINOX 3700.2

- 3242255 CENTRAL LOCK MECHANISM RIGHT**
 for OVEN



FOINOX 3747

- 3242080 HANDLE GUIDE LOCK**
 for OVEN



FOINOX 3775

- 3242064 HANDLE SPACER BUSHING**
 for Convection oven electric (FOINOX) MM06EB



FOINOX 3734

- 3242044 BUSHING FOR DOOR HANDLE**
 for Convection oven electric (FOINOX) MM06EB



FOINOX 3736.1

- 3242041 CLASP \varnothing 3x25 mm**
 stainless steel C70 - UNI 6873 - DIN 1481 - ISO 87
 for Convection oven electric (FOINOX) MM06EB



FOINOX 3750.02

FOINOX 3780

- 3242254 HANDLE LOCK FOR OVEN DOOR**
 for Convection oven (FOINOX)
 since 1/01/95 - Series FM6



FOINOX 3760A

- 3242057 OVEN HANDLE BOTTOM TIE ROD 122 mm**
 for FOINOX OVEN series FC06
 for Convection oven (FOINOX) - Series FC06



FOINOX 3910



Suitable for:

3242043 OVEN HANDLE TOP TIE ROD 155 mm
for Convection oven electric (FOINOX) FC06



FOINOX 3909

3242251 SPRING FOR DOOR HANDLE \varnothing 16x37 mm
for OVEN



FOINOX 3771

3242252 WASHER FOR DOOR HANDLE
for Convection oven electric (FOINOX) MM06EB



FOINOX 3754

3242509 COMPLETE OVEN DOOR HANDLE
for Convection oven electric (FOINOX) J00611E
J01011E - J01021E - J02011E - J02021E
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G



FOINOX 1745

3242255 CENTRAL LOCK MECHANISM RIGHT
for OVEN



FOINOX 3747

FOINOX



Suitable for:

3242253 PIN FOR DOOR HANDLE
for Convection oven (FOINOX) MM2/3EA - MM2/3EB
MM2/3EM




FOINOX 3759.02

3242059 STRIKE FOR DOOR HANDLE
distance between mounting holes 21 mm
for OVEN



FOINOX 3738.1

3242044 BUSHING FOR DOOR HANDLE
for Convection oven electric (FOINOX) MM06EB



FOINOX 3736.1

3242080 HANDLE GUIDE LOCK
for OVEN



FOINOX 3775



Suitable for:

3242064 HANDLE SPACER BUSHING
for Convection oven electric (FOINOX) MM06EB



FOINOX 3734

3242252 WASHER FOR DOOR HANDLE
for Convection oven electric (FOINOX) MM06EB



FOINOX 3754

3242447 FASTENING PLATE FOR DOOR HANDLE
for OVEN



FOINOX 3773

3242144 OVEN DOOR HANDLE 260x30 mm
with strike mounting distance 45 mm
handle mounting distance 133 mm



FOINOX 1496

3242448 OVEN HANDLE TOP/BOT.TIE ROD 172 mm
for Convection oven electric (FOINOX) J00611E
J01011E
for Convection oven gas (FOINOX) J00611G - J01011G



FOINOX 40332

FOINOX



Suitable for:

3242487 OVEN HANDLE TOP/BOT.TIE ROD 630 mm
for Convection oven electric (FOINOX) J02011E
J02021E
for Convection oven gas (FOINOX) J02011G - J02021G



FOINOX 40329

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm



FOINOX 0285

FOINOX 0285+0285B

FOINOX 0285B

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



FOINOX 1500



Suitable for:

FOINOX



Suitable for:


Heating elements

3355854 HEATING ELEMENT 16000W 230V
 external \varnothing 360 mm - overall height 173 mm
 flange 142x25 mm
 for Convection oven electric (FOINOX) FC100EM
 FC201EM - FM100EEP - FM100EM - FM100ETD
 FM201EM - FM201ETD - FM2201EEP - FP100EEP
 FP100EM - FP100ETD - JO1011E - JO1021E
 JO2011E - JO2021E - MM100EEP - MM100EM
 MM100ETD - MM201EEP - MM201EM - MM201ETD



FOINOX 10638

3455385 HEATING ELEMENT 1800W 230V
 length 357 mm - width 392 mm
 overall length 390 mm - overall width 485 mm
 flange 100x22 mm
 for Convection oven electric (FOINOX) SPEEDY SM
 SPEEDY SMECO



FOINOX 10645

FOINOX 10647

3355862 HEATING ELEMENT 2000W 230V
 immersed length 220 mm - width 65 mm
 flange 80x27 mm
 for Convection oven electric (FOINOX) FM60EEP
 FM60EM - FM60ETD - JO0611E



FOINOX 10621

3755207 HEATING ELEMENT 2500W 230V
 external \varnothing 200 mm - overall height 78 mm
 flange 100x22 mm
 for Convection oven electric (FOINOX) FE1/2
 FE2/3



FOINOX 0022

5035015 HEATING ELEMENT 2500W 240V
 external \varnothing 200 mm - overall height 80 mm
 flange 100x22 mm
 for Convection oven electric (FOINOX) FC06EA-EDG
 SPEEDY M - SPEEDY SM - SPEEDY SMECO
 SPEEDY UMUW



FOINOX 0152

FOINOX 0159

3755092 HEATING ELEMENT 3000/3266W 230/240V
 external \varnothing 190 mm - overall height 70 mm
 flange 100x22 mm
 for Convection oven electric (FOINOX) FC06
 FC06EA - FC12E - FC12EA-EDG
 for Electric oven electric (FOINOX) SPEEDY MW
 SPEEDY UMU



FOINOX 0508

3755209 HEATING ELEMENT 3000W 230V
 immersed length 220 mm - width 65 mm
 flange 80x28 mm
 for Convection oven electric (FOINOX) FM100EEP
 FM100EM - FM100ETD - FM200EEP - FM200EM
 FM200ETD - FM201EEP - FM201EM - FM201ETD
 JO1011E - JO1021E - JO2011E



FOINOX 10622

3355433 HEATING ELEMENT 3500W 240V
 length 115 mm - width 625 mm
 flange 70x22 mm
 for Convection oven electric (FOINOX) FC12SE
 FC12SEA - FC20E - FC20EA - FM10E - FM10EB
 FM10EDG - FM20EB - FP10E - FP10EA - MM10EA
 MM10EB - MM20EA - MM20EB



FOINOX 1466



Suitable for:

Suitable for:

3355431 HEATING ELEMENT 4000W 230V
 immersed length 310 mm
 flange external \varnothing 63 mm
 with bulb sheath \varnothing 6 mm
 complete with O-RING
 nut and washer upon request
 for boiler
 for Convection oven electric (FOINOX) FM06EB
 FM06EDG - FM10E - FM10EB - FM10EDG - FM20EB
 FM20EDG




FOINOX 3434

3355863 HEATING ELEMENT 6000W 230V
 immersed length 440 mm - width 65 mm
 flange 80x27 mm
 for Convection oven electric (FOINOX) FM401EEP
 FM401EM - FM401ETD - JO2021E



FOINOX 10620

3755206 HEATING ELEMENT 6000W 240V
 external \varnothing 230 mm - height 130 mm
 flange 140x25 mm
 for Convection oven electric (FOINOX) FC05EU
 FC05EUM - FC06E - FC50EM - MIDI005EEP
 MIDI005EM



FOINOX 1023

5063176 HEATING ELEMENT 700W 230V
 length 300 mm - width 140 mm
 fittings M10x1 mm
 for Convection oven (FOINOX)



FOINOX 10643

3755237 HEATING ELEMENT 7500W 230V
 external \varnothing 260 mm - overall height 165 mm
 flange 142x25 mm




FOINOX 3016

3355769 HEATING ELEMENT 8000W 230V
 external \varnothing 300 mm - overall height 165 mm
 flange 145x25 mm
 for Convection oven electric (FOINOX) FC60EEP
 FC60EM - FC60ETD - FDE10/155EP - FDE10/155M
 FDE10/155TD - FDE55EP - FDE55M - FDE55TD
 FM60EEP - FM60EM - FM60ETD - FP50EEP - FP50EM
 MM60ED - MM60EEP - MM60EM - MM60ETD



FOINOX 10628

3355432 HEATING ELEMENT 8000W 240V
 external \varnothing 260 mm - height 80 mm
 flange 140x25 mm
 for Convection oven electric (FOINOX) FC06SE
 FM06EB - FM06EDG - FP05E - FP05EA - MM06EA
 MM06EB - M06EBM



FOINOX 3016

FOINOX 3016A

3755208 HEATING ELEMENT 920W 230V
 length 260 mm - width 210 mm
 overall height 120 mm - connections \varnothing 1/4"
 for Convection oven electric (FOINOX) FC06
 FC06EA - FC12E - FC12EA-EDG - FP05EA



FOINOX 1126



Suitable for:

FOINOX

Suitable for:



Hinges, catches and accessories

5021411 HINGE UPPER OVEN DOOR
for Convection oven (FOINOX)



FOINOX 12024

3053230 OVEN DOOR BOTTOM HINGE
for Convection oven electric (FOINOX) FC06E
FC06EA - FC06SE - FC12E - FC12EA - FC12SE
FC12SEA - FC20E - FC20EA - FM06EB - FM06EDG
FM10E - FM10EB - FM10EDG - FM20EB - FM20EDG
FP05E - FP05EA - FP10E - FP10EA - MM06EA
MM06EB - MM06EBM - MM10EA - MM10EB - MM20EA
MM20EB
for Convection oven gas (FOINOX) FC06G - FC06GA
FC12G - FC12GA - FC20G - FC20GA - FM06GDG
FM10GB - FM10GDG - FM20GB - FM20GDG - FP05G
FP05GA - FP10G - FP10GAP - MM06GA - MM06GB
MM10GA - MM10GB - MM20GA - MM20GB



FOINOX 0321.05

5020235 PIN UPPER OVEN DOOR
for Convection oven (FOINOX)



FOINOX 12026

3053351 RIGHT/LEFT HINGE FOR OVEN
mounting distance 130 mm - overall length 170 mm
height 50 mm
for Convection oven (FOINOX) - Series SPEEDY
for Convection oven (FOINOX) PASTAYX4-5
for Convection oven electric (FOINOX) ECOSPEEDY/SM



FOINOX 15062

FOINOX 15063

FOINOX 15066

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



FOINOX 0631

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



FOINOX 0592

3221080 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
for Convection oven (FOINOX) - Series FC
Series FM



FOINOX 0591



Knobs

- 3241340 BLACK KNOB \varnothing 38 mm**
 D-shaped hole 6x4.6 mm
 for Convection oven (FOINOX) - Series FM



FOINOX 0150

FOINOX 3253

Labels for control panels

- 7110330 PLATE ELECTRONIC BLUE-WHITE**
 dimensions 890x110 mm
 for Convection oven electric (FOINOX) LCM10EEP1
 MM100EEP



FOINOX 23033AF0

FOINOX 23033EU0

Lamp receptacles and spare parts

- 3221171 HALOGEN LAMP RECEPTACLE G4 20W 12V**



FOINOX 40863

- 3186173 GASKET FOR OVEN LAMP RECEPTACLE**
 external dimensions 93x79 mm
 for Convection oven (FOINOX)



FOINOX 10304

- 3221172 FRAME FOR OVEN LAMP RECEPTACLE**
 external dimensions 96x80 mm



FOINOX 10306

- 3221173 GLASS FOR OVEN LAMP RECEPTACLE**
 external dimensions 73x58 mm



FOINOX 10305



Suitable for:

3221204 HALOGEN LAMP RECEPTACLE G4 20W 12V
UL certified - wire connection length 300 mm
for Convection oven (FOINOX)




FOINOX 10308

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C



FOINOX 10307

3221311 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 36 mm
max temperature 300°C
for Convection oven (FOINOX)



FOINOX 35.0002.01

FOINOX



Suitable for:

3221175 HALOGEN LAMP RECEPTACLE KIT G4 20W 12V
complete with 2 ceramic terminal blocks 2 poles
complete with cables length 2000 mm
wire connection length 100 mm
for Convection oven (FOINOX)



FOINOX 10867

FOINOX 10867+10360(2PZ)

3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
dimensioni esterne 106x65 mm



FOINOX 3542

Level regulators

3341026 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz
for Convection oven electric (FOINOX) FM100EM
FM200EM - FM201EM - FM401EM - FM60EM
for Convection oven gas (FOINOX) FM100GM - FM200GM
FM201GM - FM401GM - FM60GM



FOINOX 10532

FOINOX 3386



Level sensors

3341025 BOILER PROBE SET M12x1 mm 80 mm - 3 PCS
for Convection oven (FOINOX) FM06 - FM10 - FM20



FOINOX 3683

3341028 LEVEL PROBE \varnothing 1/4" M-150 mm
for Convection oven (FOINOX) FM200
for Convection oven electric (FOINOX) J00611E
J01011E - J01021E - J02011E - J02021E
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G



FOINOX 3572


3341014 SET BOILER PROBE M12x1 mm 3 PCS
this kit includes:
1 probe 155 mm
1 probe 160 mm
1 probe 173 mm
for Convection oven (FOINOX) FM10 - FM20



FOINOX 3681

Microswitches

3240724 MAGNET FOR MICROSWITCH \varnothing 23x10 mm



FOINOX 10420

3240498 MAGNETIC MICROSWITCH STEM D102 1B
1-NO 1A 250V 50W
cylindrical deflector \varnothing 10x33 mm thread M10x0.75
cable length 2000 mm



FOINOX 10419

3240256 MAGNETIC MICROSWITCH STEM E550 1B
1 contact NO 250V 1A 50W
cable length 1200 mm



FOINOX 70201

3240410 MICROSWITCH 16(4)A 250V
for Convection oven electric (FOINOX) J00611E
J01011E - J01021E - J02011E - J02021E
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G



FOINOX 1519



Suitable for:

FOINOX



Suitable for:


Motors

3240723 MOTOR FB100L 4/8 0.55/0.13Kw 380/415V
 50/60Hz 1.4/0.38A - 1600/700rpm
 for Convection oven electric (FOINOX) J01011E
 J02011E
 for Convection oven gas (FOINOX) J01011G - J02011G




FOINOX 0841B

3240722 FAN ø 300 mm
 thickness 100 mm
 totale blades 24 - ø tapered hole 20-23 mm
 for Convection oven electric (FOINOX) J01011E
 J02011E
 for Convection oven gas (FOINOX) J01011G - J02011G



FOINOX 15038

3240721 FAN ø 350 mm
 thickness 100 mm
 totale blades 24 - ø tapered hole 20-23 mm
 for Convection oven electric (FOINOX) J01021E
 J02021E
 for Convection oven gas (FOINOX) J01021G - J02021G




FOINOX 15039

3186447 MAIN SHAFT SEALING GASKET
 external ø 29.5 mm - internal ø 23.5 mm
 thickness 3 mm



FOINOX 0688

3240031 MOTOR LM63/2 0.11Kw 220/240V 50/60Hz
 0.90A 2760rpm - capacitor 4 µF not included
 former model FIR 1572



FOINOX 1100C


5004420 MOTOR ST100L/4 0.55Kw 50/60Hz
 220/240/346-415V 50Hz 0.55Kw 2.6/1.5A 1400rpm
 200/240/346-460V 60Hz 0.55Kw 2.3/1.3A 1700rpm
 for Convection oven (FOINOX) FC100 - FC200 - FC201
 FC401 - FM100 - FM200 - FM201 - FM401 - FP160
 FP80 - MM100 - MM200 - MM201 - MM401



FOINOX 0840

FOINOX 0840B

3240392 FAN ø 300 mm
 thickness 100 mm
 total blades 24 - ø tapered hole 19-24 mm
 for Convection oven (FOINOX) - Series FC
 Series FM - Series MM




FOINOX 3196



Suitable for:

3240036 FAN \varnothing 350 mm
 thickness 100 mm
 total blades 24 - \varnothing tapered hole 19-24 mm
 for Convection oven electric (FOINOX) FC12SE
 FC20E - FC20EA - FC200EEP - FC200EM - FC401EM
 FM20EB - FM200EM - FM401EM - FP10E - FP10EA
 MM20EA - MM20EB - MM200EM - MM401EM
 for Convection oven gas (FOINOX) FC12G - FC12GA
 FC20G - FC20GA - FC200GM - FC401GM - FM20G
 FM20GB - FM200GM - FM401GM - FP10G - FP10GA
 MM20GA - MM20GB - MM200GEP - MM200GM - MM401GM



FOINOX 0759


Suitable for:

3186447 MAIN SHAFT SEALING GASKET
 external \varnothing 29.5 mm - internal \varnothing 23.5 mm
 thickness 3 mm



FOINOX 0688

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
 fan \varnothing 150 mm



FOINOX 0016

FOINOX 0016A

FOINOX 10731

2000183 MOTOR 1057.1957 0.5/0.1HP 220/240V 50Hz
 WITH THERMAL
 2/0.7A - 2700/1400 rpm - capacitor 20 μ f
 for Convection oven electric (FOINOX) FM06EDG
 FM60ETD - FP50EEP - FP50EM - JO0611E - MM60ETD
 for Convection oven gas (FOINOX) FM06GDG - FM60GTD
 FP50GEP - FP50GM - JO0611G - MM60GTD




FOINOX 0764

5027648 FLANGE FOR MOTOR SHAFT
 external \varnothing 48 mm - internal \varnothing 15 mm - thickness 8
 for Convection oven (FOINOX)



FOINOX 0692

3240109 FAN \varnothing 220 mm
 thickness 79 mm
 total blades 20 - \varnothing tapered hole 11.5-16.5 mm
 for Convection oven electric (FOINOX) FC60EEP
 FC60EM - FM60EM - FM60ETD - FP50EEP - FP50EM
 JO611E - MM60ED - MM60EM - MM60ETD
 for Convection oven gas (FOINOX) FC60GEP - FC60GM
 FM60GEP - FM60GM - FM60GTD - FP50GEP - FP50GM
 JO611G - MM60GEP - MM60GM - MM60GTD
 for Convection oven (FOINOX) LCM06EM1



FOINOX 15016

3186421 GASKET SEALING MOTOR SHAFT
 external \varnothing 20 mm - internal \varnothing 14.5 mm - thickness
 for Convection oven (FOINOX)



FOINOX 0689




Suitable for:

FOINOX




3240391 MOTOR 1057.2157 0.37Kw 220/240V 50Hz
 2700rpm - capacitor 12.5 μ f
 for Convection oven (FOINOX) - Series FC
 Series FM - Series MM
 for Convection oven (FOINOX) LCM06EM1
 for Convection oven electric (FOINOX) FM60EM
 for Steam oven electric (FOINOX) BASIC VAP



FOINOX 10705

3240030 FAN ϕ 180 mm
 thickness 60 mm
 total blades 16 - ϕ tapered hole 11.5-16.5 mm
 for Convection oven electric (FOINOX) FC06SE
 FM06EB - FM06EDG - FP05E - FP05EA - MM06EA
 MM06EB - MM06EBM
 for Convection oven gas (FOINOX) FC06G - FC06GA
 FM06GDG - FP05G - FP05GA - MM06GA - MM06GB



FOINOX 0758

5027648 FLANGE FOR MOTOR SHAFT
 external ϕ 48 mm - internal ϕ 15 mm - thickness 8
 for Convection oven (FOINOX)



FOINOX 0692

7103821 MOTOR 3003A2351 0.12Kw 230V 50Hz
 0.8A - 2800rpm - capacitor 5 μ F
 for Convection oven (FOINOX)



FOINOX 1720

Suitable for:

5050086 FAN ϕ 160 mm
 thickness 60 mm
 number of blades 15 - tapered hole ϕ 11-15 mm
 for Convection oven (FOINOX)



FOINOX 1118

3240109 FAN ϕ 220 mm
 thickness 79 mm
 total blades 20 - ϕ tapered hole 11.5-16.5 mm
 for Convection oven electric (FOINOX) FC60EEP
 FC60EM - FM60EM - FM60ETD - FP50EEP - FP50EM
 JO611E - MM60ED - MM60EM - MM60ETD
 for Convection oven gas (FOINOX) FC60GEP - FC60GM
 FM60GEP - FM60GM - FM60GTD - FP50GEP - FP50GM
 JO611G - MM60GEP - MM60GM - MM60GTD
 for Convection oven (FOINOX) LCM06EM1



FOINOX 15016

3186421 GASKET SEALING MOTOR SHAFT
 external ϕ 20 mm - internal ϕ 14.5 mm - thickness
 for Convection oven (FOINOX)



FOINOX 0689



Outlet solenoid valves and accessories

3525006 BOILER MOTOR DRAIN VALVE
 230V 50/60Hz 2.5W
 fittings \varnothing 1/2"FF DN15



FOINOX 10036

Penetration probes

3397026 PENETRATION PROBE
 connector fitting
 probe length 180 mm
 cable length 1200 mm
 for Convection oven electric (FOINOX) LCM06EEP1
 LCM06EM1 - LCM10EEP1 - LCM10EM1 - LC06EEP1
 LC06EM1 - LC10EEP1 - LC10EM1
 for Convection oven gas (FOINOX) LCM06GEP1
 LCM06GM1 - LCM10GEP1 - LCM10GM1 - LC06GEP1
 LC06GM1 - LC10GEP1 - LC10GM1



FOINOX 10406

3397040 PENETRATION PROBE PT100
 connector fitting
 probe length 185 mm
 compartment internal cable length 445 mm
 compartment external cable length 1440 mm
 for Convection oven electric (FOINOX) FM06EB
 MM2ED - MM2EEP - MM2EM - MM3ED - MM3EEP
 MM3EM



FOINOX 10401

3397041 PENETRATION PROBE TCJ
 2 wires
 probe length 185 mm
 chamber internal cable length 730 mm
 chamber external cable length 1440 mm
 with fastening coupling \varnothing 1/8"
 for Convection oven electric (FOINOX) FM10EDG
 for Convection oven gas (FOINOX) FM10GDG



FOINOX 3567

3397006 PROBE PENETRATION PT100
 connector fitting
 probe length 180 mm
 compartment internal cable length 680 mm
 compartment external cable length 1400 mm
 for Convection oven electric (FOINOX) FC12EA
 FC12SEA - FC20E - FC20EA - MM10EA - MM10EB
 MM20EA - MM20EB
 for Convection oven gas (FOINOX) FC12G - FC12GA
 FC20G - FC20GA - MM10GA - MM10GB - MM20GA
 MM20GB



FOINOX 10402



Suitable for:

FOINOX



Suitable for:

Pilot burners and accessories

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



FOINOX 0836

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



FOINOX 0832

Potentiometers

3057230 COMPLETE POTENTIOMETER FOR BOARD
D-shaped pin 6x4.6 mm
for Convection oven electric (FOINOX) MM100EEP
MM60EEP
for Convection oven gas (FOINOX) MM100GEP
MM200GEP - MM201GEP - MM401GEP - MM60GEP



FOINOX 10566

5047294 POTENTIOMETER COMPLETE FOR BOARD
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (FOINOX)



FOINOX 10527

Pre-rinse units

3359605 WHITE SHOWER HEAD NEW \varnothing 1/2" F



FOINOX 1518.01

Probes

3397128 PROBE TEMPERATURE PT100
2 wires - bulb \varnothing 6x37 mm
probe length 120 mm
cable length 1400 mm
with fastening coupling M10x1 mm
for Convection oven electric (FOINOX) J00611E
J01011E - J01021E - J02011E - J02021E
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G



FOINOX 10411

3397088 PROBE TEMPERATURE T
2 wires - temperature probe f/boiler and chamber
probe length 225 mm
cable length 1000 mm
for ALL MODELS
for Convection oven (FOINOX)



FOINOX 3569



Relays

- 3351007 POWER RELAY FINDER 55.32.8.230.0040**
 230V 50/60Hz
 2 exchange contacts 10A
 with to test push-button + mechanic gauge




FOINOX 10504

FOINOX 10507


Rotary switches

- 3057097 SELECTOR SWITCH 0-2 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (FOINOX) FE1/2
 FE2/3




FOINOX 0038

- 3057010 SELECTOR SWITCH 0-4 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.0 6 mm
 for Convection oven (FOINOX) - Series FC



FOINOX 0281

- 3057335 SELECTOR SWITCH 10 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.0 6 mm
 for Convection oven (FOINOX)



FOINOX 10027

- 3057047 SELECTOR SWITCH 6 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.0 6 mm
 for Convection oven (FOINOX) - Series FM
 Series MIDI - Series MM



FOINOX 3018

Solenoid valves

- 3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



FOINOX 0282

- 3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**
 24V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



FOINOX LF-3120530



Suitable for:

3120007 SOLEN. VALVE ELBITYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



FOINOX 1363

Suitable for:

3120512 SOLEN. VALVE ELBITYPE 351 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



FOINOX

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



FOINOX 0825

Sparking and detection plugs

3020065 ROUND SPARKING PLUG ø 9.5x77 mm
overall length 125 mm
for Convection oven gas (FOINOX) FC100GEP
FC200GEP - FC200GM - FC201GEP - FC401GEP
FC401GM - FC60GEP - FC60GM - FDG55EP - FDG55TD
FM06GDG - FM10GB - FM10GDG - FM100GEP
FM100GM - FM100GTD - FM200GEP - FM200GTD
FM201GEP - FM201GM - FM401GEP - FM401GM
FM401GTD - FM60GEP - FM60GM - FM60GTD
FP100GEP - FP100GM - FP100GTD - FP50GEP
J00611G - J01011G - J01021G - J02011G
J02021G - MIDIO05GEP - MM06GA - MM10GA
MM10GB - MM100GEP - MM100GM - MM100GTD
MM20GA - MM200GEP - MM200GM - MM200GTD
MM201GM - MM201GTD - MM401GEP - MM401GM
MM401GTD - MM60GEP - MM60GM - MM60GTD



FOINOX 11001

FOINOX 11007

Switches

3319168 BIPOLAR SWITCH 16A 250V
for Convection oven (FOINOX) - Series FC
Series FD - Series FM - Series MM



FOINOX 3473

3319272 BUTTON ELLIPTICAL 17x13 mm LIGHT GRAY



FOINOX 10312



Suitable for:

3319271 **BUTTON SUPPORT ELLIPT. 17x13 mm GRAY**
mounting hole 21x17 mm - pale gray colour



FOINOX 10313

FOINOX



Suitable for:

Telethermometers

3441037 **WHITE TELETHERMOMETER ø 52 mm 50-350°C**
plastic sheath
capillary length 970 mm
bulb ø 6x40mm
for Convection oven electric (FOINOX) FP05E



FOINOX 0593

FOINOX 0594

FOINOX 0694

Thermocouples and accessories

3440037 **THERMOCOUPLE SIT M9x1 100 cm.**



FOINOX 1668

3440837 **THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



FOINOX 1668

3440039 **THERMOCOUPLE SIT M9x1 150 cm**



FOINOX 1556

3440839 **THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



FOINOX 1556



Suitable for:


FOINOX



Suitable for:

Thermostats


3444352 SINGLE-PHASE THERMOSTAT 130°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x129 mm
 for Convection oven electric (FOINOX) J01011E
 J01021E - J02011E - J02021E - J0611E
 for Convection oven gas (FOINOX) J00611G - J01011G
 J01021G - J02011G - J02021G



FOINOX 0599


FOINOX 3528

3444339 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin 6x4.6 mm
 capillary length 880 mm - 16A 250V
 bulb \varnothing 6x130 mm
 for Convection oven (FOINOX) - Series MM




FOINOX 10005

3444552 SINGLE-PHASE THERMOSTAT 30-120°C
 D-shaped pin 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 6x115 mm



FOINOX 10008

3444676 SINGLE-PHASE THERMOSTAT 335°C
 with manual reset
 covered capillary length 920 mm - 16A 250V
 bulb \varnothing 3x150 mm
 for Convection oven electric (FOINOX) J01011E
 J01021E - J02021E - J0611E
 for Convection oven gas (FOINOX) J01011G - J01021G
 J02011G - J02021G - J0611G



FOINOX 0154

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Convection oven electric (FOINOX) FC05EU




FOINOX 0283

FOINOX 0596

FOINOX 3529

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm



FOINOX 0026

3444333 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 4x310 mm
 for Convection oven (FOINOX) - Series MM



FOINOX 0598

3444695 3-PHASE THERMOSTAT 160°C
 with manual reset
 covered capillary length 890 mm - 10A 400V
 bulb \varnothing 6x87 mm - with stuffing gland fitting M10x1



FOINOX 3019


FOINOX 3023

FOINOX 3023+0830



Timers

3446055 **TIMER FINDER 85.32 10A 230V**
 10 h maximum time
 for Convection oven (FOINOX) - Series MM



FOINOX 10508

3446056 **TIMER 120 MINUTES M2**
 mechanical timer with acoustic alarm
 manual left position possible
 manually set cycle 120 minutes
 contact capacity 16(4)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (FOINOX) - Series BLUPASTRY
 Series FC - Series FM - Series FP - Series SPEEDY
 for Convection oven electric (FOINOX) MM06EB



FOINOX 0039

FOINOX 0050

FOINOX 3433

3241336 **KNOB BLACK \varnothing 50 mm**
 D-shaped hole 6x4.6 mm
 for Convection oven (FOINOX) - Series MM



FOINOX 0808

FOINOX 15019

FOINOX 15075

3446053 **TIMER 6 SECONDS 5A 250V**
 for Convection oven (FOINOX) - Series MM



FOINOX 10501

3446057 **SOCKET WITH TERMINAL BLOCK 90.26 10A 250**
 for Convection oven (FOINOX) - Series MM



FOINOX 10503

3446054 **TIMER 60 SECONDS 5A 230V**
 for Convection oven (FOINOX) - Series MM



FOINOX 10502

3446057 **SOCKET WITH TERMINAL BLOCK 90.26 10A 250**
 for Convection oven (FOINOX) - Series MM



FOINOX 10503



Suitable for:

FOINOX



Suitable for:

Vibrating pumps

5071467 KIT VIBRATORY PUMP 32W 220/240V 50Hz

complete with thermic 110°C
PUMP CEME E51210EN02240C3
connections \varnothing 1/8" - \varnothing 7 mm
for Convection oven (FOINOX)



FOINOX 11023

Wash arms for ovens

5030206 EXTENSION FOR VAPORISER \varnothing 8x293 mm

height 140 mm
for Convection oven (FOINOX)



FOINOX 3873

Watertight seals and rings

5025713 GASKET SEALING MOTOR SHAFT

\varnothing external 12 mm - \varnothing internal 7 mm - thickness 3 mm
for Convection oven (FOINOX)





















FOINOX 14001

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us