



Spare parts for:

Ovens



Suitable for:

# KÜPPERSBUSCH



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*

Rel. 2016-09131138





## Castors, rollers and accessories

- 3346079 SWIVELLING WHEEL WITH BRAKE**  
 with ZINC-PLATED supports  
 dimension  $\varnothing$  100x24 mm - load capacity 55 Kg  
 pin hole  $\varnothing$  10 mm



KÜPPERSBUSCH

## Electrical gas valves and accessories

- 3526290 VALVE ELETTROSIT  $\varnothing$  3/4"FF**  
 inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
 thermocouple connection 11/32"  
 maximum gas inlet pressure 50 mbar  
 setting range of the pressure  
 adjuster 3 ÷ 18 mbar  
 room temperature 0 ÷ 60°C  
 power supply 230V 50Hz  
 pilot connection and BOTTOM thermocouple  
 for Convection oven gas (KÜPPERSBUSCH) CBG110  
 CGD110 - CGD120



KÜPPERSBUSCH 173243

- 3020083 NUT & OLIVE  $\varnothing$  4 mm**



- 1186759 O-RING 03106 EPDM**



- 3526108 ELBOW FLANGE  $\varnothing$  1/2" F**  
 with screws and "O" ring  
 for ELETTROSIT VALVE



- 3020084 NUT & OLIVE  $\varnothing$  6 mm**



- 3001008 PIEZO IGNITER**  
 a  $\varnothing$  14 mm hole is required for the assembly  
 faston M  $\varnothing$  2.4 mm





Suitable for:

**3526106 STRAIGHT FLANGE  $\varnothing$  1/2"**  
with screws and "O" ring  
for ELETTROSIT VALVE



# KÜPPERSBUSCH



Suitable for:

**3526107 STRAIGHT FLANGE  $\varnothing$  3/4"**  
with screws and "O" ring  
for ELETTROSIT VALVE



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



## Electronic printed-circuit boards

**5043765 PCB KEYBOARD 390x185 mm**  
three D-shaped pins  $\varnothing$  6x4.6 mm  
for Convection oven (KÜPPERSBUSCH) - Series CBE  
Series CEC DAL 1996 - Series CED DAL 1996  
Series CGD - Series LBG




KÜPPERSBUSCH 161603

KÜPPERSBUSCH 161630

## Energy regulators

**3350026 ENERGY ADJUSTER**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



KÜPPERSBUSCH 183149

KÜPPERSBUSCH 183150

KÜPPERSBUSCH 183236

KÜPPERSBUSCH 540548

## Gaskets for oven door

**7104531 GASKET FOR OVEN DOOR 730 x 530 mm**  
 made of silicone elastomer  
 COLOUR: BLACK  
 for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 060665

**5063057 OVEN DOOR GASKET 1310x730 mm**  
 of silicone elastomer  
 profile size 34x19 mm  
 BLACK COLOUR  
 for Convection oven (KÜPPERSBUSCH)  
 for Convection oven (KÜPPERSBUSCH) CBE220



KÜPPERSBUSCH 060667

**7103363 OVEN DOOR GASKET 515x465 mm**  
 made of silicone elastomer  
 BLACK COLOUR  
 for Convection oven (KÜPPERSBUSCH)  
 for Convection oven (KÜPPERSBUSCH) CXE106



KÜPPERSBUSCH 060673

**5057155 OVEN DOOR GASKET 520x490 mm**  
 of silicone elastomer  
 profile size 34x19 mm  
 BLACK COLOUR  
 for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 060664

**5055731 OVEN DOOR GASKET 700x515 mm**  
 of silicone elastomer  
 profile size 40x27 mm  
 BLACK COLOUR  
 for Convection oven (KÜPPERSBUSCH)  
 for Convection oven (KÜPPERSBUSCH) KEG0210



KÜPPERSBUSCH 060674

## Handles

**3242471 COMPLETE OVEN DOOR HANDLE**  
 for Convection oven electric (KÜPPERSBUSCH) ECD120  
 ECD220



KÜPPERSBUSCH 407490

**3242090 BASE FOR DOOR HANDLE**



KÜPPERSBUSCH 707377




Suitable for:

**3242317 CLOSING DEVICE FOR DOOR HANDLE**  
for OVEN



KÜPPERSBUSCH 407371

**3242316 OVEN DOOR CLOSING SUPPORT**  
distance between mounting holes 32-90 mm  
for OVEN



KÜPPERSBUSCH 407634

**3242318 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 68 mm  
for OVEN



KÜPPERSBUSCH 407379

**5050060 HANDLE OVEN DOOR 250x32 mm**  
handle distance between holes 124-133 mm  
for Convection oven (KÜPPERSBUSCH) CXE106



KÜPPERSBUSCH 133030

# KÜPPERSBUSCH



Suitable for:

**3242320 DOOR CLOSING PLATE**  
distance between mounting holes 68 mm  
for OVEN



KÜPPERSBUSCH 407380

**3242466 PLASTIC RING  $\varnothing$  56x40x2 mm**  
for OVEN




**3242241 STRIKE FOR OVEN RIGHT HANDLE**  
distance between mounting holes 67 mm  
for OVEN



KÜPPERSBUSCH 407376

**3242593 KNOB ROLL HOLDER FOR LOCK.NUT**



KÜPPERSBUSCH

Suitable for:

**3242753 LH-RH CATCH WITHOUT LOCK 791 CR**  
 for high temperatures  
 curved handgrip  
 length 254x30 mm - distance 133 mm  
 adjustable catch from 9 to 22 mm  
 for Convection oven (KÜPPERSBUSCH) CBE106 - CBE110  
 CCE106 - CCE110 - CEC110 - CED106 - CED110  
 CEF106 - CEF110 - CEM106 - CEM110 - CGD110  
 CPE106 - CPE110  
 for Convection oven (KÜPPERSBUSCH) CEC106 - CXE106  
 KEG0058



KÜPPERSBUSCH 133199

Suitable for:

**3242718 DOOR HANDLE STRIKE**  
 for high temperatures  
 mounting distance 43 mm  
 for OVEN



KÜPPERSBUSCH 133200

**3242311 OVEN DOOR HANDLE 280x30 mm**  
 handle mounting holes distance 123-136 mm  
 for Convection oven electric (KÜPPERSBUSCH) ECD106  
 ECD110



KÜPPERSBUSCH 407282

**3242312 STRIKE FOR OVEN HANDLE**  
 distance between mounting holes 15 mm  
 for Convection oven electric (KÜPPERSBUSCH) ECD106  
 ECD110



KÜPPERSBUSCH 407364

**5031675 ROD LOCK DOOR**  
 size  $\varnothing$  10x442 mm  
 for Convection oven (KÜPPERSBUSCH) CPE120



KÜPPERSBUSCH 756156000

## Incandescent lamps and neon lamps

**3221067 NEON LAMP FOR OVEN E10 2W 230V**  
 dimensions  $\varnothing$  10x28 mm  
 for OVEN



KÜPPERSBUSCH 407269

**3221253 OVEN LAMP E14 6/10W 230V**  
 dimensions  $\varnothing$  16x52 mm



KÜPPERSBUSCH 407265



Suitable for:

Suitable for:

## Interference suppression filters

2111282 INTERF. SUPPRES. FILTER LUETZE 0.22µF 24



KÜPPERSBUSCH 407290

## Knobs


5025982 **BLACK KNOB** ø 65 mm  
D-shaft 6x4.6 mm  
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 100136

KÜPPERSBUSCH 189009


2110800 **DISK STICKER 0-I-0-I**  
external ø 59 mm



KÜPPERSBUSCH 141077

KÜPPERSBUSCH 144734

2110733 **STICKING KNOB DISK RED I-II-I-II**  
ø external 59 mm



KÜPPERSBUSCH 141108

KÜPPERSBUSCH 144750

3241987 **STICKING KNOB DISK RED 0-100°C**  
ø external 59 mm




KÜPPERSBUSCH 144766

3241980 **STICKING KNOB DISK RED 1-2-3-4-5-6-7-8**  
ø external 59 mm




KÜPPERSBUSCH 141110

3241982 **STICKING KNOB DISK RED 30-110°C**  
ø external 59 mm




KÜPPERSBUSCH 141109

2110731 **STICKING KNOB DISK RED 50-300°C**  
ø external 59 mm



KÜPPERSBUSCH 141106

3241978 **STICKING KNOB DISK WITH PILOT SYMBOL**  
ø external 59 mm  
for gas taps with pilot



KÜPPERSBUSCH 100329






Suitable for:

**5035730 STICKING KNOB DISK WITH PILOT SYMBOL**  
 ø external 59 mm




KÜPPERSBUSCH 141104

**3241979 STICKING KNOB DISK 0-I-II-III**  
 ø external 59 mm



KÜPPERSBUSCH 141069

**3241984 STICKING KNOB DISK 1-2-3-4-5-6-7-8**  
 ø external 59 mm



KÜPPERSBUSCH 141099

KÜPPERSBUSCH 141124


**3241986 STICKING KNOB DISK 100-195°C**  
 ø external 59 mm



KÜPPERSBUSCH 141092


Suitable for:

**2110730 STICKING KNOB DISK 0-I-II-III**  
 ø external 59 mm



KÜPPERSBUSCH 141070


**3241981 STICKING KNOB DISK 0-1-2-3**  
 ø external 59 mm



KÜPPERSBUSCH 141078


KÜPPERSBUSCH 144769

**2110732 STICKING KNOB DISK 10-120 MINUTES**  
 ø external 59 mm



KÜPPERSBUSCH 144706


**3241983 STICKING KNOB DISK 30-110°C**  
 ø external 59 mm



KÜPPERSBUSCH 141091

## Lamp receptacles and spare parts

**3221311 LAMP RECEPTACLE E14 25W 230V**  
 mounting hole ø 36 mm  
 max temperature 300°C  
 for Convection oven electric (KÜPPERSBUSCH)  
 Series ECD



KÜPPERSBUSCH 407284



Suitable for:



Suitable for:

## Lamp receptacles and spare parts

### 3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V

lamp glass  $\varnothing$  53 mm  
mounting hole  $\varnothing$  36 mm  
max temperature 300°C  
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH

### 3221053 GASKET FOR OVEN LAMP RECEPTACLE

dimensions  $\varnothing$  48x38x5 mm  
for OVEN



KÜPPERSBUSCH 407286

### 3221232 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 53 mm

thread  $\varnothing$  33 mm - overall height 32 mm  
for Convection oven electric (KÜPPERSBUSCH)  
Series ECD



KÜPPERSBUSCH 407390

### 3221041 OVEN LAMP E14 15W 230V

max temperature 300°C  
for OVEN - PIZZA OVEN



KÜPPERSBUSCH 184001

KÜPPERSBUSCH 407288

### 3221061 OVEN LAMP E14 25W 230V

max temperature 300°C  
for OVEN - PIZZA OVEN



KÜPPERSBUSCH 184018

### 3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V

lamp glass  $\varnothing$  72 mm  
mounting hole  $\varnothing$  68 mm  
max temperature 300°C  
for Convection oven (KÜPPERSBUSCH)  
Series CEC FINO AL 10/1996  
Series CED FINO AL 10/1996



KÜPPERSBUSCH 183927

### 3221351 GASKET LAMP RECEPTACLE $\varnothing$ 79.5 mm





Suitable for:

**3221349 GLASS F.OVEN RECEPTACLE LAMP  $\varnothing$  73 mm**  
thread  $\varnothing$  63 mm - overall height 45 mm  
for Convection oven (KÜPPERSBUSCH)  
Series CEC FINO AL 10/1996  
Series CED FINO AL 10/1196



KÜPPERSBUSCH 407680

**5059251 LAMP FOR OVEN E14 40W 230V**  
max. temperature 500°C  
dimensions 67x25 mm



**3221314 OVEN HALOGEN LAMP E14 60W 230V**  
dimensions 80x26 mm



**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



KÜPPERSBUSCH 184018

**3221140 OVEN LAMP E14 40W 230V**  
max temperature 300°C



KÜPPERSBUSCH 183926

# KÜPPERSBUSCH



Suitable for:

**5026552 HALOGEN LAMP E14 40W 230V**  
dimensions 80x26 mm



**3221649 LAMP RECEPTACLE WITH GLASS E14**  
WITHOUT BULB  
lamp glass  $\varnothing$  72 mm  
mounting hole  $\varnothing$  68 mm  
max temperature 300°C



**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



KÜPPERSBUSCH 184001

KÜPPERSBUSCH 407288

**3221063 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN





Suitable for:

# KÜPPERSBUSCH



## 3221266 LAMP RECEPTACLE WITH LAMP G4 20W 12V

external dimensions 74x59 mm  
wire connection length 680 mm  
max temperature 300°C  
for Convection oven (KÜPPERSBUSCH)  
Series CEC DAL 1998 - Series CED DAL 1998  
Series CEE DAL 1998 - Series CEM DAL 1998  
Series CGD-CBG-CBE-CCE-CPE



KÜPPERSBUSCH 163005


## 3221393 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 96x96 mm



## 3221394 GASKET FOR OVEN LAMP RECEPTACLE

external dimensions 75x65 mm



## 3221173 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 73x58 mm  
for Convection oven (KÜPPERSBUSCH)  
Series CBE-CCE-CPE - Series CEC DAL 1998  
Series CEE DAL 1998 - Series CEM DAL 1998  
Series CGD-CBG  
for Convection oven (KÜPPERSBUSCH)  
Series CED DAL 1998 - CPL120



KÜPPERSBUSCH 103702

Suitable for:

## 3221172 FRAME FOR OVEN LAMP RECEPTACLE


external dimensions 96x80 mm  
for Convection oven (KÜPPERSBUSCH)  
Series CEC DAL 1998 - Series CED DAL 1998  
Series CEE DAL 1998 - Series CEM DAL 1998  
Series CGD-CBG-CBE-CCE-CPE



KÜPPERSBUSCH 131111

## 3186173 GASKET FOR OVEN LAMP RECEPTACLE

external dimensions 93x79 mm  
for Convection oven (KÜPPERSBUSCH)  
Series CBE-CCE-CPE - Series CEC DAL 1998  
Series CEF DAL 1998 - Series CEM DAL 1998  
Series CGD-CBG  
for Convection oven (KÜPPERSBUSCH)  
Series CED DAL 1998 - CPL120



KÜPPERSBUSCH 060323

## 3221397 GASKET FOR OVEN LAMP RECEPTACLE

external dimensions 90x94 mm



## 3221396 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 73x64 mm





Suitable for:

**3221639 HALOGEN LAMP NEUT. OSRAM G4 10W 12V**  
max. temperature 250°C



**3221250 HALOGEN LAMP NEUTRAL G4 10W 12V**  
max. temperature 250°C



**3221416 NEUTRAL HALOGEN LAMP G4 35W 12V**  
max. temperature 250°C




# KÜPPERSBUSCH



Suitable for:

**3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V**  
max. temperature 250°C




**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max. temperature 250°C  
for Convection oven (KÜPPERSBUSCH) CPL120



KÜPPERSBUSCH 163000

## Microswitches

**3240320 DOOR MAGNETIC MICROSWITCH KIT**  
bulb  $\varnothing$  8x28 mm  
with cable length 1900 mm  
for Convection oven electric (KÜPPERSBUSCH) CCE106  
CCE110 - CCE120 - CCE220 - CPE106 - CPE110  
CPE120 - CPE220



KÜPPERSBUSCH 164891

**3240956 MICROSWITCH BZ-2RQI-AZ 16A 250V**  
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 177160

**3240820 MICROSWITCH 16A 250V**



KÜPPERSBUSCH 540575

**3240152 BUSHING FOR MICROSWITCH**






Suitable for:

**3240473 GASKET FOR BUSHING**



**3240166 MOUNTING PLATE FOR MICROSWITCH**  
external dimensions 46x26 mm



**3240154 SPRING FOR MICROSWITCH ROD**



# KÜPPERSBUSCH



Suitable for:

**5035454 MICRO SUPPORT**  
for WASHING MACHINE LF25



**3240153 ROD FOR MICROSWITCH**



**5025981 MICROSWITCH 6A 250V**



KÜPPERSBUSCH 177168

**3240054 MICROSWITCH 83731 5A 250V**  
with cable length 500 mm  
for Convection oven (KÜPPERSBUSCH) - Series ECD



KÜPPERSBUSCH 407268

## Penetration probes

**5043578 PENETRATION PROBE**  
2 wires  
bulb  $\varnothing$  4x100 mm  
probe length 100 mm  
cable length 2000 mm  
for Convection oven electric (KÜPPERSBUSCH) CBE106  
CBE110 - CBE120 - CBE220 - CBG110 - CBG120  
CCE106 - CCE110 - CCE120 - CCE220 - CE2061  
CE2101 - CE2201 - CE2202 - CE3061 - CE3101  
CE3201 - CE3202 - CE4101 - CE4201  
for Convection oven (KÜPPERSBUSCH) KEG0058



KÜPPERSBUSCH 161628

**3397052 PENETRATION PROBE PT100**  
2 wires - probe length 180 mm  
cable length 3000 mm  
with fastening coupling M12  
for Convection oven electric (KÜPPERSBUSCH)  
Series ECD



KÜPPERSBUSCH 407610

- 3397057 PENETRATION PROBE PT1000**  
 2 wires - total probe length 170 mm  
 bulb  $\varnothing$  4 mm - cable length 2000 mm  
 for Convection oven electric (KÜPPERSBUSCH)  
 Series CCE  
 for Convection oven (KÜPPERSBUSCH) CPE110 CXE106  
 for Convection oven electric (KÜPPERSBUSCH)  
 Series CPE



KÜPPERSBUSCH 161634  
 KÜPPERSBUSCH 161642

KÜPPERSBUSCH 161634+060384\_2PZ  
 KÜPPERSBUSCH 161641  
 KÜPPERSBUSCH 161642+060625

## Pilot burners and accessories

- 2103965 NATURAL GAS PILOT BURNER CB 502.031**  
 with NATURAL GAS nozzle and olive for pilot  
 supplied with pilot tube connection  
 supplied with ignitor and fitting




KÜPPERSBUSCH 161134

KÜPPERSBUSCH 161149

- 5014757 CONNECTION PIPE  $\varnothing$  6 mm**  
 thread M10x1 mm



- 3020051 FITTING FOR PILOT  $\varnothing$  4 mm**  
 thread M10x1  
 for pilot burner JUNKERS/ORCLI



- 3349587 FITTING FOR SPARKING PLUG FIXING  $\varnothing$  9 mm**  
 thread M12x1 mm  
 for pilot burner series CB 502-CB 505



- 3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
 thread M10x1



- 3020050 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 for pilot burner series CB 502-CB 503



- 5026012 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 per bruciatore pilota serie CB 502-CB 503



- 3020112 OLIVE FOR 6 mm  $\varnothing$  PIPE**





Suitable for:

**3020048 PILOT GAS JET  $\varnothing$  0.21 mm**  
for pilot burner series CB 503-CB 50203.



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



**3440048 THERMOCOUPLE SPRING**  
for pilot burner series CB 502-CB 505



# KÜPPERSBUSCH



Suitable for:

**3020049 PILOT GAS JET  $\varnothing$  0.28 mm**  
for pilot burner series CB 503



**3020026 SPARKING PLUG ROUND  $\varnothing$  9x39 mm**  
faston M4x1 mm  
overall length 67 mm  
for pilot burner series CB 502



## Potentiometers

**3157002 POTENTIOMETER 0-150°C**  
probe type PT100 (not included)  
for Convection oven (KÜPPERSBUSCH) - Series ECD



KÜPPERSBUSCH 407325

## Probes

**3397082 PROBE TEMPERATURE WITH BYPASS PT100**  
2 wires- for steam generator  
probe length 80 mm  
cable length 1800 mm  
for Convection oven electric (KÜPPERSBUSCH)  
Series ECD



KÜPPERSBUSCH 407334

**3397050 PT1000 PROBE**  
thread  $\varnothing$  5x30 mm  
cable 90 mm  
for CCE106-CCE110-CCE120-CCE220-CPE106-CPE110-  
CPE120-CPE220



KÜPPERSBUSCH 161633



**7101484 TEMPERATURE PROBE PT100**  
 2 wires  
 probe length 30 mm - bulb  $\varnothing$  5 mm - thread M5  
 cable length 2000 mm  
 for Convection oven electric (KÜPPERSBUSCH)  
 Series CBE - Series CCE - Series CEC DAL 1996  
 Series CED DAL 1196 - Series CEF - Series CEM  
 for Convection oven gas (KÜPPERSBUSCH)  
 Series CBG - Series CGD



KÜPPERSBUSCH 161608

## Relays


**5047903 RELAY SETUP KIT MULTIFUNCTION MK7850N**  
 adjustment 1"  $\div$  300h  
 for Convection oven electric (KÜPPERSBUSCH)  
 ECD106-ECD110-ECD120-ECD220



KÜPPERSBUSCH 407270

## Thermostats

**3444402 SINGLE-PHASE THERMOSTAT 0-300°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 1200 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm  
 for Convection oven (KÜPPERSBUSCH)




KÜPPERSBUSCH 407276

**3444403 SINGLE-PHASE THERMOSTAT 0-300°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 830 mm - 16A 250V  
 bulb  $\varnothing$  4x100 mm  
 for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 407266

**3444401 SINGLE-PHASE THERMOSTAT 100-180°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 2420 mm - 16A 250V  
 bulb  $\varnothing$  6x90 mm - with stuff.gland coupling M9x1  
 for Convection oven (KÜPPERSBUSCH) - Series ECD



KÜPPERSBUSCH 407340

**3444495 SINGLE-PHASE THERMOSTAT 147°C**  
 with manual reset  
 covered capillary length 1800 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm  
 for Convection oven electric (KÜPPERSBUSCH)  
 Series CBE DAL 1991 - Series CLE - Series CPE  
 for Convection oven (KÜPPERSBUSCH) CXE110




KÜPPERSBUSCH 152433

KÜPPERSBUSCH 176587



Suitable for:


**3444746 SINGLE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 3000 mm - 16A 230V  
bulb  $\varnothing$  3.1x197 mm



KÜPPERSBUSCH 174690

Suitable for:

**3444400 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin 6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  3x262 mm  
for Convection oven electric (KÜPPERSBUSCH)  
Series ECD



KÜPPERSBUSCH 407279

**3444496 SINGLE-PHASE THERMOSTAT 340°C**  
with manual reset  
covered capillary length 1900 mm - 16A 250V  
bulb  $\varnothing$  4x100 mm  
for Convection oven electric (KÜPPERSBUSCH)  
Series CBE - Series CCE - Series CPE  
for Convection oven gas (KÜPPERSBUSCH)  
Series CBG  
for Convection oven (KÜPPERSBUSCH) CXE110



KÜPPERSBUSCH 152432


KÜPPERSBUSCH 176592

**3444405 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm - with stuff.gland nut M14x1  
for Convection oven (KÜPPERSBUSCH) - Series ECD



KÜPPERSBUSCH 407275

**3444361 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 950 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm



KÜPPERSBUSCH 174681


**3444701 SINGLE-PHASE THERMOSTAT 55-250°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  3.1x226 mm - with stuffing gland M9x1



KÜPPERSBUSCH 540522

## Timers

**3446091 TIMER 100 MINUTES MS65**  
mechanical timer with manual position  
manual winding cycle 100 minutes  
bipolar timer with contact capacity 16(3)A 250V  
max. temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 174878

KÜPPERSBUSCH 174946

KÜPPERSBUSCH 355690

KÜPPERSBUSCH 407267

## Washing showers for ovens

**3359523 OVEN CLEANING BLACK SHOWER GUN**  
with quick coupling



KÜPPERSBUSCH 172855

**3359531 QUICK COUPLING  $\varnothing$  1/2" F**





















**3359532 HOSE-END FITTING COUPLING FOR GUN 1/2"**



*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfrcambi724.it](http://www.lfrcambi724.it) - [www.lfrcambi724.mobi](http://www.lfrcambi724.mobi)  
[info@lfrcambi.it](mailto:info@lfrcambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
  -  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
  -  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)