



## Spare parts for the professional sector: Ice makers



Suitable for:

# NTF



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

**NTF**



Suitable for:

## Bearings

**5010764 BEARING COUNTERLOCKING**  
Ø external 40 mm Ø internal 19 mm height 30 mm




NTF N20686

**9063012 BEARING 6004 DDU NSK**  
external Ø 42mm - internal Ø 20mm - thickness 12mm



NTF N20045

**3063017 BEARING 6203 DDU NSK**  
external Ø 40mm - internal Ø 17mm - thickness 12mm



NTF N20433

**D063051 BEARING 6203-2RS SKF**  
single box packaging



NTF N20433

**9063001 BEARING 6206 DDU NSK**  
external Ø 62mm - internal Ø 30mm - thickness 16mm



NTF N20113

## Bushings

**5036765 BUSHING SELF-LUBRICATING 14x12x7 mm**  
flange 20 mm



NTF N20231

**5026430 BUSHING SELF LUBRICATING IGUS WITH FLANGE**  
external Ø 8 mm  
length 6 mm  
flange 12 mm



NTF N20230



## Compressors and spare parts

### 5021390 COMPRESSOR TECUMSEH CAJ4519Z/S CSR

220/240V 50Hz  
welding inlet connection  
potenza 1.5 Hp. cilindrata 34.4 cc  
gas R404a/R507 HMBP



NTF N23543

## Contact thermostats

### 3744052 SAFETY THERMOSTAT



NTF NC23114

## Contactors

### 3446214 CONTACTOR LOVATO BG09T4A

4KW 400V 9A - 4 normally open contacts  
coil 230V 50/60Hz



NTF N23594

## Controllers and changeover switches

### 5048066 CONTROLLER 11904F1 4 CAMS 8 MINUTES

230V 50/60Hz  
without pin



NTF N23472

### 3322129 PROGRAMMER 11904 F1 4 CAMS 12 MINUTES

230V 50/60Hz  
without pin



NTF N23222



Suitable for:

## NTF



**3322322 PROGRAMMER 11904 F1 4 CAMS 15 MIN.**  
230V 50/60Hz  
without pin



NTF N23248

Suitable for:

**3322217 TIMER 11904 F1 4 CAMS 10 MINUTES**  
230V 50/60Hz  
without shaft




NTF N23247

**3322332 TIMER 11904 F1 4 CAMS 18 MINUTES**  
230V 50/60Hz  
without pin



NTF N23396

**3322331 TIMER 11904 F1 4 CAMS 8 MINUTES**  
230V 50/60Hz  
without pin



NTF N23635

## Curtains

**5051590 CURTAIN COMPLETE 325x80 mm**



NTF NC10533

**5033296 CURTAIN COMPLETE 440x80 mm**



NTF NC10534

**3443411 SINGLE CURTAIN 23x80 mm**  
for all models



NTF N10005


## Drain assembly

**5048051 DRAIN ASSEMBLY FOR OVERFLOW HOSE**  
overflow hose hole  $\varnothing$  21 mm - thread M30 mm  
hose end fitting  $\varnothing$  24 mm



NTF N10472

**3316059 DRAIN ASSEMBLY FOR OVERFLOW PIPE**  
connection M30  
drain  $\varnothing$  25 mm  
for overflow pipe  $\varnothing$  21 mm



NTF N10007

NTF N10007/A

## Drain plugs

**3448203 OVERFLOW PIPE  $\varnothing$  20x88 mm**  
complete with o-ring



NTF N10133

NTF N10133+N20233

NTF N20233

**3448200 OVERFLOW PIPE  $\varnothing$  25/18 x 150 mm**  
overflow pipe of rubber



NTF N13028

## Drip trays for ice makers

**5033816 TANK WITH PIN 195x135 mm**



NTF NC10484

**3006008 TRAY WITH PIN 180x305 mm**



NTF NC10491

NTF NRC10491

**5037141 TRAY WITH PIN 305x135 mm**



NTF NC10489

**5044984 TRAY WITH PIN 516x163 mm**



NTF NRC10493

## Electric pumps

**5056567 ELECTRIC PUMP ASSY REBO NR50**  
230V 50Hz 60W hose-end fitting  $\varnothing$  17 mm



NTF C23608

NTF NC23608

NTF RC23608

**3122379 ELECTRIC PUMP FIR 4240.2300**  
120W 230V 50/60Hz 0,6A cl.F  
connections  $\varnothing$  22 mm



NTF NC23377

NTF N23377

**5027965 ELECTRIC PUMP FIR 4240.2300**  
120W 230V 50/60Hz 0,6A cl.F fittings  $\varnothing$  22 mm



NTF NC23462

NTF N23462

**5051538 ELECTRIC PUMP FIR 4240.2301**  
220/240V 50/60Hz 120W 0.6A  
hose-end fitting  $\varnothing$  22 mm



NTF NC23691





Suitable for:

# NTF



**3122281** **ELECTRIC PUMP REBO NR 63/35**  
120W 230V 50/60Hz 0,6A c.l.F  
connections  $\varnothing$  29 e 26 mm  
with insulating cover



NTF NC23002

**3122283** **ELECTRIC PUMP REBO NR 63/45**  
150W 230V 50/60Hz 0,7A c.l.F  
connections  $\varnothing$  29 e 26 mm  
with insulating cover



NTF C23068

NTF NC23068

NTF N23068

**3122207** **ELECTRIC PUMP REBO NR40**  
55W 230V 50Hz 0,4A c.l.B



NTF NC23056

NTF NC23076

**3122280** **ELECTRIC PUMP REBO NR40**  
55W 230V 50Hz 0,4A c.l.B  
for Icemaker (NTF) SL60



NTF NC23254

**3122415** **ELECTRIC PUMP REBO NR40**  
55W 230V 50Hz 0,4A c.l.B



NTF N23073

**5021171** **ELECTRIC PUMP REBO NR50**  
230V 50Hz 60W  
hose-end fittings  $\varnothing$  17 mm



NTF NC23626

**5024670** **ELECTRIC PUMP REBO NR50**  
230V 50Hz 60W 0.8A c.l.B  
shaft 104 mm - D-shaped pin 7x6 mm



NTF N23600

**5052708** **ELECTRIC PUMP REBO NR30**  
230V 50Hz 45W 0.35A - hose-end fitting  $\varnothing$  16 mm



NTF NC23858

## Electronic boxes

**3054036** **ROTATION SENSOR CONTROL BOX**



NTF N23633



## Fans for motors

3240964 SUCTION FAN ø 250 mm 28°



NTF N20031

3240965 SUCTION FAN ø 300 mm 28°



NTF N20407

## Filters

3160102 COMPLETE PUMP INLET FILTER  
hose-end connections ø 18 mm



NTF N10139

3160101 PUMP INLET NET FILTER  
length 56 mm - ø 27 mm



NTF N20005

## Fittings

3349252 COMPLETE DRAIN FITTING  
air model



NTF NC10006

5027645 FITTING DRAIN COMPLETE  
water condensation version



NTF NC26452

3526023 VALVE INTERNAL MECHANISM



NTF N14005

## Floats

3527015 FLOAT VALVE



NTF N10188



Suitable for:

**NTF**




Suitable for:

## Gaskets and seals

### 5011945 GASKET POLYETHYLENE SEMIRIGID


external ø 40 mm  
internal ø 30 mm  
2 mm thickness



NTF N13007

### 5020309 GASKET SILICONE FOR DRAIN ASSEMBLY

external ø 40 mm  
internal ø 30 mm  
2 mm thickness



NTF N13006

## Gearmotors

### 5050748 GEARMOTOR GUAITANI PN40112 23937/1

230V 50/60Hz ccw 4/16 - Saia UDS40  
D-shaped pin 4x12.6 mm



NTF N23802

NTF N23937

### 5037230 GEARMOTOR SAIA UGD 23801 714

230V 50/60Hz UDR1N  
D-shaped pin 4x3x10 mm



NTF N23801

## Level tanks

### 3527010 DOUBLE MICROSWITCH TRAY

for models up to 2013



NTF N10145

### 3527110 TANK WITH DOUBLE MICROSWITCH



NTF NC10201

## Microswitches, mechanical

### 3240333 MICROSWITCH ROLD VRSN01CA1

1-NC 16(4)A 250V



NTF N23196

### 5031994 MICROSWITCH ROLD VRSRBAAA1

1NO 12A 250V



NTF N23804

### 3803106 MICROSWITCH ROLD VRSRBHAA1

1NO 6A 250V



NTF N23372

### 5013728 MICROSWITCH SAIA-BURGESS XGH2-88

1NO+1NC 12(6)A 250V



NTF NC22099

NTF N23055





## Motors

- 3240490 MOTORELCO 3FBT 50-40/15**  
 230V 50/60Hz 45W 1300rpm  
 with capacitor 2μF  
 for bracket fastening 4 screws M4  
 distance 31 mm  
 shaft length 22 mm  
 for VM350-VM500-VM900-C150-C300-CB1565  
 G250-G500



NTF N23121

## Nozzles for ice makers

- 3390094 COMPLETE SPRINKLER**



NTF NC20058

- 3390093 SPRAY ARM COMPLETE 443 mm**



NTF NC20029

- 3390553 SPRAY NOZZLE M10x1**  
 for all models



NTF ND20002

- 5011910 SPRAY NOZZLES CAP**



NTF N10012

## O-Ring and ORM gaskets

- 1186461 O-RING 0158 mm SILICONE**  
 ring thickness 3.53 mm - internal ø 53.98 mm



NTF N20655

- 1186796 O-RING 03087 RED SILICONE**  
 ring thickness 2.62 mm - internal ø 21.89 mm



NTF N20688

- 3243389 O-RING 03162 EPDM**  
 ring thickness 2.62 mm - internal ø 40.95 mm



NTF N20429

- 1186990 O-RING 04137 RED SILICONE**  
 ring thickness 3.53 mm - internal ø 34.52 mm



NTF N20689



Suitable for:


**NTF**



Suitable for:


## Pressure switches

- 3320129 PRESSURE SWITCH HTB-X114**  
for high pressure 16 bar  
capillary 1000 mm



NTF N23175

- 3320201 SAFETY PRESSURE SWITCH FTB-3UC37**  
OFF pressure 30 bar  
with manual insertion



NTF N23342

- 3320202 WATER LEVEL PRESSURE SWITCH 761175**  
setting 28-12 mm - 250V 16(4)A  
complete with air chamber with pipe



NTF NC23809

## Refrigerators capacitors

- 3123090 CONDENSER STFT 16224 1x230 mm**  
output 1385W DT15°C  
250x60x250h mm



NTF N20175

## Relays

- 3351605 RELAY POWER FINDER 60.63.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 10A



NTF N23190



## Scrolls

- 5026289 ICEBREAKER**  
 ø external 69/47 mm - height 65 mm



NTF N20626

## Sensors

- 3390291 ROTATION SENSOR PROBE**



NTF NR23676

NTF N23676

## Solenoid valves

- 3120910 CASTEL COIL 230V HF2**  
 50/60 Hz



NTF N23091

- 5026358 SOLENOID VALVE ANGLE RPE 805**  
 230V 50/60Hz  
 orifice 7 mm  
 hose end fitting ø 10 mm - outlet 1/4"  
 with 600 mm cable



NTF N23537

- 3120197 SOLENOID VALVE T&P 1 WAY 90°**  
 220/240V 50/60Hz - max temperature 90°  
 inlet ø 3/4" - outlet ø 10.5 mm  
 outlet with white adjuster 0.8 L/min



NTF N23115

- 3120404 SOLENOID VALVE T&P 1 WAY 90°**  
 230V 50/60Hz - max. temperature 90°C  
 inlet 3/4" con riduttore di portata 10 L/min  
 outlet ø 10.5 mm



NTF N23623

NTF N23819

NTF N23641

NTF N23787



Suitable for:

# NTF



**3120956 SOLENOID VALVE T&P 1 WAY 90°**  
220/240V 50/60Hz - max temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm  
outlet with orange adjuster 0.5 L/min



NTF N23497

**3120953 SOLENOID VALVE T&P 1-WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm  
outlet with dark brown adjuster 1.2 L/min



NTF N23001

**3120957 SOLENOID VALVE T&P 1-WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm  
with flow rate adjuster 2.5 L/min



NTF NC23220

NTF N23108

NTF N23220

**3120961 SOLENOID VALVE T&P 2-WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm  
two outlets with white adjuster 0.8 L/min



NTF N23116

NTF N23498

**3120962 SOLENOID VALVE T&P 2-WAY 90°**  
220/240V 50/60Hz . max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm  
with 2 brown adjuster 1.2 L/min



NTF NC23501

NTF N23010

NTF NC23502

NTF N23502


NTF NC23507

**5038781 SOLENOID VALVE T&P 2-WAY 90°**  
220/240V 50/60Hz  
ø 3/4" inlet - 2 ø 10.5 mm outlets  
with orange flow rate adjuster 0.5 L/min  
and a 0.8 L/min white one



NTF N23542

**3120912 SOLENOID VALVE 1028/2 ø 1/4"-6 mm**  
direct action NC



NTF N20410

**3120191 SOLENOID VALVE 2-WAY 90°**  
220/240V 50/60Hz - max temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm  
two outlets with orange adjusters 2.5 L/min



NTF N23157



## Springs

**3240491 DRIP TRAY RELIEF SPRING**  
overall length 44 mm



NTF N20282

**3240522 GEARMOTOR SUPPORTING SPRING**



NTF N20232

**3240343 RETAINING SPRING FOR GEARMOTOR**  
for all models



NTF N20228


**5036993 SPRING RELIEF**  
external ø 26 mm



NTF N20810

## Switches

**3319012 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light and push-button cap  
mounting hole 22x30 mm - silk screen print 0 - I



NTF N23327

## Thermostats

**3444522 CONTAINER THERMOSTAT K50 L3274**  
2 contacts 6A 250V  
capillary 3000 mm  
screw adjustment



NTF NR23421

NTF N23421

**3444843 EVAPORATOR THERMOSTAT K22 L1082**  
3 contacts 6A 250V  
capillary 2000 mm



NTF NR23591

NTF NR23951

NTF N24727




Suitable for:

# NTF




**3444527** **EVAPORATOR THERMOSTAT K22 L1083**  
3 contacts 6A 250V  
capillary 2150 mm - screw adjustment




NTF NR23597

**3744125** **THERMOSTAT FOR CONTAINER K50 L3121**  
2 contacts 6A 250V  
capillary 1500 mm  
COLD +1.0°C - WARM +8.5°C  
with adjusting screw



NTF NR23005

**3444231** **THERMOSTAT FOR CONTAINER K50 L3383**  
2 contacts 6A 250V  
covered capillary 1500 mm  
COLD +1.0°C - WARM +8.5°C  
with adjusting screw



NTF N23005


**3444968** **THERMOSTAT FOR EVAPORATOR K22 L1081**  
3 contacts 6A 250V  
capillary length 2250 mm  
COLD -22°C - WARM -3°C  
with adjusting screw



NTF N23004

NTF N23591

**3444967** **THERMOSTAT FOR EVAPORATOR K50L3163**  
2 contacts 6A 250V  
capillary length 2100 mm  
COLD -24°C - WARM -14°C  
with adjusting screw



NTF NR23034

NTF N23034

## Tubing and hoses

**3450096** **SPRAY NOZZLE FEEDING PIPE**  
rubber pipe  
internal ø 17 mm  
length 70 mm



NTF N13005



## Watertight seals and rings

**5026288 DISK SELF-LUBRICATING 42x24x1.5 mm**



NTF N20631

**5059915 STUFFING GLAND CERAMIC FOR ADJUSTER**

external seal  $\varnothing$  40 internally 25 mm height 40 mm  
counterface  $\varnothing$  40.5x26x12.5 mm



NTF N20937

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <b>LF SpA HEADQUARTERS</b><br>via Voltri, 80 - 47522 Cesena (FC) ITALY<br>Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10<br><a href="http://www.lfricambi724.it">www.lfricambi724.it</a> - <a href="mailto:info@lfricambi.it">info@lfricambi.it</a><br>Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55<br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a> - <a href="mailto:export@lfspareparts.com">export@lfspareparts.com</a> |  <b>LF Repuestos Horeca S.L.U. SPAIN</b><br>Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe<br>Tel. +34 91 477 91 00 - Fax +34 91 477 90 81<br><a href="http://www.lfrepuestos-horeca724.es">www.lfrepuestos-horeca724.es</a> - <a href="mailto:info@lfrepuestos.es">info@lfrepuestos.es</a>                                                                                                                                                                                                              |
|  <b>LF SpA HOUSEHOLD COMPONENTS DIVISION</b><br>Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY<br>Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48<br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a> - <a href="mailto:info@lfspareparts.com">info@lfspareparts.com</a>                                                                                                                                                     |  <b>LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK</b><br>Nupark, 51 - 7500 Holstebro<br>Tel. +45 70 70 77 33<br><a href="http://www.lfspareparts724.dk">www.lfspareparts724.dk</a> - <a href="mailto:denmark@lfspareparts.dk">denmark@lfspareparts.dk</a>                                                                                                                                                                                                                                                                 |
|  <b>EPGC Sas FRANCE</b><br>13, Rue des Forts - 59960 Neuville en Ferrain<br>Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12<br><a href="http://www.epgc.com">www.epgc.com</a> - <a href="mailto:epgc@epgc.com">epgc@epgc.com</a>                                                                                                                                                                                                                            |  <b>LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND</b><br>Sennweidstrasse, 45 - CH-6312 Steinhausen<br>Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85<br><a href="http://www.lfersatzteile724.ch">www.lfersatzteile724.ch</a> - <a href="mailto:info@lfersatzteile.ch">info@lfersatzteile.ch</a>                                                                                                                                                                                                              |
|  <b>LF GmbH GERMANY</b><br>Junkersstrasse, 3 - D-82178 Puchheim - München<br>Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88<br><a href="http://www.lfersatzteile724.de">www.lfersatzteile724.de</a> - <a href="mailto:info@lfersatzteile.de">info@lfersatzteile.de</a>                                                                                                                                                                                         |  <b>LF Spare Parts Ltd. UNITED KINGDOM</b><br>A10a Lakeside Business Park, Broadway Lane<br>South Cerney, Gloucestershire GL7 5XL<br>Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49<br><a href="http://www.lfspareparts724.co.uk">www.lfspareparts724.co.uk</a> - <a href="mailto:info@lfspareparts.co.uk">info@lfspareparts.co.uk</a>                                                                                                                                                                                |
|  <b>LF China REPUBLIC OF CHINA</b><br>Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.<br>Minhang Dist. - 201103 Shanghai<br>Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32<br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a> - <a href="mailto:china@lfspareparts.com">china@lfspareparts.com</a>                                                                                                                            |  <b>LF Central Est Europe S.r.o. CZECH REPUBLIC</b><br>Antala Staska 1859/34<br>14000 Praha 4 - KRC<br>Tel. +420 730 156 910<br><a href="http://www.lfspareparts724.cz">www.lfspareparts724.cz</a> - <a href="mailto:info@lfspareparts.cz">info@lfspareparts.cz</a>                                                                                                                                                                                                                                                         |
|  <b>OOO LF RUSSIAN FEDERATION</b><br>Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow<br>Tel./Fax +7 495 725 26 53<br><a href="http://www.lfspareparts724.ru">www.lfspareparts724.ru</a> - <a href="mailto:info@lfspareparts.ru">info@lfspareparts.ru</a>                                                                                                                                                                                                     |  <b>LF SPARE PARTS INC. USA</b><br><b>Legal address:</b><br>155 Office Plaza Dr - Suite A - Tallahassee, FL 32301<br><b>Business/Mailing address:</b><br>1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA<br>Tel. +1-404-525-2600 - Fax +1-404-586-3528<br><a href="http://www.lfspareparts724.us">www.lfspareparts724.us</a> - <a href="mailto:info@lfspareparts.us">info@lfspareparts.us</a><br>Tel. West Coast and Midwest: 206-349-1525 Sauro<br>Tel. East Coast and the Caribbean: 786-817-1764 Luis |
- 
- |                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <b>AUSTRALIA AND NEW ZEALAND</b><br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br><a href="mailto:andrea.calvio@lfspareparts.com">andrea.calvio@lfspareparts.com</a> |  <b>LATIN AMERICA AND THE CARRIBEANS</b><br><a href="http://www.lfrepuestos-horeca724.es">www.lfrepuestos-horeca724.es</a><br><a href="mailto:export@lfrepuestos.es">export@lfrepuestos.es</a> |
|  <b>AUSTRIA</b><br><a href="http://www.lfersatzteile724.at">www.lfersatzteile724.at</a><br><a href="mailto:info@lfersatzteile.at">info@lfersatzteile.at</a>                                     |  <b>POLAND</b><br><a href="http://www.lfspareparts724.pl">www.lfspareparts724.pl</a><br><a href="mailto:info@lfspareparts.pl">info@lfspareparts.pl</a>                                         |
|  <b>BALKAN COUNTRIES</b><br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br><a href="mailto:matija.ramov@lfspareparts.com">matija.ramov@lfspareparts.com</a>            |  <b>SOUTH KOREA</b><br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br><a href="mailto:fabio.doni@lfspareparts.com">fabio.doni@lfspareparts.com</a>                    |
|  <b>BALTIC COUNTRIES</b><br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br><a href="mailto:inara.silina@lfspareparts.com">inara.silina@lfspareparts.com</a>            |  <b>TURKEY</b><br><a href="http://www.lfyedekparca724.com">www.lfyedekparca724.com</a><br><a href="mailto:export@lfspareparts.com">export@lfspareparts.com</a>                                 |