



Spare parts for the professional sector: Blast chillers



Suitable for:

FRIULINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
Suitable universal spare parts may not be included

Rel. 2020-01281617





Suitable for:



Suitable for:

Axial motor fans

3240474 AXIAL FAN EBM A2E300 AC47-02
230V 50/60Hz 140W 2650rpm 0.62A
ø 300 mm - capacitor 5µF (not included)



FRIULINOX 965321

3340152 AXIAL FAN ECOFIT 2VRE15 200A
230V 50/60Hz 70W 0.31A 2485rpm
ø 200 mm - capacitor 2µF (not included)
pressing



FRIULINOX 995910

3240431 AXIAL FAN ECOFIT 2VRE15 200V
230V 50/60Hz 70W 0.31A 2485rpm
ø 200 mm - capacitor 2µF (not included)



FRIULINOX 995749

3340153 FAN HIDRIA R09R-2525P-2M-3510
230V 50Hz 95W 2700rpm 0.44A
ø 250 mm - capacitor 4µF



FRIULINOX 965313

3340151 FAN HIDRIA R09R-2528P-4M-2516
230V 50/60Hz 40W 1360rpm 0.17A
ø 250 mm - capacitor 1.5µF



FRIULINOX 995038

7107919 FAN HIDRIA R09R-30SPB-4M-3509
230V 50/60Hz 75W 0.35A 1370rpm
ø 300 mm with grid - capacitor 2.5µF



FRIULINOX 965314

3240440 FAN HIDRIA R09R-3028P-4M-3509
230V 50/60Hz 74W 1350rpm 0.34A
ø 300 mm - capacitor 2.5µF



FRIULINOX 995870

3340154 FAN S&P HRB/4-400-AMS E11
230V 50Hz 160W 0.71A 1150rpm
ø 400 mm - capacitor 4µF (not included)



FRIULINOX 995849



Electrical capacitors

3068002 CAPACITOR DUCATI ENERGIA 2,5µF
 450V 50/60Hz
 operating temperature -25 + 85°C
 lead connection 6.35x0.8 mm
 ø 28xh55 mm



FRIULINOX 995750


3068093 CAPACITOR ELECTRICAL 2.5µF
 450V 50/60Hz - ø 30xh51 mm



FRIULINOX 995750

Electronic boards


3390130 CONTROL DISPLAY CIRCUIT BOARD WITH CABLE
 MW555003 horizontal



FRIULINOX FR6632420

FRIULINOX 965102


5049376 ELECTRONIC BOARD EVCO EVC80S18P7FRL02
 dimensions 145x100 mm



FRIULINOX FR996442


Gaskets for refrigerators

3186567 SNAP-IN GASKET 1230x720 mm




FRIULINOX 995950

3786692 SNAP-IN GASKET 462x382 mm



FRIULINOX 965122


3786664 SNAP-IN GASKET 600x483 mm



FRIULINOX FR925314


FRIULINOX 925314

3786689 SNAP-IN GASKET 710x385 mm




FRIULINOX 965385

3786690 SNAP-IN GASKET 710x420 mm



FRIULINOX 996453

3786691 SNAP-IN GASKET 710x670 mm



FRIULINOX 965298





Suitable for:

Suitable for:

3786688 SNAP-IN GASKET 714x358 mm

3786665 SNAP-IN GASKET 720x460 mm





FRIULINOX 965128

FRIULINOX 4500921

FRIULINOX 995948

3186565 SNAP-IN GASKET 845x720 mm

3786693 SNAP-IN GASKET 870x710 mm



FRIULINOX 995949

FRIULINOX 996457

Heating elements

3755344 HEATING ELEMENT 230V 40.9W
for complete door - copper braided cable 18W/m
overall length 4250 mm

3755342 HEATING ELEMENT 230V 45.3W
for complete door - 15W/m
overall length 5000 mm



FRIULINOX FR965042

FRIULINOX 965042

FRIULINOX FR6621641

FRIULINOX 6621641

FRIULINOX 965043

FRIULINOX 996456

3755343 HEATING ELEMENT 230V 68.6W
for complete door - copper braided cable 18W/m
overall length 5800 mm



FRIULINOX FR6620731

FRIULINOX 965103

Indicator lights

3221113 INDICATOR LAMP DOUBLE 230V
mounting hole 22x30 mm
contact capacity 16A 250V
colour: green-yellow



FRIULINOX 995406



Microswitches, magnetic

3240139 MAGNETIC MICROSWITCH STEM E510 1V
 1-NO 0.04A 250V
 with cable length 530 mm – head 36x13x8 mm



FRIULINOX 995405

Penetration probes

5036589 CORE PROBE 90° PT1000
 with heater 24V 20W
 probe length 170 mm
 cable length 6000 mm



FRIULINOX FR996452

FRIULINOX 996452

3397073 PENETRATION PROBE 90° PTC
 probe length 150 mm
 cable length 5100 mm



FRIULINOX 996070

3397113 PENETRATION PROBE 90° PT100



FRIULINOX FR996071

FRIULINOX 996071

5029546 PENETRATION PROBE 90° PT100 HEATED
 cable with 4 wires length 5000 mm – probe 145 mm
 for BLAST CHILLERS BC-BF-RC-RF



FRIULINOX FR996072

FRIULINOX 996072

5035390 PENETRATION PROBE 90° PT1000
 probe length 100 mm – 8-thread cable 5000 mm



FRIULINOX 965295

5048080 PENETRATION PROBE 90° PT1000
 probe length 180 mm
 cable length 6000 mm



FRIULINOX FR6638200

FRIULINOX FR6638201

FRIULINOX 996424

5048864 PENETRATION PROBE 90° PT1000 HEATED
 4 levels – probe 110 mm
 heating element 24V 20W
 10-thread cable 5000 mm length



FRIULINOX FR6638230

FRIULINOX 6638230

FRIULINOX 965296



Suitable for:



Suitable for:

Pressure switches

3320902 PRESSURE SWITCH 016-H6758 PED
for high pressure



FRIULINOX 995240

Probes

5094553 PENETRATION PROBE 90° PT1000
with heater 24V 20W
probe length 170 mm
cable length 3000 mm



FRIULINOX FR6638320

FRIULINOX FR6638321

FRIULINOX 6638320

FRIULINOX 965431

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



FRIULINOX 995500

FRIULINOX 995562

Relays

3351007 POWER RELAY FINDER 55.32.8.230.0040
230V 50/60Hz
2 exchange contacts 10A
with to test push-button + mechanic gauge



FRIULINOX 995940

3351902 POWER RELAY NAIS HE1aN
240V
1 contact NO 30A



FRIULINOX 995345

Switches

3319944 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - silk screen printing 0 - I
mounting hole 22x30 mm



FRIULINOX 995257

Tangential and radial motor fans

- 3240485 RADIAL FAN EBM R2E190-RA26-57**
220/230V 50/60Hz 52-65W 0.23-0.29A 2350/2500Rpm
ø 190 mm - capacitor 1.5µF (not included)



FRIULINOX 996074


Thermostatic valves for refrigeration

- 3150001 VALVE THERMOSTATIC HONEYWELL TMV-00008**
gas R404a/R507
with internal equalizer
inlet 3/8"sae
outlet 1/2"sae
operating range -50°/0°C



FRIULINOX 995911

- 3150038 VALVE THERMOSTATIC HONEYWELL TMV-00009**
gas R404a/R507
with internal equalizer
inlet 3/8"sae
outlet 1/2"sae
operating range -50°/-27°C
MOP -18°C



FRIULINOX 995771

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com