



# Spare parts for the professional sector: Blast chillers



Suitable for:

# SAGI



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

***Suitable universal spare parts may not be included***

Rel. 2020-01290908





Suitable for:

# SAGI



Suitable for:

## Axial motor fans

**3240544 AXIAL FAN EBM A2E200 AI38-01**  
230V 50/60Hz 64W 2600rpm 0.3A  
ø 200 mm - capacitor 1.5µF (not included)



SAGI 32M6610

**5021659 AXIAL FAN EBM A2E200 AI38-10**  
230V 50/60Hz 64W 0.3A 2600rpm  
ø 200 mm - capacitor 1.5µF (not included)



SAGI 32M6230

**3240496 AXIAL FAN EBM A2E250 AM06-12**  
230V 50/60Hz 120W 2500rpm 0.53A  
ø 250 mm - capacitor 3µF (not included)



SAGI 32M4720

SAGI 32M6850

**3240497 AXIAL FAN EBM A2E300 AP02-11**  
230V 50/60Hz 230W 2700rpm 1.1A  
ø 300 mm - capacitor 8µF (not included)  
for Blast chiller (SAGI) IM102S



SAGI 32M7050

## Compressors and spare parts

**3070040 COMPRESSOR EMBRACO NEK6213GK CSIR**  
220/240V 50Hz  
power 1/2 Hp, displacement 12.12 cc  
gas R404a/R507 HMBP  
ASPERA



SAGI 3138720

## Electrical capacitors

**3068014 CAPACITOR DUCATI ENERGIA 8µF**  
450V 50/60Hz  
operating temperature -25°C+85°C  
lead connection 6.35x0.8 mm  
ø 32xh55 mm



SAGI 32Z2490

**3068086 CAPACITOR ELECTRICAL 25µF**  
450V 50/60Hz - ø 45xh71 mm



SAGI 32V6440

Suitable for:

**3068087 CAPACITOR ELECTRICAL 35 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  45xh91 mm



SAGI 32V5980

Suitable for:

**3068079 CAPACITOR ELECTRICAL 8 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  30xh71 mm



SAGI 32Z2490


**3068142 CAPACITOR 40 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  45xh91 mm



SAGI 32V6540


## Electronic boards

**5025765 CUT PHASE SPEED REG. EVCO CT1ES0030000**  
230V 50/60Hz 4W  
controlable charge 230V (min 30W - max 650W)  
load control 0-10 VCC modulated  
dimensions 80x75 mm




SAGI 32V8100

**7105063 KEYBOARD DISPLAY BOARD CT1SA0020202**  
162x75 mm  
for Blast chiller (SAGI) - Series DMS101  
Series DMS102 - Series DMS51 - Series DMS72  
Series DM31 - Series DM51




SAGI 32V8430

**5017462 KEYBOARD DISPLAY BOARD CT1SA0210001**  
203x80 mm  
for Blast chiller (SAGI) - Series AM



SAGI 32V3060


**3390119 POWER CIRCUIT BOARD CT1SA0020100**  
for Blast chiller (SAGI) - Series IM  
for Blast chiller (SAGI) IM102S



SAGI 32V8030


## Gaskets for refrigerators

**3186596 SNAP-IN GASKET 1017x958 mm**  
for Blast chiller (SAGI) IM102S - IM72R - IM72S  
for Blast chiller (SAGI) IM102S



SAGI 37Q5380

**3186595 SNAP-IN GASKET 660x420 mm**  
for Blast chiller (SAGI) IM51A - IM51M  
for Blast chiller (SAGI) AF1L7 - IR51




SAGI 37Q4490



Suitable for:


**3186627 SNAP-IN GASKET 690x440 mm**  
for Blast chiller (SAGI) AM1L



SAGI 37Q3810

Suitable for:

**3186622 SNAP-IN GASKET 835x690 mm**  
for Blast chiller (SAGI) AM2L



SAGI 37Q3800

## Heating elements

**3355676 HEATING ELEMENT 31W 230V**  
for door  
length 5000 mm  
for Blast chiller (SAGI) IM51A - IM51M



SAGI 32G3290

**3355675 HEATING ELEMENT 45W 230V**  
for door  
length 6000 mm  
for Blast chiller (SAGI) IM101L



SAGI 32G2280

**3355677 HEATING ELEMENT 53W 230V**  
for door  
length 6800 mm  
for Blast chiller (SAGI) IM72S - IM72SR



SAGI 32G3500

## Hinges, catches and accessories

**7103332 HINGE UPPER**  
pin  $\varnothing$  7 mm



SAGI 36C5000

**3053920 LONG PIN HINGE INTERTECNICA 28L**  
with square pin 7.5 mm



SAGI 36G6520

**7103331 LOWER BRACKET**  
 pin  $\varnothing$  7x22 mm  
 for Blast chiller (SAGI) - Series AF1L  
 Series AF2L - Series AM1L - Series AM2L  
 Series AM2S - Series AT1L - Series DMG51  
 Series DMS51 - Series DM31 - Series DM51  
 Series DR51 - Series IM51 - Series IR51



SAGI 30T2680

## Indicator lights

**3221032 INDICATOR LIGHT GREEN 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



SAGI 3106710

SAGI 32W1330

SAGI 32W1331

**3221011 INDICATOR LIGHT ORANGE 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



SAGI 3106730

SAGI 32W0790

SAGI 32W0791

**3221032 INDICATOR LIGHT GREEN 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



SAGI 3106710

SAGI 32W1330

SAGI 32W1331

**3221033 INDICATOR LIGHT RED 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



SAGI 32W1340



Suitable for:

# SAGI



Suitable for:

**3221033 INDICATOR LIGHT RED 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



SAGI 32W1340

## Magnets

**3240148 MAGNET 63x19x11 mm**



SAGI 3023650

SAGI 32W0870

**9014042 RECTANGULAR MAGNETIC UNIT M302**  
36x13x8 mm



SAGI 32V080

SAGI 32W1680

## Microswitches, magnetic

**3240498 MAGNETIC MICROSWITCH STEM D102 1B**  
1-NO 1A 250V 50W  
cylindrical deflector  $\varnothing$  10x33 mm thread M10x0.75  
cable length 2000 mm



SAGI 32W1890

SAGI 32W3460

**3240256 MAGNETIC MICROSWITCH STEM E550 1B**  
1 contact NO 250V 1A 50W  
cable length 1200 mm



SAGI 32W2160

**3240148 MAGNET 63x19x11 mm**



SAGI 3023650

SAGI 32W0870

SAGI 32W1680





## Penetration probes

**3397076 HEATED PENETRATION PROBE 90° PT100**  
 probe length 175 mm  
 cable length 3500 mm  
 for Blast chiller (SAGI) IR101L - IR51A - IR51M  
 IM51M



SAGI 32V7960

**7114890 PENETRATION PROBE 90°**  
 probe length 10.5mm  
 cable length 4m with 2-wire connector  
 for Blast chiller (SAGI) DF101L-QN14



SAGI 3254750

SAGI 3367340

**5028341 PENETRATION PROBE 90° NTC**  
 probe length 100 mm - cable length 3800 mm  
 for Blast chiller (SAGI) DM101 - DM31 - DM51



SAGI 32V8360

**3397079 PENETRATION PROBE 90° PTC**  
 probe length 200 mm  
 cable length 3800 mm  
 for Blast chiller (SAGI)



SAGI 32V0010

SAGI 32V0441

SAGI 32V8600

## Probes

**3445335 PROBE NTC TPE IP68 3000 mm**  
 temperature range -50+110°C  
 bulb ø 5x20 mm watertight  
 for Blast chiller (SAGI) IM51M



SAGI 32V6010

**7105532 PROBE PTC**  
 silicone cable 3000 mm  
 bulb ø 6x40 mm



SAGI 8223470

**3445107 PTC PVC PROBE 3000 mm**  
 2-wire probe temperature range -30+80°C  
 bulb ø 6x40 mm



SAGI 32V0150



Suitable for:

# SAGI



Suitable for:

## Protection plates

**3319355 HORIZONTAL CONTROL PANEL ADHESIVE PLATE**




SAGI 37M7340

**7101875 MEMBRANE SILKSCREENED STICKER**  
for Blast chiller (SAGI) IM102S - IM51 IR51A



SAGI 3107080

**3319382 HORIZONTAL CONTROL PANEL ADHESIVE PLATE**



SAGI 37N0480

**3319356 VERTICAL CONTROL PANEL ADHESIVE PLATE**



SAGI 37M7330

## Relays


**3351097 RELAY POWER FINDER 62.82.8.230.0309**  
230V 50/60Hz  
2 NO contacts 16A



SAGI 32V7090

## Switches

**5063235 SWITCH 2-POLE SILVER**  
with OR  
mounting hole  $\varnothing$  25 mm



SAGI 3203760



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)