



Spare parts for the professional sector: Commercial refrigeration



Suitable for:

POLARIS



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
Suitable universal spare parts may not be included

Rel. 2018-02161117





Suitable for:

POLARIS



Suitable for:

Axial motor fans

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



POLARIS BN1648110155

POLARIS 1648110107

3240503 AXIAL VENTILATOR SUNON 92x92x25 mm
ball bearings
230V 50/60Hz 14,5W 2350rpm
SF23092A 2092HBT.GN



POLARIS 1648110086

Castors, rollers and accessories

3346067 WHEEL SWIVEL PLATE
with zinc-plated supports - polyamide nucleus
injection polyurethane coating
dimensions \varnothing 80x30 mm - load capacity 120 kg
fixing plate 105x85 mm
distance between holes 86-60 mm



POLARIS 147801

3346069 WHEEL SWIVEL PLATE
with zinc-plated supports - polyamide nucleus
injection polyurethane coating
dimensions \varnothing 100x30 mm - load capacity 120 kg
fixing plate 105x85 mm
distance between holes 86-60 mm



POLARIS 147805

3346071 WHEEL SWIVEL PLATE
with zinc-plated supports - polyamide nucleus
injection polyurethane coating
dimensions \varnothing 125x30 mm - load capacity 125 kg
fixing plate 105x85 mm
distance between holes 86-60 mm



POLARIS 147807

3346068 WHEEL SWIVEL PLATE WITH BRAKE
with zinc-plated supports - polyamide nucleus
injection polyurethane coating
dimensions \varnothing 80x30 mm - load capacity 120 kg
fixing plate 105x85 mm
distance between holes 86-60 mm



POLARIS 147802

3346070 WHEEL SWIVEL PLATE WITH BRAKE
with zinc-plated supports - polyamide nucleus
injection polyurethane coating
dimensions \varnothing 100x30 mm - capacity 120 Kg
fixing plate 105x85 mm
distance between holes 86-60 mm



POLARIS 147806

3346072 WHEEL SWIVEL PLATE WITH BRAKE
with zinc-plated supports - polyamide nucleus
injection polyurethane coating
dimensions \varnothing 125x30 mm - capacity 180 kg
fixing plate 105x85 mm
distance between holes 86-60 mm



POLARIS 147808



Compensation valves for refrigeration

- 3526800 COMPENSATION VALVE MINI EL/TN**
 length without flange 62mm - ø 60 mm
 for positive temperature
 without heating element



POLARIS BN14970302

POLARIS 14970302

Compressors and spare parts

- 3070011 COMPRESSOR CUBIGEL GL45TB CSIR**
 power 1/6 HP. displacement 4.50 cc
 220/240V 50Hz
 CUBIGEL



POLARIS 141565100025

- 3070012 COMPRESSOR CUBIGEL GL60TB CSIR**
 220/240V. 50Hz
 power 1/5 Hp, displacement 5.67 cc
 gas R134a HMBP



POLARIS 141565100035

- 3070013 COMPRESSOR CUBIGEL GL80TB CSIR**
 220/240V 50Hz
 power 1/5 Hp, displacement 7.57 cc
 gas R134a HMBP



POLARIS 141565100030

- 3070015 COMPRESSOR CUBIGEL GP12TB CSIR**
 220/240V 50Hz
 power 1/3 Hp, displacement 12.00 cc
 gas R134a HMBP



POLARIS 141565100050

- 3070021 COMPRESSOR CUBIGEL ML45TB CSIR**
 220/240V 50Hz
 power 1/5 Hp, displacement 4.50 cc
 gas R404a/R507 HMBP



POLARIS 141565100028

- 3070042 COMPRESSOR CUBIGEL ML80FB CSIR**
 220/240V 50Hz
 power 1/4 Hp, displacement 8.10 cc
 gas R404a/R507



POLARIS 141565100020



Suitable for:

POLARIS



3070023 COMPRESSOR CUBIGEL ML80TB CSIR
220/240V 50Hz
power 3/8 Hp, displacement 7.57 cc
gas R404a/R507 HMBP



POLARIS 14156510027

Suitable for:

3070043 COMPRESSOR CUBIGEL ML90FB CSIR
220/240V 50Hz
power 1/3 Hp, displacement 8.85 cc
gas R404a/R507 LBP



POLARIS 14156510021

3070024 COMPRESSOR CUBIGEL ML90TB CSIR
220/240V 50Hz
power 3/8 Hp, displacement 8.85 cc
gas R404a/R507 HMBP



POLARIS 14156510040

3070031 COMPRESSOR CUBIGEL MP12FB CSIR
220/240V 50Hz
power 3/8 Hp, displacement 12.00 cc
gas R404a/R507 LBP



POLARIS 141565100170

3070032 COMPRESSOR CUBIGEL MP14FB CSIR
220/240V 50Hz
power 1/2 Hp, displacement 14.00 cc
gas R404a/R507 LBP



POLARIS 141565100180

3070035 COMPRESSOR CUBIGEL MS26FB CSR
220/240V 50Hz
power 1.2 Hp, displacement 25.93 cc
gas R404a/R507 LBP



POLARIS 141565100200

3070107 COMPRESSOR EMBRACO EMT45HDR CSIR
220/240V 50Hz
power 1/8 Hp, displacement 3.97 cc
gas R134a HMBP
ASPERA



POLARIS 141565100025

3070218 COMPRESSOR EMBRACO EMT6144Z CSIR
220/240V 50Hz
power 1/6 Hp, displacement 5.20 cc
gas R134a HMBP
ASPERA



POLARIS 141514200595

POLARIS 141565100035



Suitable for:

Suitable for:

3070120 COMPRESSOR EMBRACO NEK2150GK CSIR
 220/240V, 50Hz
 power 1/2 Hp, displacement 12.12 cc
 gas R404a/R507 LBP
 ASPERA

3070123 COMPRESSOR EMBRACO NJ2192GK CSR
 220/240V, 50Hz
 power 1.2 Hp, displacement 26.20 cc
 gas R404a/R507 LBP
 ASPERA



POLARIS 141565100180

POLARIS 141514120413

POLARIS 141565100200

3070050 COMPRESSOR EMBRACO NJ6220Z CSIR
 220/240V 50Hz
 power 3/4 Hp, displacement 26.20 cc
 gas R134a HMBP
 ASPERA

3070069 COMPRESSOR SECOP SC18G CSIR
 220/230V 50Hz
 power 1/2 Hp - displacement 17.70 cc
 gas R134a HMBP
 104G8820-HST DANFOSS



POLARIS 141514202580

POLARIS 141555100030

Drip trays for refrigeration

3015911 DRIP TRAY
 530x325x66 mm
 gastronorm 1/1

3015912 DRIP TRAY
 530x325x150 mm



POLARIS BN1405011065

POLARIS 1405011065



POLARIS BN1405011150

POLARIS 1405011150

Electronic controllers

5058356 CONTROLLER DISPLAY EVCO EVC20S35N7ALX40
 230V 50/60Hz
 4 relays (compressor-defrosting-fan-light)
 2 NTC probes (not included)
 1 input micro door

5048651 CONTROLLER DISPLAY EVCO EVC20S35N7ALX30
 230V 50/60Hz
 3 relays (compressor-fan-light)
 2 NTC probes (not included)
 1 input micro door
 dimensions 155x45 mm



POLARIS BN1681118

POLARIS BN1681114



Suitable for:

POLARIS



3445378 CONTROLLER ELIWELL ID PLUS 974

230V 50/60Hz
 1 relay output 2Hp for compressor
 1 relay output 8A for defrosting
 1 relay output 5A for fans
 2 selectable NTC/PTC/PT1000 probes (not included)
 1 programmable digital/temperature input
 1 programmable digital input
 TTL input for copy card connection
 with buzzer
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



POLARIS 1681108

Suitable for:

3445128 CONTROLLER EVCO EVK203N7

230V 50/60Hz
 1 relay outlet 16A for compressor
 1 outlet relay 8A for defrosting
 1 outlet relay 8A for evaporator fans
 NTC/PTC probe selectable (not included)
 with buzzer and serial port
 dimension 75x33x depth 59 mm
 mounting hole 71x29 mm



POLARIS 1681160

3445114 CONTROLLER EVCO EVK211N3

12-24Vac/dc
 1 relay outlet 16A for compressor
 pause defrosting
 1 NTC/PTC probe selectable (not included)
 with buzzer and serial port
 dimension 75x33x depth 59 mm
 mounting hole 71x29 mm



POLARIS 1681101

POLARIS 1681140

Fans for motors

3240220 SUCTION FAN \varnothing 200 mm 28°



POLARIS 1495200028

3240222 SUCTION FAN \varnothing 230 mm 28°



POLARIS BN1495230034

POLARIS 1495230034

3240964 SUCTION FAN \varnothing 250 mm 28°



POLARIS 1495254028



Feet

3313001 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm



POLARIS 1467001

3313021 STAINLESS STEEL FOOT \varnothing 2" x h 180 mm



POLARIS 1467003


3313022 STAINLESS STEEL FOOT \varnothing 2" x h 300 mm



POLARIS 1467005

Gaskets for refrigerators


3186988 SNAP-IN DOOR GASKET 1050x695 mm



POLARIS BN14416801032

POLARIS 14416801032


3186958 SNAP-IN DOOR GASKET 1612x688 mm



POLARIS BN14426761594

POLARIS 14426761594


3186835 SNAP-IN DOOR GASKET 407x296 mm



POLARIS BN14415396291

POLARIS 14415396291


3786234 SNAP-IN DOOR GASKET 416x198 mm



POLARIS BN14414300200


POLARIS 14414300200

3186977 SNAP-IN DOOR GASKET 620x305 mm



POLARIS 14416070295


3186983 SNAP-IN DOOR GASKET 640x501 mm



POLARIS BN14415010640

POLARIS 14415010640


3186984 SNAP-IN GASKET 1470x570 mm



POLARIS BN14415601460

POLARIS 14415601460

3786333 SNAP-IN GASKET 1500x630 mm



POLARIS BN14416191489

POLARIS 14416191489



POLARIS





Suitable for:

Suitable for:

3051691 SNAP-IN GASKET 1535x585 mm

3186549 SNAP-IN GASKET 1574x614 mm



POLARIS BN14415991560



POLARIS 14415991560

POLARIS BN14415991559

POLARIS 14415991559

3186728 SNAP-IN GASKET 1575x615 mm

3186980 SNAP-IN GASKET 1594x676 mm



POLARIS BN14416451606



POLARIS 14416451606

POLARIS BN14416761594

POLARIS 14416761594

3186989 SNAP-IN GASKET 1600x695 mm

3186548 SNAP-IN GASKET 1622x660 mm



POLARIS BN14416801580



POLARIS 14416801580

POLARIS BN14416451605

POLARIS 14416451605

3186957 SNAP-IN GASKET 1865x745 mm

5036355 SNAP-IN GASKET 398x164 mm



POLARIS BN14417321850



POLARIS 14417321850

POLARIS BN14414300149

POLARIS 14414300149

3786388 SNAP-IN GASKET 398x269 mm

**3186544 SNAP-IN GASKET 410x155 mm
for REFRIGERATED COUNTERS**



POLARIS BN14414300254



POLARIS 14414300254

POLARIS BN14414300150

POLARIS 14414300150

**3186795 SNAP-IN GASKET 410x280 mm
for 1/2 drawer**

3786453 SNAP-IN GASKET 411x195 mm



POLARIS BN14414300290

POLARIS 14414300290

POLARIS BN14415396182

POLARIS 14415396182





Suitable for:

Suitable for:

3186915 SNAP-IN GASKET 415x309 mm

3186916 SNAP-IN GASKET 418x199 mm





POLARIS BN14413090418 POLARIS 14413090418

POLARIS BN14411990418 POLARIS 14411990418

3186959 SNAP-IN GASKET 418x418 mm

3786695 SNAP-IN GASKET 420x310 mm





POLARIS BN14414180418 POLARIS 14414180418

POLARIS 14412950408

3186844 SNAP-IN GASKET 473x415 mm

3186843 SNAP-IN GASKET 500x310 mm





POLARIS BN14415396458 POLARIS 14415396458

POLARIS BN14413090501 POLARIS 14413090501

**3186546 SNAP-IN GASKET 510x380 mm
for REFRIGERATED COUNTERS**

3186842 SNAP-IN GASKET 530x415 mm





POLARIS BN14413690499 POLARIS 14413690499

POLARIS BN14414020516 POLARIS 14414020516

**3186545 SNAP-IN GASKET 555x420 mm
for REFRIGERATED COUNTERS**

3186796 SNAP-IN GASKET 580x410 mm





POLARIS BN14414080540 POLARIS 14414080540

POLARIS BN14414300620 POLARIS 14414300620

3786170 SNAP-IN GASKET 584x398 mm

5058326 SNAP-IN GASKET 585x385 mm



POLARIS BN14414300569 POLARIS 14414300569

POLARIS BN1441566366



POLARIS





Suitable for:

Suitable for:

3786672 SNAP-IN GASKET 622x421 mm

3786978 SNAP-IN GASKET 635x620 mm





POLARIS BN14416070406 POLARIS 14416070406

POLARIS 14416070626

3786982 SNAP-IN GASKET 640x460 mm

3786581 SNAP-IN GASKET 643x411 mm





POLARIS BN14414600640 POLARIS 14414600640

POLARIS BN14415396616 POLARIS 14415396616

3786667 SNAP-IN GASKET 645x485 mm

3786591 SNAP-IN GASKET 650x423 mm





POLARIS BN14415396405 POLARIS 14415396405

POLARIS BN14414180640

3186838 SNAP-IN GASKET 650x490 mm

3186986 SNAP-IN GASKET 695x505 mm





POLARIS 14415465626

POLARIS 14416800487

3186985 SNAP-IN GASKET 700x233 mm

5029867 SNAP-IN GASKET 700x635 mm





POLARIS BN14416800214 POLARIS 14416800214

POLARIS BN14416190684 POLARIS 14416190684

3786696 SNAP-IN GASKET 761x622 mm

3186773 SNAP-IN GASKET 762x523 mm



POLARIS BN14415990738 POLARIS 14415990738

POLARIS 14416451604

POLARIS BN14414990738



POLARIS 14414990738

Suitable for:

Suitable for:

3186987 SNAP-IN GASKET 775x695 mm

3186979 SNAP-IN GASKET 784x676 mm



POLARIS BN14416800759

POLARIS 14416800759

POLARIS BN14416760784

POLARIS 14416760784

Grids for oven

3185050 GRID PLASTIC-COATED GN 2/1 650x530 mm
white colour




POLARIS BN1440065530

POLARIS 1440065530

Guard grids

3185949 FAN GRILL ø 254 mm



POLARIS BN1440254

POLARIS 1440254

POLARIS 6352340

Heating elements

3355968 ANTI-CONDENSATE HEATING ELEM. 42W 240V

glass fibre twist
terminals faston 6.3x0.8
total length 5400 mm
length hot side 4200 mm



POLARIS 1666042

3355969 ANTI-CONDENSATE HEATING ELEM. 44.8W 240V

glass fibre twist
terminals faston 6.3x0.8
total length 6480 mm
length hot side 4480 mm



POLARIS 1666044

3355973 ANTI-CONDENSATE HEATING ELEMENT 64W 240V

glass fibre twist
terminals faston 6.3x0.8
total length 7600 mm
length hot side 6400 mm



POLARIS 1666064

POLARIS 1666088

3455466 CARTRIDGE HEATING ELEMENT PTC 110W 230V

cartridge length 120 mm ø 12 mm
power in absence of water 10W
fitting 3/8"G
cable length 1000 mm



POLARIS BN16660901



Suitable for:

POLARIS



3355911 CARTRIDGE HEATING ELEMENT PTC 95W 230V
 cartridge length 130 mm ø 12 mm
 fitting 3/8"G
 cable length 4000 mm
 for TRAY



POLARIS BN1666090

POLARIS 1666090

POLARIS 1666150

Suitable for:

3355974 HEATING ELEMENT 100W 220V
 for door
 length 8800 mm



POLARIS 1666100

3355964 HEATING ELEMENT 230V 28.8W
 overall length 3200 mm
 warm part length 1870 mm



POLARIS BN1666027

POLARIS 1666027

3755330 HEATING ELEMENT 250W 220V
 for evaporator
 length 430 mm - width 50 mm



POLARIS BN1666250

POLARIS 1666250

3355957 HEATING ELEMENT 270W 230V
 length 370 mm - width 50 mm
 height 120 mm



POLARIS 1666400

3355960 HEATING ELEMENT 300W 230V
 for evaporator defrosting
 length 390 mm
 width 490 mm



POLARIS BN1666300

POLARIS 1666300

3355958 HEATING ELEMENT 350W 230V
 dimensions 510 - 295 mm
 dimensions 500 - 330 mm



POLARIS BN1666352

POLARIS 1666352

3355970 HEATING ELEMENT 46W 230V
 for door
 length 6550 mm



POLARIS 1666046

3355963 HEATING ELEMENT 96W 230V
 length 480 mm - width 60 mm



POLARIS BN1666095

POLARIS 1666095

3355967 OUTLET HEATING ELEMENT 230V 30W
 overall length 2500 mm
 warm part length 970 mm



POLARIS BN1666030

POLARIS 1666030



Hinges, catches and accessories

3053942 DOOR UPPER BRACKET



POLARIS

3053941 HINGE FERMOD 175
with cross-head pin



POLARIS BN1412001

POLARIS 1412001

3053942 DOOR UPPER BRACKET



POLARIS

3053920 LONG PIN HINGE INTERTECNICA 28L
with square pin 7.5 mm



POLARIS BN1412050

POLARIS 1412050

5057089 LOWER HINGE



POLARIS BN1484020


5054111 UPPER HINGE
pin \varnothing 16 mm thread M6



POLARIS BN14850012

Incandescent lamps and neon lamps

3221041 LAMP E14 15W 230V
max temperature 300°C - \varnothing 22x50 mm



POLARIS 1640401

POLARIS 1640403



Suitable for:

POLARIS



Suitable for:

Indicator lights

3221956 INDICATOR LIGHT ORANGE 230V
mounting hole 22x30 mm



POLARIS 1640003

3221960 INDICATOR LIGHT WHITE 230V
mounting hole 22x30 mm - 125°C



POLARIS 1640002

Knobs

3444182 GRADUATED KNOB \varnothing 44 mm
hole \varnothing 6x4.6 mm



POLARIS 168110001

3444186 PLASTIC KNOB BEZEL



POLARIS 168110003

Locks

3388905 LOCK COMPLETE
cylinder \varnothing 19x21 mm



POLARIS BN1483003

POLARIS 1483001

POLARIS 1483003

Magnets

7105989 MAGNETIC UNIT STEM M370
45x18x10.5 mm



POLARIS BN161803

POLARIS 161803

Microswitches, magnetic

3240832 MAGNETIC MICROSWITCH STEM E530 1C
1-NO 0.4A 250V
cable length 2000 mm




POLARIS BN161801

POLARIS 161801



Microswitches, mechanical

5028294 MICROSWITCH ARCOLECTRIC E3102
1-NC 5A 250V
colour white



POLARIS BN164603

POLARIS 164603

5021644 MICROSWITCH DEKA B20
1-NO 1-NC 2.5A 250V - 4.8x0.5 mm
white colour



POLARIS BN164608

POLARIS 164606

POLARIS 164608

1240818 MICROSWITCH ELECTRICA C23ZN
16A 250V



POLARIS 164602

Motors

3240211 MOTORELCO VN 10-20 PENTAVALENT
230V 50/60Hz 10W 1300rpm



POLARIS 1648001010

POLARIS 1648001015

3240220 SUCTION FAN ø 200 mm 28°



POLARIS 1495200028

3240902 MOTOR ELCO VN 16-25 PENTAVALENT
230V 50/60Hz 16W 1300rpm



POLARIS 1648001600

3240220 SUCTION FAN ø 200 mm 28°



POLARIS 1495200028

3240210 MOTOR ELCO VN 5-13 PENTAVALENT
230V 50/60Hz 5W 1300rpm



POLARIS 1648000510



Suitable for:

POLARIS



Suitable for:

Probes

3445167 PROBE NTC TPE IP68 1500 mm
temperature range -50+110°C
bulb ø 5x20 mm watertight



POLARIS BN167212

POLARIS 167212

3445335 PROBE NTC TPE IP68 3000 mm
temperature range -50+110°C
bulb ø 5x20 mm watertight



POLARIS BN167211

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



POLARIS FR995562

POLARIS 167208

3445913 SILICONE PROBE NTC 1500 mm
temperature range -50+110°C
bulb ø 6x40 mm



POLARIS 167202

3397164 SILICONE PTC PROBE 1500 mm
2 wire probe temperature range -55+150°C
bulb ø 6x40 mm



POLARIS 167201

3445959 SILICONE PTC PROBE 5000 mm
temperature range -55+150°C
bulb ø 6x40 mm



POLARIS 167207

POLARIS 167210

Refrigerators evaporators

3123087 EVAPORATOR 500x65x150 mm T03R06



POLARIS BN14330312410

POLARIS 14330312410

Relays

3351904 POWER RELAY FINDER 62.22.8.230.0000
230V 50/60Hz
2 changeover contacts 16A
for printed circuit



POLARIS BN166550971

POLARIS 166550971

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



POLARIS 166550

POLARIS 166555

Solenoid valves

3120910 CASTEL COIL 230V HF2
50/60 Hz



POLARIS 14970502

3120034 CONNECTOR LARGE F-FITTING
for coils



POLARIS 14970511

3120905 SOLENOID VALVE 1028/M10 ø 10 mm
direct action NC



POLARIS 14970245

3120034 CONNECTOR LARGE F-FITTING
for coils



POLARIS 14970511

Springs

5032514 SPRING LH ø 15x127 mm



POLARIS BN1412084

POLARIS 1412084

5032762 SPRING RH ø 15x127 mm




POLARIS BN1412083

POLARIS 1412083

Switches

3319970 BIPOLAR SWITCH WHITE 16A 250V
16(4)A 250V - with indicator light
max temperature 120°C
mounting hole 22x30 mm



POLARIS 1635100

3319972 GREEN BIPOLAR SWITCH 16A 250V
16(4)A 250V - with indicator light
ON - OFF silk-screen printing
max temperature 120°C
mounting hole 22x30 mm



POLARIS BN1635103

POLARIS 1635103



Suitable for:

POLARIS



Suitable for:

3319971 YELLOW BIPOLAR SWITCH 16A 250V
 16(4)A 250V - with indicator light
 fan silk-screen printing
 max temperature 120°C
 lead connector 6.35x0.8 mm
 mounting hole 22x30 mm



POLARIS 1635101

Tangential and radial motor fans

3526018 TANGENTIAL FAN QLK45 60 mm LH
 15W - 230V 50/60Hz - ø 45 mm
 QLK45/0006 A22



POLARIS BN1648106045

POLARIS 1648106045

3526951 TANGENTIAL FAN 180 mm LEFT WITH CABLE
 230V 50/60Hz - ø 60 mm
 operating temperature -30°+40°C



POLARIS BN1648106018

POLARIS 1648106018

Thermostats

3444996 ROOM THERMOSTAT 2000A -35+35°C
 3 contacts 10A 250V
 bulb ø 7x92 mm




POLARIS 16810036

3444172 THERMOSTAT -35+35°C TR711N
 3 contacts 16A 400V
 capillary 1500 mm
 bulb ø 6x110 mm
 D shaft ø 6x4.6 mm



POLARIS 16810035

3444182 GRADUATED KNOB ø 44 mm
 hole ø 6x4.6 mm



POLARIS 168110001



Suitable for:

3444186 PLASTIC KNOB BEZEL



POLARIS 168110003

POLARIS

Suitable for:



Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



POLARIS 168305

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com