




# Spare parts for the professional sector: Espresso coffee machines



Suitable for:

# ASTORIA CMA



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# ASTORIA CMA



Suitable for:

## Adhesive labels

**5019721 ADHESIVE LABEL 1-0-2 BLACK 58x58 mm**  
for selector switch



ASTORIA CMA 29067

## Ball valves and accessories

**5116231 BALL VALVE  $\varnothing$  1/8"MF**  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 20227001

ASTORIA CMA 4920227001

**1525002 BALLCOCK VALVE  $\varnothing$  1/4" M-1/4" F**



ASTORIA CMA 20227003

**1411007 BALLCOCK VALVE  $\varnothing$  1/4"MM**  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 4620354001

**5048593 SPHERE VALVE  $\varnothing$  1/4"mm**



ASTORIA CMA 20354

## Bearings

**1063200 BEARING 6300 DDU NSK**  
external  $\varnothing$  35mm - internal  $\varnothing$  10mm - thickness 11mm



ASTORIA CMA 25001

**D063070 BEARING 6300-2RS SKF**  
 $\varnothing$  extern 35 mm -  $\varnothing$  intern 10 mm - thickness 11mm  
single box packaging





## Boiler vacuum valves

**1523408 BOILER VALVE  $\varnothing$  1/8" M**



ASTORIA CMA 20357

**5068142 BOILER VALVE  $\varnothing$  1/8" M 1.8 bar**  
hose end fitting  $\varnothing$  9.5 mm



ASTORIA CMA 20357004

ASTORIA CMA 4920357004

**1515100 BOILER VALVE  $\varnothing$  3/8" M 1.8 bar CE-PED**  
calibration pressure 1.8 bar  
steam outlet capacity 6.3 kg/h



ASTORIA CMA 20356

**1523409 BOILER VALVE  $\varnothing$  3/8" M 1.9 bar CE-PED**  
calibration pressure 1.9 bar  
made of CW510L brass (OT57)  
low lead content



ASTORIA CMA

ASTORIA CMA 4620352002

**1515120 BOILER VALVE  $\varnothing$  3/8" M 1.9 bar CE-PED**  
calibration pressure 1.9 bar  
steam drain flowrate 6.3 kg/h



ASTORIA CMA

ASTORIA CMA 20352

**1523002 PROTECTION FLANGE FOR BOILER VALVE**



ASTORIA CMA 15006001

**1523402 SAFETY VALVE PROTECTION FOR BOILER**



ASTORIA CMA 56009980

**1515011 VACUUM VALVE  $\varnothing$  1/4" M ST.STEEL NSF**  
in steel



ASTORIA CMA 4856150100

**1523538 VACUUM VALVE FOR BOILER  $\varnothing$  1/4" M**  
O-ring seal made of HNBR  
O-ring end-stop in PTFE  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 56150

**1515029 VALVOLA SFIATO  $\varnothing$  1/4" M**



ASTORIA CMA 56155000



Suitable for:

# ASTORIA CMA



Suitable for:

1515052 VALVOLA SFIATO  $\varnothing$  1/4" M



ASTORIA CMA 4956155000

## Brushes

1384002 BRUSH FOR MAINTENANCE



ASTORIA CMA

1384023 CLEANING BRUSH 50 mm



ASTORIA CMA

1384001 SHOWER CLEANING BRUSH  
100% made in Italy



ASTORIA CMA 15426

1384014 SHOWER CLEANING BRUSH RED



ASTORIA CMA

## Bumpers

1186195 RUBBER SHOCK ABSORBER  
for brew group fork



ASTORIA CMA 27300027

1186196 RUBBER SHOCK ABSORBER  
for brew group lever



ASTORIA CMA 15120000

## Burrs

1251125 GRINDING BURRS PAIR ASTORIA-MAHLKONIG LH  
external  $\varnothing$  65 mm - internal  $\varnothing$  38 mm  
thickness 8.4 mm - 2 fixing holes  
ORIGINAL  
for MAHLKÖNIG K30  
for DITTING KE640 - KED640



ASTORIA CMA 28530000

ASTORIA CMA 28530001

ASTORIA CMA 28530002



## Cables for piezo igniters


**3001028 IGNITION LEAD 500 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for sparking plug



ASTORIA CMA 22001


## Cappuccino makers - Cappuccinatore

**1079023 CREAM ADJUSTER**



ASTORIA CMA 30499003

**1079030 KIT MILK FROTHER ASTORIA/CMA**



ASTORIA CMA 83300000R

ASTORIA CMA 83300012R


**1079022 MILK FROTHER NYLON**



ASTORIA CMA 30515003

## Caps

**1439023 BOILER CAP  $\varnothing$  3/8" M**



ASTORIA CMA 25785

**1439021 CAP  $\varnothing$  1/4" F HEIGHT 16 mm NUT 17 mm**



ASTORIA CMA 25782

**1439033 CAP  $\varnothing$  14 mm FOR BREW GROUP**



ASTORIA CMA 25789302

**1439067 CAP  $\varnothing$  18 mm DISPENSING GROUP**  
made of OT58 brass  
subjected to a treatment of teatura



ASTORIA CMA 4825789306



# ASTORIA CMA



Suitable for:

Suitable for:

**1439032 CAP  $\varnothing$  18 mm FOR BREW GROUP**

**1439035 CAP  $\varnothing$  18 mm FOR BREW GROUP**



ASTORIA CMA 25789301

ASTORIA CMA 25789306

**1439200 CAP  $\varnothing$  18 mm FOR BREW GROUP**

**1439034 CAP  $\varnothing$  28 mm FOR BREW GROUP**



ASTORIA CMA 257891

ASTORIA CMA 25789305

ASTORIA CMA 4625789305

ASTORIA CMA 4825789305

**1439048 NUT  $\varnothing$  1/4" F H13 KEY 17**



ASTORIA CMA 25780

## Circlips

**1250218 CIRCLIP J-14**  
stainless steel -  $\varnothing$  external 17,3 mm  
UNI 7437 - DIN 472

**1002004 CIRCLIP J-9**  
stainless steel -  $\varnothing$  external 11.8 mm  
UNI 7437 - DIN 472



ASTORIA CMA 10002

ASTORIA CMA 10005

**1250223 RADIAL SEEGER RING  $\varnothing$  6 mm**  
stainless steel - external  $\varnothing$  12.3 - thickness 0.7  
UNI 7434 - DIN 6799

**1348023 RADIAL SEEGER RING  $\varnothing$  9 mm**  
stainless steel - external  $\varnothing$  18.8 - thickness 1.1  
UNI 7434 - DIN 6799



ASTORIA CMA 10001


ASTORIA CMA 10003



## Clamping tools

### 1508002 SHOWER-REMOVING TOOL FOR SLOT SCREWS

special tool for removing delivery showers fastened with slot screws.  
prevents dirtying and scalding.  
AISI 304 steel



ASTORIA CMA

## Clamps

### 3449402 DOUBLE-WIRE CLAMP 7.8-8.3 - 100 PCS for hoses $\varnothing$ 7.8÷8.3 mm



ASTORIA CMA 15056000

### 3449404 DOUBLE-WIRE CLAMP 8.8-9.3 - 100 PCS for hoses $\varnothing$ 8.8÷9.3 mm



ASTORIA CMA 15056001

### 1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



ASTORIA CMA 26310003

## Coffee filters

### 1160278 BLIND FILTER $\varnothing$ 65x25 mm edge $\varnothing$ 65 mm - height 25 mm



ASTORIA CMA 27175001

### 1160339 BLIND FILTER $\varnothing$ 70x17 mm edge $\varnothing$ 70 mm - height 17 mm



ASTORIA CMA



Suitable for:

# ASTORIA CMA



**1160104 FILTER ADAPTER FOR CAPSULES EP**  
 edge ø 65 mm - body ø 55 mm - height 64 mm  
 to be combined w. filter holder w/out sp. bottom  
 for the machine brand  
 food-safe certified



ASTORIA CMA

**1460026 FILTER BARISTAPRO 1C 10/12 g THE SINGLE**  
 edge ø 70 mm - height 24 mm - 269 holes  
 Aisi steel 304 - food-safe certified.  
 Modified drilling, with increased holes  
 of the 90% to obtain a bigger extraction  
 also with light toasted coffee.  
 Electropolishing, to guarantee a surface  
 with higher strength and durability.  
 100% made in Italy



ASTORIA CMA

**1460019 FILTER BARISTAPRO 1C 7/8.5 g THE SINGLE**  
 edge ø 70 mm - height 21 mm - 269 holes  
 Aisi steel 304 - food-safe certified.  
 Modified drilling, with increased holes  
 of the 90% to obtain a bigger extraction  
 also with light toasted coffee.  
 Electropolishing, to guarantee a surface  
 with higher strength and durability.  
 100% made in Italy



ASTORIA CMA

**1460025 FILTER BARISTAPRO 1C 8/10 g THE SINGLE**  
 edge ø 70 mm - height 22.5 mm - 269 holes  
 Aisi steel 304 - food-safe certified.  
 Modified drilling, with increased holes  
 of the 90% to obtain a bigger extraction  
 also with light toasted coffee.  
 Electropolishing, to guarantee a surface  
 with higher strength and durability.  
 100% made in Italy



ASTORIA CMA

**1460017 FILTER BARISTAPRO 2 CUPS 15 g**  
 edge ø 70 mm - height 22 mm - 661 holes  
 Aisi steel 304 - food-safe certified.  
 Holes made with a precise diameter and number  
 specifically designed and tested to  
 to ensure homogeneous extraction and a  
 balanced quantity of soluble in cup.  
 Detached from the filter edge and distributed tow.  
 the center to eliminate channeling.  
 Electropolishing, to guarantee a surface  
 with higher strength and durability.  
 100% made in Italy



ASTORIA CMA

**1460018 FILTER BARISTAPRO 2 CUPS 15 g NANOTECH**  
 edge ø 70 mm - height 22 mm - 661 holes  
 Aisi steel 304 - food-safe certified.  
 Holes made with a precise diameter and number  
 specifically designed and tested to  
 to ensure homogeneous extraction and a  
 balanced quantity of soluble in cup.  
 Detached from the filter edge and distributed tow.  
 the center to eliminate channeling.  
 Non-stick coating made of NANOQUARTZ  
 increases the resistance to corrosion  
 and chemical reaction  
 100% made in Italy



ASTORIA CMA





Suitable for:

Suitable for:

**1460020 FILTER BARISTAPRO 2 CUPS 18 g**  
 edge ø 70 mm - height 24 mm - 661 holes  
 Aisi steel 304 - food-safe certified.  
 Holes made with a precise diameter and number specifically designed and tested to ensure homogeneous extraction and a balanced quantity of soluble in cup. Detached from the filter edge and distributed tow. the center to eliminate channeling. Electropolishing, to guarantee a surface with higher strength and durability. 100% made in Italy

**1460022 FILTER BARISTAPRO 2 CUPS 18 g NANOTECH**  
 edge ø 70 mm - height 24 mm - 661 holes  
 Aisi steel 304 - food-safe certified.  
 Holes made with a precise diameter and number specifically designed and tested to ensure homogeneous extraction and a balanced quantity of soluble in cup. Detached from the filter edge and distributed tow. the center to eliminate channeling. Non-stick coating made of NANOQUARTZ increases the resistance to corrosion and chemical reaction. 100% made in Italy



ASTORIA CMA

ASTORIA CMA

**1460021 FILTER BARISTAPRO 2 CUPS 20 g**  
 edge ø 70 mm - height 26 mm - 661 holes  
 Aisi steel 304 - food-safe certified.  
 Holes made with a precise diameter and number specifically designed and tested to ensure homogeneous extraction and a balanced quantity of soluble in cup. Detached from the filter edge and distributed tow. the center to eliminate channeling. Electropolishing, to guarantee a surface with higher strength and durability. 100% made in Italy

**1460023 FILTER BARISTAPRO 2 CUPS 20 g NANOTECH**  
 edge ø 70 mm - height 26 mm - 661 holes  
 Aisi steel 304 - food-safe certified.  
 Holes made with a precise diameter and number specifically designed and tested to ensure homogeneous extraction and a balanced quantity of soluble in cup. Detached from the filter edge and distributed tow. the center to eliminate channeling. Non-stick coating made of NANOQUARTZ increases the resistance to corrosion and chemical reaction. 100% made in Italy



ASTORIA CMA

ASTORIA CMA

**1460027 FILTER BARISTAPRO 2 CUPS 22 g**  
 edge ø 70 mm - height 28 mm - 661 holes  
 Aisi steel 304 - food-safe certified.  
 Holes made with a precise diameter and number specifically designed and tested to ensure homogeneous extraction and a balanced quantity of soluble in cup. Detached from the filter edge and distributed tow. the center to eliminate channeling. Electropolishing, to guarantee a surface with higher strength and durability. 100% made in Italy

**1460024 FILTER BARISTAPRO 2 CUPS 22 g NANOTECH**  
 edge ø 70 mm - height 28 mm - 661 holes  
 Aisi steel 304 - food-safe certified.  
 Holes made with a precise diameter and number specifically designed and tested to ensure homogeneous extraction and a balanced quantity of soluble in cup. Detached from the filter edge and distributed tow. the center to eliminate channeling. Non-stick coating made of NANOQUARTZ increases the resistance to corrosion and chemical reaction. 100% made in Italy



ASTORIA CMA

ASTORIA CMA



Suitable for:

# ASTORIA CMA



**1460045 FILTER CAPSULES EP-FAP SUPER CREAM**  
 edge  $\varnothing$  65 mm - body  $\varnothing$  55 mm - height 75 mm  
 adapter for single dose capsules  
 complete with internal pressure valve  
 to make the product creamy  
 to be combined w. filter holder w/out sp. bottom  
 for the machine brand  
 suitable for machines ASTORIA/WEGA 52 mm



ASTORIA CMA

Suitable for:

**5071383 FILTER CAPSULES EP-FAP SUPER CREAM**  
 edge  $\varnothing$  70 mm - body  $\varnothing$  60 mm - height 75 mm  
 adapter for single dose capsules  
 complete with internal pressure valve  
 to make the product creamy  
 to be combined w. filter holder w/out sp. bottom  
 for the machine brand  
 suitable for machines ASTORIA/CMA-BEZZERA  
 BRASILIA-CIMBALI-MAGISTER-MARZOCCO-NUOVA  
 SIMONELLI  
 PROMAC-RANCILIO-VICTORIA ARDUINO



ASTORIA CMA

**1160050 FILTER 1 CUP 6 g  $\varnothing$  70x19.5 mm**  
 edge  $\varnothing$  70 mm - height 19.5 mm



ASTORIA CMA 27146

**1160276 FILTER 1 CUP 7 g  $\varnothing$  65x25 mm**  
 edge  $\varnothing$  65 mm - height 25 mm



ASTORIA CMA 27144000

**1160052 FILTER 1 CUP 7 gr  $\varnothing$  70x24.5 mm**  
 edge  $\varnothing$  70 mm - height 24.5 mm



ASTORIA CMA 145

ASTORIA CMA 27142

**5073075 FILTER 1 CUP 8 g  $\varnothing$  65x24.8 mm**  
 edge  $\varnothing$  65 mm - height 24.8 mm



ASTORIA CMA 27144003

**1160053 FILTER 2 CUPS 14 g  $\varnothing$  70x24.5 mm**  
 edge  $\varnothing$  70 mm - height 24.5 mm



ASTORIA CMA 27171

**5107382 FILTER 2 CUPS 18 g  $\varnothing$  70x28 mm**  
 border  $\varnothing$  70 mm - height 28 mm  
 made in China



ASTORIA CMA

**1160345 FILTER 2 CUPS 18/21 g  $\varnothing$  70x28 mm**  
 edge  $\varnothing$  70 mm - height 28 mm



ASTORIA CMA 27190

**1160529 FILTER 2-CUP 14 g  $\varnothing$  70x22 mm**  
 edge  $\varnothing$  70 mm - height 22 mm



ASTORIA CMA 27121

ASTORIA CMA 27176

Suitable for:

Suitable for:

**1460049 FILTRO CAPSULE EP-FAP SUPER EMULSION**  
 edge  $\varnothing$  70 mm - body  $\varnothing$  60 mm - height 80 mm  
 adapter for double dose capsules  
 complete with internal pressure valve  
 to make the product creamy  
 to be combined w. filter holder w/out sp. bottom  
 for the machine brand  
 suitable for machines ASTORIA-BRASILIA-BEZZERA  
 MARZOCCO-MAGISTER-NUOVA SIMONELLI-PAVONI  
 RANCILIO

**1160293 MEMBRANE BLIND FILTER  $\varnothing$  50 mm**



ASTORIA CMA

ASTORIA CMA 27173

**1460116 PESADO COMPETITION FILTER 23.5 mm 17 g**  
 Edge  $\varnothing$  70 mm - height 23.5 mm - 715 holes  
 Flat bottom  
 Circular holes with conical section  
 Aisi 304 steel - food-grade certified  
 Matching tamper  $\varnothing$  58 mm

**1460117 PESADO COMPETITION FILTER 24.5 mm 18 g**  
 Edge  $\varnothing$  70 mm - height 24.5 mm - 715 holes  
 Flat bottom  
 Circular holes with conical section  
 Aisi 304 steel - food-grade certified  
 Matching tamper  $\varnothing$  58 mm



ASTORIA CMA

ASTORIA CMA

**1460118 PESADO COMPETITION FILTER 25.5 mm 19 g**  
 Edge  $\varnothing$  70 mm - height 25.5 mm - 715 holes  
 Flat bottom  
 Circular holes with conical section  
 Aisi 304 steel - food-grade certified  
 Matching tamper  $\varnothing$  58 mm

**1460119 PESADO COMPETITION FILTER 26.5 mm 20 g**  
 Edge  $\varnothing$  70 mm - height 26.5 mm - 715 holes  
 Flat bottom  
 Circular holes with conical section  
 Aisi 304 steel - food-grade certified  
 Matching tamper  $\varnothing$  58 mm



ASTORIA CMA

ASTORIA CMA

**1460120 PESADO COMPETITION FILTER 27.5 mm 21 g**  
 Edge  $\varnothing$  70 mm - height 27,5 mm - 715 holes  
 Flat bottom  
 Circular holes with conical section  
 Aisi 304 steel - food-grade certified  
 Matching tamper  $\varnothing$  58 mm

**1460121 PESADO COMPETITION FILTER 28.5 mm 22 g**  
 Edge  $\varnothing$  70 mm - height 28,5 mm - 715 holes  
 Flat bottom  
 Circular holes with conical section  
 Aisi 304 steel - food-grade certified  
 Matching tamper  $\varnothing$  58 mm



ASTORIA CMA

ASTORIA CMA



Suitable for:

# ASTORIA CMA



**1160503** **POD FILTER ESE 1 CUP ø 70x17 mm**  
edge ø 70 mm - height 17 mm



ASTORIA CMA

Suitable for:

**5113258** **POD FILTER ESE 1 CUP ø 70x18.5 mm**  
edge ø 70 mm - height 18.5 mm



ASTORIA CMA

**1160504** **POD FILTER 2 CUPS ø 70x21.5 mm**  
edge ø 70 mm - height 21.5 mm



ASTORIA CMA

**1460100** **PRECISION FILTER 1 CUP 6/8 g H24.5**  
edge ø 70 mm - height 24.5 mm - 177 holes  
circular holes with conical section  
Aisi steel 304 - food-safe certified  
matching tamper ø 58 mm  
for COFFEE MACHINES ASTORIA-CASADIO-CONTI-ELEKTRA  
FRACINO-KEESVANDERWESTEN-MAGISTER-MARZOCCO  
N.SIMONELLI-PAVONI-PROMAC-RANCILIO-SLAYER-SYNESSO  
VICTORIA ARDUINO  
for GROUPS E61 ASCASO-BEZZERA-BFC-BIANCHI  
BRASILIA-DID-ECM-EXPOBAR-FAEMA-FIORENZATO-GRIMAC  
IBERITAL-LANUOVAERA-LASCALA-ORCHESTRALE  
QUALITYESPRESSO-ROCKET-ROYAL-SABITALIA-SANREMO-VFA  
VIBIEMME-WEGA



ASTORIA CMA

**1460110** **PRECISION FILTER 1 CUP 6/9 g H25**  
edge ø 65 mm - height 25 mm - 253 holes  
circular holes with conical section  
Aisi steel 304 - food-safe certified  
matching tamper ø 53 mm  
for COFFEE MACHINES ASTORIAPLUS4YOU-WEGA  
CONCEPT SPAZIALE



ASTORIA CMA

**1460101** **PRECISION FILTER 1 CUP 7/9 g H26.5**  
edge ø 70 mm - height 26.5 mm - 253 holes  
circular holes with conical section  
Aisi steel 304 - food-safe certified  
matching tamper ø 58 mm  
for GROUPS E61 ASCASO-BEZZERA-BFC-BIANCHI  
BRASILIA-DID-ECM-EXPOBAR-FAEMA-FIORENZATO-GRIMAC  
IBERITAL-LANUOVAERA-LASCALA-L'ORCHESTRALE  
QUALITYESPRESSO-ROCKET-ROYAL-SABITALIA-SANREMO-VFA  
VIBIEMME-WEGA



ASTORIA CMA



Suitable for:

Suitable for:

**1460080 PRECISION FILTER 2 CUPS 12/14 g H20**  
edge  $\varnothing$  70 mm - height 20 mm - 715 holes  
flat bottom  
circular holes with tapered section  
Aisi 304 steel - food safe certified  
matching tamper  $\varnothing$  58 mm  
for KEES VAN DER WESTEN - Spirit-Speedster models  
for type E61 groups  
filter without channel (for better sealing)  
purchase of spring 5056010 recommended  
EAN code 0806891050373

**5056010 FILTER LOCKING SPRING  $\varnothing$  1.20 mm S/STEEL**



ASTORIA CMA

**1460113 PRECISION FILTER 2 CUPS 12/18 g H24**  
edge  $\varnothing$  70 mm - height 24 mm - 715 holes  
convex bottom  
circular holes with conical section  
Aisi steel 304 - food-safe certified  
matching tamper  $\varnothing$  58 mm  
per GROUPS E61 ASCASO-BEZZERA-BFC-BIANCHI  
BRASILIA-DID-ECM-EXPOBAR-FAEMA-FIORENTATO-GRIMAC  
IBERITAL-LANUOVAERA-LASCALA-L'ORCHESTRALE  
QUALITYESPRESSO-ROCKET-ROYAL-SABITALIA-SANREMO-VFA  
VIBIEMME-WEGA  
for COFFEE MACHINES SANREMO OPERA

**1460102 PRECISION FILTER 2 CUPS 12/18 g H24.5**  
edge  $\varnothing$  70 mm - height 24.5 mm - 641 holes  
circular holes with conical section  
Aisi steel 304 - food-safe certified  
matching tamper  $\varnothing$  58 mm  
for GROUPS E61 ASCASO-BEZZERA-BFC-BIANCHI  
BRASILIA-DID-ECM-EXPOBAR-FAEMA-FIORENTATO-GRIMAC  
IBERITAL-LANUOVAERA-LASCALA-L'ORCHESTRALE  
QUALITYESPRESSO-ROCKET-ROYAL-SABITALIA-SANREMO-VFA  
VIBIEMME-WEGA



ASTORIA CMA

ASTORIA CMA

**1460111 PRECISION FILTER 2 CUPS 12/18 g H27.5**  
edge  $\varnothing$  65 mm - height 27.5 mm - 641 holes  
circular holes with conical section  
Aisi steel 304 - food-safe certified  
matching tamper  $\varnothing$  53 mm  
for COFFEE MACHINES ASTORIAPLUS4YOU-WEGA  
CONCEPT SPAZIALE



ASTORIA CMA



Suitable for:

# ASTORIA CMA



**1460081 PRECISION FILTER 2 CUPS 14/16 g H22**  
 edge  $\varnothing$  70 mm - height 22 mm - 715 holes  
 flat bottom  
 circular holes with tapered section  
 Aisi 304 steel - food safe certified  
 matching tamper  $\varnothing$  58 mm  
 for KEES VAN DER WESTEN - Spirit-Speedster models  
 per type E61 groups  
 filter without channel (for better sealing)  
 purchase of spring 5056010 recommended  
 EAN code 0806891050380



Suitable for:

**5056010 FILTER LOCKING SPRING  $\varnothing$  1.20 mm S/STEEL**



ASTORIA CMA

**1460400 PRECISION FILTER 2 CUPS 14/16 g H24**  
 ULTRAFINE MODEL - MEMBRANE OF 170  $\mu$ m  
 edge  $\varnothing$  70 mm - height 24 mm - 565 holes  
 circular holes with conical section  
 Aisi steel 304 - food-safe certified  
 matching tamper  $\varnothing$  58 mm  
 for COFFEE MACHINES ASTORIA-CASADIO-CONTI-ELEKTRA  
 FRACINO-KEESVANDERWESTEN-MAGISTER-MARZOCCO  
 N.SIMONELLI-PAVONI-PROMAC-RANCILIO-SLAYER-SYNESSO  
 VICTORIA ARDUINO  
 for GROUPS E61 ASCASO-BEZZERA-BFC-BIANCHI  
 BRASILIA-DID-ECM-EXPOBAR-FAEMA-FIORENTATO-GRIMAC  
 IBERITAL-LANUOVAERA-LASCALA-ORCHESTRALE  
 QUALITYESPRESSO-ROCKET-ROYAL-SABITALIA-SANREMO-VFA  
 VIBIEMME-WEGA  
 EAN code 0806891050472



**1460103 PRECISION FILTER 2 CUPS 14/20 g H26.5**  
 edge  $\varnothing$  70 mm - height 26.5 mm - 641 holes  
 circular holes with conical section  
 Aisi steel 304 - food-safe certified  
 matching tamper  $\varnothing$  58 mm  
 for GROUPS E61 ASCASO-BEZZERA-BFC-BIANCHI  
 BRASILIA-DID-ECM-EXPOBAR-FAEMA-FIORENTATO-GRIMAC  
 IBERITAL-LANUOVAERA-LASCALA-L'ORCHESTRALE  
 QUALITYESPRESSO-ROCKET-ROYAL-SABITALIA-SANREMO-VFA  
 VIBIEMME-WEGA  
 EAN code 0806891050403



ASTORIA CMA

**1460082 PRECISION FILTER 2 CUPS 16/18 g H24**  
 edge  $\varnothing$  70 mm - height 24 mm - 715 holes  
 flat bottom  
 circular holes with tapered section  
 Aisi 304 steel - food safe certified  
 matching tamper  $\varnothing$  58 mm  
 for KEES VAN DER WESTEN - Spirit-Speedster models  
 for type E61 groups  
 filter without channel (for better sealing)  
 purchase of spring 5056010 recommended  
 EAN code 0806891050397



ASTORIA CMA

**5056010 FILTER LOCKING SPRING  $\varnothing$  1.20 mm S/STEEL**



ASTORIA CMA



Suitable for:

# ASTORIA CMA



**1460401 PRECISION FILTER 2 CUPS 16/18 g H26**  
ULTRAFINE MODEL - MEMBRANE OF 170 µm  
edge ø 70 mm - height 26 mm - 565 holes  
circular holes with conical section  
Aisi steel 304 - food-safe certified  
matching tamper ø 58 mm  
for COFFEE MACHINES ASTORIA-CASADIO-CONTI-ELEKTRA  
FRACINO-KEESVANDERWESTEN-MAGISTER-MARZOCCO  
N.SIMONELLI-PAVONI-PROMAC-RANCILIO-SLAYER-SYNESSO  
VICTORIA ARDUINO  
for GROUPS E61 ASCASO-BEZZERA-BFC-BIANCHI  
BRASILIA-DID-ECM-EXPOBAR-FAEMA-FIORENZATO-GRIMAC  
IBERITAL-LANUOVAERA-LASCALA-ORCHESTRALE  
QUALITYESPRESSO-ROCKET-ROYAL-SABITALIA-SANREMO-VFA  
VIBIEMME-WEGA  
EAN code 0806891050489



ASTORIA CMA

**1460083 PRECISION FILTER 2 CUPS 18/20 g H26**  
edge ø 70 mm - height 26 mm - 715 holes  
flat bottom  
circular holes with tapered section  
Aisi 304 steel - food safe certified  
matching tamper ø 58 mm  
for KEES VAN DER WESTEN - Spirit-Speedster models  
for type E61 groups  
filter without channel (for better sealing)  
purchase of spring 5056010 recommended  
EAN code 0806891050403



ASTORIA CMA

Suitable for:

**1460114 PRECISION FILTER 2 CUPS 16/20 g H26**  
edge ø 70 mm - height 26 mm - 715 holes  
convex bottom  
circular holes with conical section  
Aisi steel 304 - food-safe certified  
matching tamper ø 58 mm  
per GROUPS E61 ASCASO-BEZZERA-BFC-BIANCHI  
BRASILIA-DID-ECM-EXPOBAR-FAEMA-FIORENZATO-GRIMAC  
IBERITAL-LANUOVAERA-LASCALA-L'ORCHESTRALE  
QUALITYESPRESSO-ROCKET-ROYAL-SABITALIA-SANREMO-VFA  
VIBIEMME-WEGA  
for COFFEE MACHINES SANREMO OPERA



ASTORIA CMA

**5056010 FILTER LOCKING SPRING ø 1.20 mm S/STEEL**





Suitable for:

# ASTORIA CMA



**1460402 PRECISION FILTER 2 CUPS 18/20 g H28**  
 ULTRAFINE MODEL - MEMBRANE OF 170 µm  
 edge ø 70 mm - height 28 mm - 565 holes  
 circular holes with conical section  
 Aisi steel 304 - food-safe certified  
 matching tamper ø 58 mm  
 for COFFEE MACHINES ASTORIA-CASADIO-CONTI-ELEKTRA  
 FRACINO-KEESVANDERWESTEN-MAGISTER-MARZOCCO  
 N.SIMONELLI-PAVONI-PROMAC-RANCILIO-SLAYER-SYNESSO  
 VICTORIA ARDUINO  
 for GROUPS E61 ASCASO-BEZZERA-BFC-BIANCHI  
 BRASILIA-DID-ECM-EXPOBAR-FAEMA-FIORENZATO-GRIMAC  
 IBERITAL-LANUOVAERA-LASCALA-ORCHESTRALE  
 QUALITYESPRESSO-ROCKET-ROYAL-SABITALIA-SANREMO-VFA  
 VIBIEMME-WEGA  
 EAN code 0806891050496



ASTORIA CMA

**1460104 PRECISION FILTER 2 CUPS 18/22 g H28.5**  
 edge ø 70 mm - height 28.5 mm - 715 holes  
 convex bottom  
 circular holes with conical section  
 Aisi steel 304 - food-safe certified  
 matching tamper ø 58 mm  
 for GROUPS E61 ASCASO-BEZZERA-BFC-BIANCHI  
 BRASILIA-DID-ECM-EXPOBAR-FAEMA-FIORENZATO-GRIMAC  
 IBERITAL-LANUOVAERA-LASCALA-L'ORCHESTRALE  
 QUALITYESPRESSO-ROCKET-ROYAL-SABITALIA-SANREMO-VFA  
 VIBIEMME-WEGA  
 EAN code 0806891050410



ASTORIA CMA

**1460084 PRECISION FILTER 2 CUPS 20/22 g H28**  
 edge ø 70 mm - height 28 mm - 715 holes  
 flat bottom  
 circular holes with tapered section  
 Aisi 304 steel - food safe certified  
 matching tamper ø 58 mm  
 for KEES VAN DER WESTEN - Spirit-Speedster models  
 for type E61 groups  
 filter without channel (for better sealing)  
 purchase of spring 5056010 recommended  
 EAN code 0806891050410



ASTORIA CMA

**5056010 FILTER LOCKING SPRING ø 1.20 mm S/STEEL**



**3250301 PRECISION FILTER 2T 14/16gr NANOTECH**  
 edge ø 70 mm - height 22 mm - 715 holes  
 flat bottom  
 circular holes with conical section  
 steel Aisi 304 - food grade certified  
 matching tamper ø 58 mm  
 for KEES VAN DER WESTEN mod. Spirit-Speedster  
 for groups type E61  
 filter without channel, for better sealing  
 non-stick coating NANOQUARTZ  
 increases resistance to corrosion  
 and chemical attack.  
 100% made in Italy



ASTORIA CMA

**3460011 PRECISION FILTER 2T 16/18gr NANOTECH**  
 edge ø 70 mm - height 24 mm - 715 holes  
 flat bottom  
 circular holes with conical section  
 steel Aisi 304 - food grade certified  
 matching tamper ø 58 mm  
 for KEES VAN DER WESTEN mod. Spirit-Speedster  
 for groups type E61  
 filter without channel, for better sealing  
 non-stick coating NANOQUARTZ  
 increases resistance to corrosion  
 and chemical attack.  
 100% made in Italy



ASTORIA CMA





Suitable for:

**3460012 PRECISION FILTER 2T 18/20gr NANOTECH**  
 edge  $\varnothing$  70 mm - height 26 mm - 715 holes  
 flat bottom  
 circular holes with conical section  
 steel Aisi 304 - food grade certified  
 matching tamper  $\varnothing$  58 mm  
 for KEES VAN DER WESTEN mod. Spirit-Speedster  
 for groups type E61  
 filter without channel, for better sealing  
 non-stick coating NANOQUARTZ  
 increases resistance to corrosion  
 and chemical attack.  
 100% made in Italy



ASTORIA CMA

Suitable for:

**1460112 PRECISION FILTER 3 CUPS 21 g H32**  
 edge  $\varnothing$  65 mm - height 32 mm - 641 holes  
 circular holes with conical section  
 Aisi steel 304 - food-safe certified  
 matching tamper  $\varnothing$  53 mm  
 for COFFEE MACHINES ASTORIAPLUS4YOU-WEGACONCEPT



ASTORIA CMA

## Coffee groups

**1192200 CAP FOR COFFEE GROUP**



ASTORIA CMA 15026001

**1192202 CHROMIUM-PLATED FORK FOR LEVER GROUP**



ASTORIA CMA 56351

**1192203 CHROMIUM-PLATED FORK FOR LEVER GROUP**



ASTORIA CMA 56354

ASTORIA CMA 56354001

**5500730 CYLINDER LINER FOR LEVER ASSEMBLY**



ASTORIA CMA 56352

**5038404 DRAIN FITTING CHROMED**



ASTORIA CMA 23055

**1450551 DRAIN PIPE  $\varnothing$  1/8"x92 mm**  
 for brew group



ASTORIA CMA 52000166

ASTORIA CMA 52000168

**1192279 DRAIN PIPE  $\varnothing$  1/8"F x 143 mm**  
 for brew group



ASTORIA CMA 52000194

**1027003 DRAIN SLEEVE CHROME-PLATED UPPER**  
 version for nozzle M5



ASTORIA CMA 25739502

ASTORIA CMA 4825739502



# ASTORIA CMA



Suitable for:

5053574 DRAIN SLEEVE CHROME-PLATED UPPER CTS03



ASTORIA CMA 4856130001

ASTORIA CMA 56130001

Suitable for:

1192209 EXCHANGER BREW GROUP



ASTORIA CMA 56054

ASTORIA CMA 56082101

1192208 EXCHANGER BREW GROUP COMPLETE



ASTORIA CMA 4856082100

ASTORIA CMA 56055

ASTORIA CMA 56082100

1192204 EXTRACTABLE DELIVERY GROUP



ASTORIA CMA 4856082103

ASTORIA CMA 56082001

ASTORIA CMA 56082103

5110817 SLEEVE UPPER CHROMED  
version for nozzle M6



ASTORIA CMA 25739503

## Coffee measuring spoons

1069001 DOSER SPOON OF PLASTIC 20 ml  
overall length 170 mm



ASTORIA CMA 15290

1069002 DOSER SPOON OF ST. STEEL 20 ml  
material made of stainless steel AISI304  
overall length 195 mm



ASTORIA CMA

## Coffee spouts

1022522 ADJUSTABLE LONG DOUBLE SPOUT  $\varnothing$  3/8"



ASTORIA CMA

1022523 ADJUSTABLE SHORT DOUBLE SPOUT  $\varnothing$  3/8"



ASTORIA CMA



# ASTORIA CMA



Suitable for:

Suitable for:

**1022003 CHROME-PLATED SPOUT EXTENSION  $\varnothing$  3/8"**



ASTORIA CMA 27060201

**1022502 DOUBLE SPOUT  $\varnothing$  3/8"**



ASTORIA CMA 27041

ASTORIA CMA 27042

**1022521 LONG DOUBLE SPOUT  $\varnothing$  3/8"**



ASTORIA CMA

**1022506 SPOUT DOUBLE  $\varnothing$  3/8"**



ASTORIA CMA 27042001

**1165256 SPOUT DOUBLE  $\varnothing$  3/8" NANOTECH**  
non-stick NANOQUARTZ coating  
increases the resistance to corrosion  
and to chemical reaction  
Thanks to the internal and external coating  
the surfaces are completely non-stick,  
the water flow is constant and uniform.  
food-safe certified



ASTORIA CMA

**1022099 SPOUT 1 CUP  $\varnothing$  3/8"**



ASTORIA CMA 27032001

**1022501 SPOUT 1 CUP  $\varnothing$  3/8"**



ASTORIA CMA 27032

**1022504 SPOUT 1 CUP CLOSED  $\varnothing$  3/8"**



ASTORIA CMA

**1022503 SPOUT 1 CUP STRAIGHT  $\varnothing$  3/8"**



ASTORIA CMA

**1022551 TRIPLE SPOUT  $\varnothing$  3/8"**



ASTORIA CMA



Suitable for:

Suitable for:

5031337 1-CUP STRAIGHT SHORT SPOUT  $\varnothing$  3/8"



ASTORIA CMA

## Contact thermostats

1443206 CONTACT THERMOSTAT 100°C

1444206 CONTACT THERMOSTAT 145°C M4  
with manual reset



ASTORIA CMA 20300009

ASTORIA CMA 20304

1443207 CONTACT THERMOSTAT 180°C




ASTORIA CMA 20300011

## Contactors

1454004 CONTACTOR ABB B7-40-00  
20A 400V 5.5Kw - coil 230V 50/60Hz  
4 normally open contacts

3446556 CONTACTOR LOVATO BG0910A  
4kW 400V 9A - coil 230V 50/60Hz  
3 NO contacts  
1 NO auxiliary contact



ASTORIA CMA 20299

ASTORIA CMA 20299002

ASTORIA CMA 28340

## Couplings

1191006 MOTOR COUPLING KIT



ASTORIA CMA 83260016R



## Detergents

### 1092034 BARISTA CLOTH 500x300 mm WITH SNAP-HOOK

microfibre cloth  
dimension 500x300 mm  
black colour  
for cleaning coffee filters and  
all steel surfaces in the bar  
CUSTOMISABLE



ASTORIA CMA

### 3092355 DETERGENT CAPPUCCINO PERFECT 1 L

for the cleaning of milk frothers  
please see the attached documentation for use  
code GTIN/EAN 4064145110006



ASTORIA CMA

### 3092351 DETERGENT COFFEE CLEAN

package with 15 bags 20 g  
for coffee groups cleaning



ASTORIA CMA

### 1092047 DETERGENT COFFEE CLEAN PLUS 2.4g

jar with 60 tablets of 2.4g  
tablets ø 16.2x7.2 mm  
for coffee groups cleaning  
for TRADITIONAL coffee machines  
for SUPERAUTOMATIC coffee machines  
see packaging for operating instructions



ASTORIA CMA

### 3092350 DETERGENT COFFEE CLEAN TABLET 2.5 g

60 tablets jar of 2.5 g  
for coffee groups cleaning



ASTORIA CMA

### 3092543 DETERGENT COFFEE CLEAN 570 g

detergent for COFFEE MACHINES  
for the cleaning of filters and filter holders  
for grease and coffee stains on cups and saucers  
code GTIN/EAN 4064145110013



ASTORIA CMA

### 3092143 DETERGENT COFFEE CLEAN 900 g

detergent for COFFEE MACHINES  
for the cleaning of filters and filter holders  
for grease and coffee stains on cups and saucers  
please see the attached documentation for use  
code GTIN/EAN 4064145109994



ASTORIA CMA

### 3092353 SCALE REMOVER SCALE CLEAN

package with 12 bags 25 g  
for the cleaning of BABY coffee machines  
please see the attached documentation for use



ASTORIA CMA



Suitable for:

# ASTORIA CMA



Suitable for:

**3092352 SCALE REMOVER SCALE CLEAN 1 kg**  
acid descaler for aluminium surfaces  
copper, brass, iron



ASTORIA CMA

## Drain hoses

**1449270 DRAIN HOSE ELISPIR ø 12x18 mm - 30 m**  
food-safe



ASTORIA CMA

**1449670 DRAIN HOSE ELISPIR ø 12x18 mm - 5 m**  
food-safe



ASTORIA CMA

**1449271 DRAIN HOSE ELISPIR ø 14x20 mm - 30 m**  
food-safe



ASTORIA CMA

**1449671 DRAIN HOSE ELISPIR ø 14x20 mm - 5 m**  
food-grade



ASTORIA CMA

**1449272 DRAIN HOSE ELISPIR ø 16x23 mm - 30 m**  
food-safe



ASTORIA CMA 15470

**1449672 DRAIN HOSE ELISPIR ø 16x23 mm - 5 m**  
food-safe



ASTORIA CMA

**1449273 DRAIN HOSE ELISPIR ø 18x25 mm - 30 m**  
food safe



ASTORIA CMA

**1449673 DRAIN HOSE ELISPIR ø 18x25 mm - 5 m**  
food-safe




ASTORIA CMA



Suitable for:

**1449274 DRAIN HOSE ELISPIR  $\varnothing$  20x27 mm - 30 m**  
food-safe



ASTORIA CMA

Suitable for:

**1449674 DRAIN HOSE ELISPIR  $\varnothing$  20x27 mm - 5 m**  
food-safe



ASTORIA CMA

**1449255 DRAIN HOSE ELISPIR  $\varnothing$  25x33 mm**  
sold per linear metre



ASTORIA CMA

**1449256 DRAIN HOSE ELISPIR  $\varnothing$  30x38 mm**  
sold per linear metre



ASTORIA CMA

## Drain tanks

**1527057 DRAIN TANK**



ASTORIA CMA 15502003

**1527041 DRAIN TUB**



ASTORIA CMA 77607094


**1527504 DRAIN TUB  $\varnothing$  80 mm**  
fitting  $\varnothing$  3/8"



ASTORIA CMA 15502

## Electrical cables

**1050016 FLAT CABLE 10 POLES 1400 mm**



ASTORIA CMA 22628

**5032436 FLAT CABLE 10 POLES 800 mm**




ASTORIA CMA 22627



Suitable for:

1050021 10 POLES FLAT CABLE 100 mm



Suitable for:

1050022 10 POLES FLAT CABLE 1350 mm



ASTORIA CMA 22628015

1050020 10 POLES FLAT CABLE 300 mm



ASTORIA CMA 22628016

1050009 8-POLE FLAT CABLE 1400 mm



ASTORIA CMA 22628003

ASTORIA CMA 22609

## Electrical capacitors

**3068010 CAPACITOR DUCATI ENERGIA 6,3μF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connection 6.35x0.8 mm  
ø 32xh55 mm




ASTORIA CMA

ASTORIA CMA LF-3068097


## Electronic boards

**1390119 ELECTRONIC CIRCUIT BOARD CPU**  
dimensions 250x200 mm



ASTORIA CMA 18090099

**1390120 ELECTRONIC CIRCUIT BOARD DISPLAY**  
dimensions 130x100 mm



ASTORIA CMA 18371111

## Electronic boxes

**5054927 DOSAGE CONTROL UNIT- 1 GROUP ,230V**



ASTORIA CMA 18090068

**1341312 DOSER CONTROL BOX 1 GROUP 230V**



ASTORIA CMA 18045001





# ASTORIA CMA



Suitable for:

**1054010 DOSER CONTROL BOX 1-2-3 GROUPS 230V**  
for ASTORIA CMA 1-2-3 groups machines  
for WEGA 1-2-3 groups machines



ASTORIA CMA 18090031

Suitable for:

**1054023 DOSER CONTROL BOX 1-2-3 GROUPS 230V**



ASTORIA CMA 18076

ASTORIA CMA 18079

**1054300 DOSER CONTROL BOX 1-2-3 GROUPS 230V**



ASTORIA CMA 18090016

**1054072 DOSER CONTROL BOX 1-3 GROUPS 100/240V**



ASTORIA CMA 18090230

**1054012 DOSER CONTROL BOX 1-3 GROUPS 230V**



ASTORIA CMA 18090048

**1054052 DOSER CONTROL BOX 1-4 GROUPS 230V**



ASTORIA CMA 18090080

**1054073 DOSER CONTROL BOX 1-4 GROUPS 230V**



ASTORIA CMA 18090172

**1054074 DOSER CONTROL BOX 1-4 GROUPS 240V**



ASTORIA CMA 18090237

**5037991 DOSER CONTROL BOX 230V 50/60Hz**



ASTORIA CMA 18090066

**1054011 DOSER CONTROL BOX 4 GROUPS 230V**



ASTORIA CMA 18090028

**5050256 DOSING CONTROL BOX 1-2-3 GROUPS 120V**



ASTORIA CMA 18090030

**5056979 DOSING CONTROL BOX 115V 50/60Hz**



ASTORIA CMA 18090017



Suitable for:

Suitable for:

**5033610 DOSING CONTROL BOX 3 GROUPS 230V**



ASTORIA CMA 18090052

## Feet

**1313102 FOOT  $\varnothing$  50 mm M10 H=55 $\div$ 69 mm**



ASTORIA CMA 15318

**1313101 FOOT  $\varnothing$  50 mm M10 H=88 $\div$ 102 mm**



ASTORIA CMA 15315

ASTORIA CMA 15321

**1313033 FOOT  $\varnothing$  58 mm M10 H=55 $\div$ 69 mm**



ASTORIA CMA 15318002

**1313916 RUBBER FOOT**



ASTORIA CMA 28500015


**1313032 SUCTION FOOT M8  $\varnothing$  47x45 mm**



ASTORIA CMA 15314001

## Filter holder couplings

**1002501 FILTER HOLDER COUPLING**



ASTORIA CMA 25250

ASTORIA CMA 53030

ASTORIA CMA 4625250

ASTORIA CMA 4825250

## Filter holder gaskets

**5035642** FILTER HOLDER GASKET  $\varnothing$  64x52x6.3 mm  
with internal cuts  
ORIGINAL



ASTORIA CMA 12217001

**1486043** FILTER HOLDER GASKET  $\varnothing$  64x52x7 mm  
with internal cuts  
ORIGINAL



ASTORIA CMA 12217002

**5047859** FILTER HOLDER GASKET  $\varnothing$  64x52x7 mm  
with internal cuts



ASTORIA CMA

**1186656** FILTER HOLDER GASKET  $\varnothing$  67x56x6 mm  
old series  
for lever machines



ASTORIA CMA 12219

**1486057** FILTER HOLDER GASKET  $\varnothing$  72x56x8 mm  
with internal cuts  
produced with heat resistant silicone,  
of soft consistency for an easier  
installation on the unit.  
longer life and better seal.  
100% made in Italy  
suitable for machines ASTORIA  
suitable for machines WEGA



ASTORIA CMA

**1486009** GASKET FILTER HOLDER  $\varnothing$  53x42x8 mm  
ORIGINAL



ASTORIA CMA 12653001

**1186650** GASKET FILTER HOLDER  $\varnothing$  67x56x5.5 mm  
ORIGINAL



ASTORIA CMA 12216

**1186622** GASKET FILTER HOLDER  $\varnothing$  72x56x8 mm



ASTORIA CMA

**1786062** GASKET FILTER HOLDER  $\varnothing$  72x56x8 mm  
with 3 internal cuts  
ORIGINAL



ASTORIA CMA 12217

**1186678** GASKET FILTER HOLDER  $\varnothing$  72x56x8.5 mm  
with internal cuts  
ORIGINAL



ASTORIA CMA 12215



Suitable for:

Suitable for:

**1486029 GASKET FILTERHOLDER  $\varnothing$  72x56x8.5 mm with internal cuts**



ASTORIA CMA

## Filter holder handles

**1186774 BURN PREVENTING RING FOR HANDLE**



ASTORIA CMA 15296010

**1241469 CAP FOR FILTER HOLDER HANDLE CHROME PL.**



ASTORIA CMA 15486006

**1225001 COMPLETE LEVER GROUP HANDLE**



ASTORIA CMA 27220

**1241206 FILTER HOLDER HANDLE BLACK M12**



ASTORIA CMA 15263010

**1241269 FILTER HOLDER HANDLE M10**



ASTORIA CMA

**1241502 FILTER HOLDER HANDLE M10**



ASTORIA CMA

**1241505 FILTER HOLDER HANDLE M10**



ASTORIA CMA

**5054506 FILTER HOLDER HANDLE M10 RED POLISHED**



ASTORIA CMA

**1141006 FILTER HOLDER HANDLE M10 SOFT**



ASTORIA CMA

**1141004 FILTER HOLDER HANDLE M10 WALNUT WOOD**



ASTORIA CMA



# ASTORIA CMA



Suitable for:

**5083515 FILTER HOLDER HANDLE M10 WALNUT WOOD**



ASTORIA CMA

**1241169 FILTER HOLDER HANDLE M12**



ASTORIA CMA

**1241504 FILTER HOLDER HANDLE M12**



ASTORIA CMA

**1141003 FILTER HOLDER HANDLE M12 WALNUT WOOD**



ASTORIA CMA

**1141007 FILTER HOLDER HANDLE M124 SOFT**



ASTORIA CMA

**5051102 FILTER HOLDER HANDLE WHITE M12**



ASTORIA CMA

Suitable for:

**1241067 FILTER HOLDER HANDLE M12**



ASTORIA CMA 15262

**1241501 FILTER HOLDER HANDLE M12**



ASTORIA CMA

**5054505 FILTER HOLDER HANDLE M12 RED POLISHED**



ASTORIA CMA

**5055983 FILTER HOLDER HANDLE M12 WALNUT WOOD**




ASTORIA CMA

**5051751 FILTER HOLDER HANDLE WHITE M10**



ASTORIA CMA

**1241200 LEVER GROUP HANDLE**



ASTORIA CMA 15261



Suitable for:

# ASTORIA CMA



Suitable for:

## Filter holder springs

1250101 FILTER LOCKING SPRING  $\varnothing$  1.00 mm S/STEEL



ASTORIA CMA

1250002 FILTER LOCKING SPRING  $\varnothing$  1.20 mm S/STEEL



ASTORIA CMA

1250333 FILTER LOCKING SPRING  $\varnothing$  1.30 mm S/STEEL



ASTORIA CMA

1250279 FILTER LOCKING SPRING  $\varnothing$  1.40 mm S/STEEL



ASTORIA CMA 27254

ASTORIA CMA 27255000

1250338 FILTER LOCKING SPRING  $\varnothing$  1.40 mm S/STEEL



ASTORIA CMA

## Filter holders for coffee machines

1165116 COMPLETE FILTER HOLDER 1 CUP ASTORIA  
spout connection  $\varnothing$  3/8" - handle connection M12  
wings 7 mm - without spring and filter



ASTORIA CMA

1165013 FILTER HOLDER ASSY CMA ASTORIA  
spout connection  $\varnothing$  3/8" - handle connection M12  
wings 6 mm - spring and filter not included



ASTORIA CMA 27311000

1165085 FILTER HOLDER BARLEY PODASTORIA  
flow regulation by the knob rotation  
wings 5.4 mm



ASTORIA CMA

1165166 FILTER HOLDER BARLEY PODASTORIA/WEGA  
flow regulation by the knob rotation  
wings 5 mm



ASTORIA CMA



# ASTORIA CMA



Suitable for:


**1165034 FILTER HOLDER BOTTOMLESS ASTORIA**  
wings 6 mm



ASTORIA CMA 27311004

Suitable for:

**5051776 CAP CHROME PL. FOR FILTER HOLDER HANDLE**  
mounting hole  $\varnothing$  18 mm



**1165117 FILTER HOLDER BOTTOMLESS ASTORIA/WEGA**  
wings 6.5 mm  
for ASTORIA models with group 53 mm  
for WEGA models with group 53 mm



**5051776 CAP CHROME PL. FOR FILTER HOLDER HANDLE**  
mounting hole  $\varnothing$  18 mm



ASTORIA CMA

**1165219 FILTER HOLDER BOTTOMLESS DIFF. BRANDS**  
wings 6 mm  
suitable for machines ASTORIA STANDARD  
suitable for machines BEZZERA



**3165027 FILTER HOLDER BOTTOMLESS PESADO BLACK&B.**  
made of stainless-steel  
designed to maximise efficiency and durability  
suitable for Astoria coffee machines  
also suitable for Astoria STORM



ASTORIA CMA

ASTORIA CMA

**1165347 FILTER HOLDER CAPS. DOLCE GUSTO® ASTORIA**  
Wings 6 mm  
Model suitable for machines ASTORIA  
with standard brew group 57 mm  
Suitable for single-dose capsules DOLCE GUSTO®  
No shower replacement required.  
To be used in combination with the perforator  
tamper, code 1385128 or 7127386.



**7127386 CAPSULES PERFORATOR TAMPER DOLCEGUSTO®**  
Tamper with single-point perforator suitable  
for perforating DOLCE GUSTO® capsules.



ASTORIA CMA

**1385128 PERFORATOR TAMPER CAPSULES DOLCEGUSTO®**  
Tamper with two-pronged perforator suitable  
for perforating DOLCE GUSTO® capsules.





Suitable for:

# ASTORIA CMA



**1165249 FILTER HOLDER CAPS. LAVAZZA ASTORIA/WEGA**  
wings 6.5 mm  
for single capsules lavazza blue



ASTORIA CMA

Suitable for:

**5083606 CAPSULES PERFORATOR TAMPER LAVAZZA**  
tamper with perforator specific for perforating  
capsules suitable for Lavazza  
tamper  $\varnothing$  53 mm - perforator  $\varnothing$  27 mm



**1165245 FILTER HOLDER CAPS. LAVAZZA DIFF. BRANDS**  
wings 6.0 mm  
for single capsules lavazza blue



ASTORIA CMA

**5083606 CAPSULES PERFORATOR TAMPER LAVAZZA**  
tamper with perforator specific for perforating  
capsules suitable for Lavazza  
tamper  $\varnothing$  53 mm - perforator  $\varnothing$  27 mm



**1165114 FILTER HOLDER COFFEE MACH. ASTORIA/WEGA**  
spout connection  $\varnothing$  3/8" - handle connection M12  
wings 7 mm



ASTORIA CMA

**1165322 FILTER HOLDER COFFEE MACHINES ASTORIA**  
3/8"  $\varnothing$  spout connection - M12 handle connection  
wings 7 mm



ASTORIA CMA

**1165910 FILTER HOLDER COMPL. 1 CUP CMA ASTORIA**  
spout fitting  $\varnothing$  3/8" - handle fitting M12  
wings 6 mm - with spring and filter 7gr



ASTORIA CMA

**1165602 FILTER HOLDER COMPL. 2 CUPS CMA ASTORIA**  
spout connection  $\varnothing$  3/8" - handle connection M12  
wings 6 mm - with spring and filter 14 g



ASTORIA CMA

**1165911 FILTER HOLDER COMPL. 2 CUPS CMA ASTORIA**  
spout fitting  $\varnothing$  3/8" - handle fitting M12  
wings 6 mm - with spring and filter 14gr



ASTORIA CMA

**5112422 FILTER HOLDER COMPLETE CMA ASTORIA**  
spout connection  $\varnothing$  3/8" - handle connection M12  
wings 7 mm - without spring or filter



ASTORIA CMA





Suitable for:

**1165076 FILTER HOLDER COMPLETE 1 CUP ASTORIA**  
 spout connection  $\varnothing$  3/8" - handle connection M12  
 wings 7 mm - without spring nor filter



ASTORIA CMA 27311056

Suitable for:

**1165116 COMPLETE FILTER HOLDER 1 CUP ASTORIA**  
 spout connection  $\varnothing$  3/8" - handle connection M12  
 wings 7 mm - without spring and filter



ASTORIA CMA

**1165230 FILTER HOLDER COMPLETE 1 CUP ASTORIA**  
 spouts connection  $\varnothing$  3/8" - handle connection M12  
 wings 6 mm - with spring and filter



ASTORIA CMA 83270022R

ASTORIA CMA 83270058R

**5078990 FILTER HOLDER COMPLETE 1 CUP ASTORIA**  
 spout fitting  $\varnothing$  3/8" - handle fitting M12  
 wings 7mm - with spring and filter - group of 53mm



ASTORIA CMA 83270024R

ASTORIA CMA 83270060R

**1165601 FILTER HOLDER COMPLETE 1 CUP CMA ASTORIA**  
 spout connection  $\varnothing$  3/8" - handle connection M12  
 wings 6 mm - with spring and filter 7 g



ASTORIA CMA

**1162026 FILTER HOLDER COMPLETE 2 CUPS ASTORIA**  
 spout fitting  $\varnothing$  3/8" - handle fitting M12  
 wings 7mm - with spring and filter - group of 53mm



ASTORIA CMA 83270025R

ASTORIA CMA 83270061R

**1165231 FILTER HOLDER COMPLETE 2 CUPS ASTORIA**  
 spouts connection  $\varnothing$  3/8" - handle connection M12  
 wings 6 mm - with spring and filter



ASTORIA CMA 83270023R

ASTORIA CMA 83270059R

**1165006 FILTER HOLDER FOR COFFEE MACHINES**  
 spout connection  $\varnothing$  3/8" - handle connection M12  
 blades 5.5 mm



ASTORIA CMA 27304

**3165028 FILTER HOLDER W/OUT BOT. PESADO WHITE&GO**  
 made of stainless steel  
 designed to optimise efficiency and durability  
 suitable for coffee machines Astoria  
 suitable for Astoria STORM



ASTORIA CMA

**1165115 FILTER HOLDER 2 CUPS ASTORIA**  
 spout connection  $\varnothing$  3/8" - handle connection M12  
 wings 7 mm - without spring and filter



ASTORIA CMA



Suitable for:

# ASTORIA CMA



## 1165310 FILTERHOLDER COMPLETE 1 CUP CMA ASTORIA

spouts fitting  $\varnothing$  3/8" - handle fitting M12  
wings 6 mm - with spring and filter 7gr



ASTORIA CMA 27311050

ASTORIA CMA 8327311050R

Suitable for:

## 1165311 FILTERHOLDER COMPLETE 2 CUPS CMA ASTORIA

spouts fitting  $\varnothing$  3/8" - handle fitting M12  
wings 6 mm - with spring and filter 14gr



ASTORIA CMA 27311051

ASTORIA CMA 8327311051R

## 5073894 FILTERHOLDER WITH THERMOMANOMETER

measures water temperature and outlet pressure  
from the brew group  
temperature scale 0-120°C / 0-240°F  
pressure scale 0-16 bar / 0-200 psi  
with outlet globe valve  
wings 7.0 mm



ASTORIA CMA

## 5072000 THERMOMANOMETER 0-16 bar/0-120°C

for filter holders with thermo pressure gauge



## 1165079 2-CUP FILTER HOLDER ASSEMBLY ASTORIA

spout connection  $\varnothing$  3/8" - handle connection M12  
wings 7 mm - without spring nor filter



ASTORIA CMA 27311057

## 1165115 FILTER HOLDER 2 CUPS ASTORIA

spout connection  $\varnothing$  3/8" - handle connection M12  
wings 7 mm - without spring and filter



ASTORIA CMA

## Filters

## 5140724 FILTRO ACQUA PASSANTE IN ASPIRAZIONE

per tubo  $\varnothing$  interno 5/6 mm  
rete da 200 micron



ASTORIA CMA 15080004

## 1160566 STAINLESS STEEL WATER FILTER $\varnothing$ 8 mm




ASTORIA CMA 10251001

## 1160400 WATER FILTER $\varnothing$ 11 mm



ASTORIA CMA 10254

## 1160516 WATER FILTER $\varnothing$ 11 mm




ASTORIA CMA 10251002



Suitable for:

1160116 WATER FILTER  $\varnothing$  13.5x10.5 mm



ASTORIA CMA 10252

Suitable for:

1160517 WATER FILTER  $\varnothing$  8.5x22 mm



ASTORIA CMA 10253

## Fittings


1349268 "L" FITTING  $\varnothing$  3/8"M-3/8"M WITH FILTER



ASTORIA CMA 4656116001

ASTORIA CMA 56116001

1349089 BOILER FITTING  $\varnothing$  1/2"



ASTORIA CMA 23214

ASTORIA CMA 4923214001

1349278 BOILER FITTING  $\varnothing$  1/2"M-1/2"M-1/4"F



ASTORIA CMA 23215

1349082 BRASS FITTING  $\varnothing$  3/8"M 3/8"M WITH FILTER  
made of brass CW510L (OT57)  
low in lead



ASTORIA CMA 4956116


ASTORIA CMA 56116

5109923 COUPLING  $\varnothing$  1/4"M - 1/4"M  
total length 24 mm  
hexagon 17 mm  
made of brass CW510L (OT57)  
low lead content  
T.E.A. treated



ASTORIA CMA 4925686

1349327 COUPLING  $\varnothing$  1/8"NPT - 1/4"M GAS  
total length 23.5 mm  
hexagon 14 mm  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 4625707

1349335 COUPLING  $\varnothing$  3/8"M - 3/8"M  
total length 29 mm  
hexagon 20 mm  
made of brass CW510L (OT57)  
low lead content  
T.E.A. treated



ASTORIA CMA 4925687

1349200 COUPLING  $\varnothing$  3/8"M-1/4"M INJECTOR  
internal thread  $\varnothing$  8 mm



ASTORIA CMA 25716003



Suitable for:

# ASTORIA CMA



## 1349328 COUPLING FOR BOILER $\varnothing$ 1/2"M-1/2"M-1/4"F

made of brass CW510L (OT57)  
low lead content  
TEA treated




ASTORIA CMA 4923215001

Suitable for:

## 5080261 DIRECTIONAL FITTING $\varnothing$ 1/4 "M x 6

hexagon 17 mm  
total length 32 mm  
made of brass CW510L (OT57)  
low lead content  
treated with a teflon coating



ASTORIA CMA 23228112

ASTORIA CMA 4623228112

ASTORIA CMA 4923228112

## 1349080 ELBOW FITTING $\varnothing$ 3/8"M-1/8"M



ASTORIA CMA 23206

ASTORIA CMA 4823206

## 1349084 ELBOW FITTING $\varnothing$ 3/8"M-3/8"M

made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 43052

ASTORIA CMA 4643052

## 1349018 FITTING $\varnothing$ 3/8"M-1/4"M

made of brass CW510L (OT57)  
low lead content




ASTORIA CMA 25716001

ASTORIA CMA 4625716001

## 1349457 FITTING $\varnothing$ 1/4 "M-1/4 "F BULKHEAD


overall length 36 mm  
hexagon 17 mm  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 25743002

ASTORIA CMA 4925743002

## 1349112 FITTING $\varnothing$ 1/4"M-3/8"M



ASTORIA CMA 25716

ASTORIA CMA 25716002

## 1349111 FITTING $\varnothing$ 1/8"M 1/4"M



ASTORIA CMA 25707

## 1349136 FITTING $\varnothing$ 1/8"M-1/4"F



ASTORIA CMA 25743

## 5109927 FITTING $\varnothing$ 3/8"M x 3/8"M GAS CTS 03

for dispensing unit CTS03



ASTORIA CMA 25687002

ASTORIA CMA 4825687002



# ASTORIA CMA



Suitable for:

**1349135 FITTING  $\varnothing$  3/8" M - 3/8" F**



ASTORIA CMA 25691003

Suitable for:

**1349103 FITTING  $\varnothing$  3/8" M - 3/8" M**



ASTORIA CMA 25687

**5037103 FITTING 3/8" M x 3/8" F WITH FILTER SEAT**



ASTORIA CMA 25732100

ASTORIA CMA 4625732100

**1349202 FITTING 3/8 M - 3/8 M**  
with filter seat  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 25732

**1349267 HOSE-END FITTING  $\varnothing$  1/8" F -  $\varnothing$  7 mm**  
for delivery group solenoid valve



ASTORIA CMA 23221001

**1349079 L-FITTING  $\varnothing$  1/4" M 1/8" M**



ASTORIA CMA 23201

**5064550 L-FITTING  $\varnothing$  1/4" M - 1/4" M GAS**



ASTORIA CMA 23203

**1349455 L-FITTING  $\varnothing$  1/8" M - 1/8" M**  
one connection 1/8" GAS/BSP  
one connection  $\varnothing$  1/8" conical NPT



ASTORIA CMA 23207

**1349329 L-SHAPED COUPLING  $\varnothing$  1/8" M NPT - 1/8" F**  
stainless steel



ASTORIA CMA 4723229103

**1349330 L-SHAPED COUPLING  $\varnothing$  3/8" M - 3/8" M**



ASTORIA CMA 4943052



# ASTORIA CMA



Suitable for:

**1349182 L-SHAPED FITTING  $\varnothing$  1/8"M-1/8"M**  
with olive housing



ASTORIA CMA 23205001

Suitable for:

**1349083 MIXER FITTING**



ASTORIA CMA 25715001

**3349340 NICHEL-PL.T-FITTING  $\varnothing$  1/4"M-1/4"M-1/4"M**



ASTORIA CMA 23228206

**3349319 NICHEL-PLATED FITTING  $\varnothing$  1/4"M-1/4"M**



ASTORIA CMA 4525686

**1349086 T SHAPED BRASS FITTING  $\varnothing$  3/8"-3/8"-1/4"**



ASTORIA CMA 43033

ASTORIA CMA 4943033

**1349336 T-SHAPED COUPLING  $\varnothing$  3/8"F-3/8"M-1/4"F**  
for water inlet tap  
made of brass CW510L (OT57)  
low lead content  
T.E.A. treated



ASTORIA CMA 43030001

ASTORIA CMA 4943030001

**1349491 T-SHAPED FITTING  $\varnothing$  1/4"M-1/4"M-1/4"M**



ASTORIA CMA 43060

ASTORIA CMA 4943060


## Flowmeters

**1455033 CONNECTOR FEMALE SMALL**  
for volumetric flowmeter



ASTORIA CMA 18112


**1455095 CONTATORE VOLUMETRICO GICAR**  
attacchi  $\varnothing$  1/4"FF - orificio 1,15 mm



ASTORIA CMA

Suitable for:

**1455096 CONTATORE VOLUMETRICO GICAR**  
 attacchi 1/4" con raccordi MM - orifizio 1,15 mm  
 Attenzione l'articolo arriva smontato  
 i raccordi sono da montare sul contatore.



ASTORIA CMA


Suitable for:

**3455333 COVER-HEAD FOR VOLUMETRIC FLOW METER LED**



ASTORIA CMA 18565

**5071854 GICAR VOLUMETRIC DOSER CONTROL**  
 fittings 1/4" with MM connections- orifice 1.15 mm



ASTORIA CMA 4656122000

ASTORIA CMA 4956122000

ASTORIA CMA 56122000


**1455032 IMPELLER GICAR**



ASTORIA CMA 13505

ASTORIA CMA 15505

**1455067 VOLUMETRIC FLOW METER GICAR**  
 connections  $\varnothing$  1/4"FF - orifice 1.15 mm - NSF



ASTORIA CMA 18126


ASTORIA CMA 4918126

**1455033 CONNECTOR FEMALE SMALL**  
 for volumetric flowmeter



ASTORIA CMA 18112

**3455333 COVER-HEAD FOR VOLUMETRIC FLOW METER LED**



ASTORIA CMA 18565

**1455032 IMPELLER GICAR**



ASTORIA CMA 13505

ASTORIA CMA 15505

**1186631 O-RING 02112 FKM**  
 ring thickness 1.78 mm - internal  $\varnothing$  28.30 mm



ASTORIA CMA 12315



Suitable for:

# ASTORIA CMA



Suitable for:

## Fuses

**3049020 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 6.3A



ASTORIA CMA 19103

**3049049 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 2A



ASTORIA CMA 19101

## Gas valves and accessories

**3523006 NUT M12x1 FOR M1 VALVE**




ASTORIA CMA 23019

**3523007 RING NUT M12x1 FOR M1 VALVE**



ASTORIA CMA 10350

**3523002 VALVE M1  $\varnothing$  1/4"MM**  
inlet  $\varnothing$  1/4" M - outlet  $\varnothing$  1/4" M  
thermocouple connection M8x1  
maximum gas inlet pressure 150 mbar  
room temperature 0÷80°C  
with thread under the button for ring nut



ASTORIA CMA 20221

**3182002 MAGNETIC UNIT SIT**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  10 mm - length 43 mm  
for valve SIT M1



**3523006 NUT M12x1 FOR M1 VALVE**



ASTORIA CMA 23019

**3523007 RING NUT M12x1 FOR M1 VALVE**



ASTORIA CMA 10350

## Gaskets and seals

**1186394 ASBESTOS FREE FLAT GASKET  $\varnothing$  22x17x2 mm**



ASTORIA CMA

**1186340 ASBESTOS FREE FLAT GASKET  $\varnothing$  26x20x2 mm**



ASTORIA CMA 12004





# ASTORIA CMA



Suitable for:

**3786032 ASBESTOS FREE FLAT GASKET  $\varnothing$  27x17x2 mm**



ASTORIA CMA

Suitable for:

**1186156 ASBESTOS FREE FLAT GASKET  $\varnothing$  50x40x2 mm**



ASTORIA CMA

**3186010 ASBESTOS FREE FLAT GASKET  $\varnothing$  54x42x2 mm**



ASTORIA CMA

**1186042 ASBESTOS FREE FLAT GASKET  $\varnothing$  9x5x1 mm**  
for pipes  $\varnothing$  1/8"




ASTORIA CMA

**1786218 CONICAL PTFE SEAL  $\varnothing$  14.5x11.5x3 mm**  
for water/steam tap



ASTORIA CMA 15191000

**1186378 CONICAL PTFE SEAL  $\varnothing$  14x7x6 mm**  
for water/steam pipe



ASTORIA CMA 12661

ASTORIA CMA 15191

**1186619 COPPER FLAT GASKET  $\varnothing$  18x14x1.5 mm**



ASTORIA CMA 12153

ASTORIA CMA 12153003

**1186620 COPPER FLAT GASKET  $\varnothing$  22x17x1.5 mm**



ASTORIA CMA 12154

**1186333 COPPER FLAT GASKET  $\varnothing$  26x20x2 mm**



ASTORIA CMA 12158

**1186771 COPPER FLAT GASKET  $\varnothing$  8,5x5x1 mm**



ASTORIA CMA 12155

**1186312 EPDM FLAT GASKET  $\varnothing$  15.5x7.5x4 mm**



ASTORIA CMA 27421017

**1186316 EPDM FLAT GASKET  $\varnothing$  15x4x4 mm 60 SH**



ASTORIA CMA



# ASTORIA CMA



Suitable for:


**1186183 FLAT ASBESTOS FREE GASKET  $\varnothing$  29.5x16.5x2.**



ASTORIA CMA 12005

Suitable for:

**1186633 FLAT CARBO GASKET  $\varnothing$  53x42x3 mm**  
universal carbo  
for heating element



ASTORIA CMA

**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
in universal carbo  
for heating element



ASTORIA CMA

**1186917 FLAT COPPER GASKET  $\varnothing$  13x10x1 mm**



ASTORIA CMA 12151

**1186393 FLAT EPDM GASKET  $\varnothing$  12.5x8x9 mm**



ASTORIA CMA

**1186527 FLAT EPDM GASKET  $\varnothing$  15x4x4 mm 80 SH**



ASTORIA CMA 12203

**5053833 FLAT FKM GASKET  $\varnothing$  13x4x4 mm 70SH**



ASTORIA CMA 27421026

**5079796 FLAT FKM GASKET  $\varnothing$  15x5.5x4 mm**



ASTORIA CMA 12204051

**3743110 FLAT GASKET  $\varnothing$  57x41x2 mm PTFE**



ASTORIA CMA 12001001

**1786215 FLAT GASKET CARBO 50x40x2 mm**  
of universal carbo  
for heating element



ASTORIA CMA

Suitable for:

**1786263 FLAT GASKET EPDM  $\varnothing$  12.5x8x9 mm**



ASTORIA CMA 12204

Suitable for:

**1186415 FLAT PTFE GASKET**  
for solenoid valve




ASTORIA CMA 12013

**1186188 FLAT PTFE GASKET  $\varnothing$  72x61x2 mm**  
for heat exchangers



ASTORIA CMA 12016

**1486033 GASKET FLAT PIANA EPDM  $\varnothing$  15x4x4 mm 80SH**  
ORIGINAL



ASTORIA CMA

**1186201 GASKET FLAT PTFE  $\varnothing$  21x16.8x2 mm**



ASTORIA CMA 12010

**1786221 GASKET KIT FOR SOLENOID VALVE**  
for liquipure solenoid valves



ASTORIA CMA 12299001

**1186140 GASKET ROUND COPPER  $\varnothing$  24x18.4x2.5 mm**



ASTORIA CMA 12102

**1186311 NBR FLAT GASKET  $\varnothing$  13x4x4 mm 70SH**




ASTORIA CMA 27421008

**1186189 PTFE FLAT GASKET  $\varnothing$  15x11x2 mm**



ASTORIA CMA 12012001

**1186326 PTFE FLAT GASKET  $\varnothing$  22x16x2 mm**



ASTORIA CMA 12025

**1186323 PTFE FLAT GASKET  $\varnothing$  24x18x2 mm**



ASTORIA CMA 12012007

**1186117 PTFE FLAT GASKET  $\varnothing$  26x21x2 mm**



ASTORIA CMA 27421009




# ASTORIA CMA



Suitable for:


**1186770 PTFE FLAT GASKET  $\varnothing$  33x28x4 mm**



ASTORIA CMA 12012006

Suitable for:

**1186307 PTFE FLAT GASKET  $\varnothing$  36x30x2 mm**



ASTORIA CMA 12023

**1186608 PTFE FLAT GASKET  $\varnothing$  50x40x2 mm**  
for heating element



ASTORIA CMA 12017

**1186623 PTFE FLAT GASKET  $\varnothing$  53x43x3 mm**  
for heating element



ASTORIA CMA

**1186194 PTFE FLAT GASKET  $\varnothing$  58x43x2 mm**  
for heat exchanger



ASTORIA CMA

**1186768 ROUND COPPER GASKET  $\varnothing$  10x6.4x2 mm**



ASTORIA CMA 12103

**1186769 ROUND COPPER GASKET  $\varnothing$  18.7x13x2.5 mm**



ASTORIA CMA 12100

**1186186 ROUND COPPER GASKET  $\varnothing$  23x17x3 mm**



ASTORIA CMA 12101


**1186445 ROUND COPPER GASKET  $\varnothing$  26x21.4x2 mm**



ASTORIA CMA 12105


## Gaskets for coffee group

**1187002 COFFEE GROUP GASKET  $\varnothing$  88x40x2 mm**  
PTFE  
distance between holes 50 mm



ASTORIA CMA 12002

**1786058 COFFEE GROUP GASKET  $\varnothing$  88x40x2 mm**  
free of asbestos  
distance between holes 50 mm



ASTORIA CMA




## Gaskets for coffee machine boiler

**1186561 BOILER GASKET  $\varnothing$  190x137x3 mm**  
universal carbo - 11 holes




ASTORIA CMA 12003

**1186562 BOILER GASKET  $\varnothing$  191x139x3 mm**  
PTFE - 11 holes



ASTORIA CMA

**1186187 BOILER GASKET  $\varnothing$  220x170x2 mm**  
PTFE - 12 holes



ASTORIA CMA 12018

## Heat exchangers

**1048005 BENT EXTRACTABLE EXCHANGER  $\varnothing$  42 mm**



ASTORIA CMA 63100

**5014245 CARTRIDGE EXCHANGER NORMAL**  
 $\varnothing$  52x165 mm - connections  $\varnothing$  3/8" M  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 4663002

ASTORIA CMA 63002

**1048024 THERMOSIPHONIC HEAT EXCHANGER BOILER**  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 4663200

ASTORIA CMA 4663200003

ASTORIA CMA 63200

ASTORIA CMA 63200003

**5060091 THERMOSIPHONIC HEAT EXCHANGER BOILER**  
 $\varnothing$  80x165 mm  
fittings  $\varnothing$  3/8" M  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 4663200004

ASTORIA CMA 63200002



Suitable for:

# ASTORIA CMA



Suitable for:

## Heating elements

**1755255 CARTRIDGE HEATING ELEMENT 150W 120V**  
cartridge  $\varnothing$  6.5x50 mm



ASTORIA CMA 17508001

ASTORIA CMA 17508002

**1755256 CARTRIDGE HEATING ELEMENT 150W 230V**  
cartridge  $\varnothing$  6.5x50 mm



ASTORIA CMA 17507001

**1755257 HEATING ELEMENT 1000/1090W 230/240V**  
immersed length 105 mm - 2 poles  
fitting  $\varnothing$  1"1/4 - with thermostat-holder holes



ASTORIA CMA 17201002

**3186010 ASBESTOS FREE FLAT GASKET  $\varnothing$  54x42x2 mm**



ASTORIA CMA

**1186633 FLAT CARBO GASKET  $\varnothing$  53x42x3 mm**  
universal carbo  
for heating element



ASTORIA CMA

**3186175 O-RING 04175 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  44.04 mm




ASTORIA CMA 12300040

**1186623 PTFE FLAT GASKET  $\varnothing$  53x43x3 mm**  
for heating element




ASTORIA CMA

**1755607 HEATING ELEMENT 1200W 110V**  
immersed length 100 mm - 2 poles  
connection  $\varnothing$  1"1/4 - with thermostat-holder holes



ASTORIA CMA 17200

**3186010 ASBESTOS FREE FLAT GASKET  $\varnothing$  54x42x2 mm**



ASTORIA CMA




Suitable for:

**1186633** **FLAT CARBO GASKET**  $\varnothing$  53x42x3 mm  
universal carbo  
for heating element




ASTORIA CMA

**1186623** **PTFE FLAT GASKET**  $\varnothing$  53x43x3 mm  
for heating element



ASTORIA CMA


**1755603** **HEATING ELEMENT 1300W 230V**  
immersed length 105 mm - 2 poles  
fitting  $\varnothing$  1"1/4 - with thermostat-holder holes



ASTORIA CMA 17201

ASTORIA CMA 17202

**1186633** **FLAT CARBO GASKET**  $\varnothing$  53x42x3 mm  
universal carbo  
for heating element



ASTORIA CMA

**3186175** **O-RING 04175 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  44.04 mm



ASTORIA CMA 12300040

# ASTORIA CMA



Suitable for:

**3186175** **O-RING 04175 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  44.04 mm



ASTORIA CMA 12300040

**3186010** **ASBESTOS FREE FLAT GASKET**  $\varnothing$  54x42x2 mm




ASTORIA CMA

**1186606** **FLAT CARBO GASKET**  $\varnothing$  57x43x3 mm  
in universal carbo  
for heating element



ASTORIA CMA

**1186623** **PTFE FLAT GASKET**  $\varnothing$  53x43x3 mm  
for heating element



ASTORIA CMA



Suitable for:

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



# ASTORIA CMA




Suitable for:

**1755602 HEATING ELEMENT 1700W 110V**  
immersed length 180 mm - 4 poles  
distance between flange holes 75 mm  
with bulb - flange 95x57 mm  
for 1 group coffee machines



ASTORIA CMA 17000

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
in universal carbo  
for heating element



ASTORIA CMA

**1755065 HEATING ELEMENT 2000/2177W 230/240V**  
immersed length 180 mm - 6 poles  
distance between fixing holes 75 mm  
with bulb sheath - flange 95x75 mm  
for 1 group coffee machines




ASTORIA CMA 17003

ASTORIA CMA 17006

ASTORIA CMA 4617006

ASTORIA CMA

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
in universal carbo  
for heating element







Suitable for:


**1755601 HEATING ELEMENT 2000W 110V**  
 immersed length 175 mm - 4 poles  
 distance between mounting holes 75 mm  
 with bulb sheath - flange 95x57 mm  
 for coffee machines with 1 group



ASTORIA CMA 17001

ASTORIA CMA 4617001

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
 for heating element



Suitable for:

**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
 in universal carbo  
 for heating element




ASTORIA CMA

**1755604 HEATING ELEMENT 2000W 230/240V**  
 immersed length 175 mm - 4 poles  
 distance between fixing holes 75 mm  
 with bulb sheath - flange 95x57 mm  
 for 1 group coffee machines



ASTORIA CMA 17002

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
 for heating element




**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
 in universal carbo  
 for heating element



ASTORIA CMA

**5061135 HEATING ELEMENT 230V 1800W**  
 immersed depth 105 mm - 2 poles  
 connection  $\varnothing$  1"1/4



ASTORIA CMA 17201000

**3186010 ASBESTOS FREE FLAT GASKET  $\varnothing$  54x42x2 mm**




ASTORIA CMA




Suitable for:

**1186633** **FLAT CARBO GASKET  $\varnothing$  53x42x3 mm**  
universal carbo  
for heating element



ASTORIA CMA

**1186623** **PTFE FLAT GASKET  $\varnothing$  53x43x3 mm**  
for heating element



ASTORIA CMA

**5147680** **HEATING ELEMENT 230V 2300W**  
immersion depth 110 mm - 2 poles  
connection  $\varnothing$  1"1/4 - with holder-thermostat holes



ASTORIA CMA 4617202001

**1755254** **HEATING ELEMENT 2350W 240V**  
immersed length 175 mm - 6 poles  
distance between fixing holes 42 mm  
with bulb sheath - flange  $\varnothing$  75/53 mm  
for 1 group COFFEE MACHINES



ASTORIA CMA 17007

ASTORIA CMA 17007001

**1786215** **FLAT GASKET CARBO 50x40x2 mm**  
of universal carbo  
for heating element



ASTORIA CMA

# ASTORIA CMA



Suitable for:

**3186175** **O-RING 04175 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  44.04 mm



ASTORIA CMA 12300040

**1186156** **ASBESTOS FREE FLAT GASKET  $\varnothing$  50x40x2 mm**



ASTORIA CMA

**1186608** **PTFE FLAT GASKET  $\varnothing$  50x40x2 mm**  
for heating element



ASTORIA CMA 12017




Suitable for:

**1755615 HEATING ELEMENT 2600/2831W 230/240V**  
 immersed length 315 mm - 6 poles  
 distance between mounting holes 75 mm  
 with bulb sheath - flange 95x57 mm  
 for coffee machines with 2 groups



ASTORIA CMA 17054

**1186179 PTFE FLAT GASKET Ø 57x43x3 mm**  
 for heating element



Suitable for:

**1186606 FLAT CARBO GASKET Ø 57x43x3 mm**  
 in universal carbo  
 for heating element



ASTORIA CMA


**1755605 HEATING ELEMENT 2600W 110V**  
 immersed length 320 mm - 4 poles  
 distance between the holes 75 mm  
 with bulb sheath - flange 95x57 mm  
 for coffee machines with 2 groups



ASTORIA CMA 17050

ASTORIA CMA 4617050

**1186179 PTFE FLAT GASKET Ø 57x43x3 mm**  
 for heating element



**1186606 FLAT CARBO GASKET Ø 57x43x3 mm**  
 in universal carbo  
 for heating element



ASTORIA CMA

**1755067 HEATING ELEMENT 2600W 230/240V**  
 immersed length 300 mm - 4 poles  
 distance between fixing holes 75 mm  
 with bulb sheath - flange 95x57 mm  
 for 2 groups COFFEE MACHINES



ASTORIA CMA 17051

**1186606 FLAT CARBO GASKET Ø 57x43x3 mm**  
 in universal carbo  
 for heating element



ASTORIA CMA



Suitable for:

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



# ASTORIA CMA



Suitable for:


**1755608 HEATING ELEMENT 2700/2940W 230/240V**  
immersed length 180 mm - 6 poles  
distance between the holes 75 mm  
with bulb sheath - flange 95x57 mm



ASTORIA CMA 17012

ASTORIA CMA 4617012

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
in universal carbo  
for heating element




ASTORIA CMA

**1755273 HEATING ELEMENT 2700W 120V**  
immersed length 170 mm - 6 poles  
distance between mounting holes 75 mm  
flange 95x57 mm  
for coffee machines 1 group



ASTORIA CMA 17016

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
in universal carbo  
for heating element



ASTORIA CMA




Suitable for:

**1755215 HEATING ELEMENT 3000/3266W 230/240V**  
 immersed length 315 mm - 6 poles  
 distance between fixing holes 75 mm  
 with bulb sheath - flange 95x57 mm  
 for 2 groups coffee machines



ASTORIA CMA 17058

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
 for heating element



Suitable for:

**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
 in universal carbo  
 for heating element



ASTORIA CMA


**1755258 HEATING ELEMENT 3400/3700W 230/240V**  
 immersed length 320 mm - 6 poles  
 distance between flange holes 75 mm  
 with bulb sheath - flange 95x57 mm  
 for 2 groups machines



ASTORIA CMA 17059

ASTORIA CMA 4617059

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
 for heating element



**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
 in universal carbo  
 for heating element



ASTORIA CMA

**1755072 HEATING ELEMENT 3700/4029W 230/240V**  
 immersed length 450 mm - 6 poles  
 distance between fixing holes 75 mm  
 with bulb sheath - flange 95x57 mm  
 for coffee machines with 3 groups



ASTORIA CMA

ASTORIA CMA 17104

**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
 in universal carbo  
 for heating element




ASTORIA CMA



Suitable for:

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



# ASTORIA CMA



Suitable for:

**1755606 HEATING ELEMENT 3700W 110V**  
immersed length 580 mm - 4 poles  
distance between the holes 75 mm  
flange 95x57 mm  
for coffee machines with 3 groups



ASTORIA CMA 17100

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
in universal carbo  
for heating element




ASTORIA CMA

**1755068 HEATING ELEMENT 3700W 230/240V**  
immersion depth 500 mm - 4 poles  
distance between fixing holes 75 mm  
with bulb sheath - flange 95x57 mm  
for 3 groups coffee machines



ASTORIA CMA 17101

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
in universal carbo  
for heating element



ASTORIA CMA



Suitable for:

Suitable for:

**1755070 HEATING ELEMENT 4000W 230/240V**  
 immersed length 310 mm - 6 poles  
 distance between the holes 75 mm  
 with bulb sheath - flangia 95x57 mm  
 for coffee machines with 2 groups

**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
 in universal carbo  
 for heating element




ASTORIA CMA 17056

ASTORIA CMA 17057

ASTORIA CMA 4617057

ASTORIA CMA

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
 for heating element



**5054811 HEATING ELEMENT 4500/4900W 230/400V**  
 immersed length 290 mm - 6 poles  
 distance between fastening holes 75 mm  
 with bulb sheath - flange 96x57 mm  
 for coffee machines with 2 groups

**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
 in universal carbo  
 for heating element




ASTORIA CMA 17060

ASTORIA CMA 4517060

ASTORIA CMA 4617060001

ASTORIA CMA

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
 for heating element



**1755259 HEATING ELEMENT 5000/5440W 230/240V**  
 immersed length 575 mm - 6 poles  
 distance between mounting holes 75 mm  
 with bulb sheath - flange 95x57 mm  
 for 3 groups coffee machines

**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
 in universal carbo  
 for heating element



ASTORIA CMA 17107

ASTORIA CMA 4617107

ASTORIA CMA



Suitable for:

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



# ASTORIA CMA




Suitable for:

**1755071 HEATING ELEMENT 5000W 230/240V**  
immersed length 500 mm - 4 poles  
distance between fixing holes 75 mm  
with bulb sheath - flange 95x57 mm  
for 3 groups coffee machines



ASTORIA CMA 17106

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
in universal carbo  
for heating element



ASTORIA CMA

**1755245 HEATING ELEMENT 6000W 220V**  
immersed length 780 mm - 6 poles  
distance between fixing holes 75 mm  
with bulb sheath - flange 95x57 mm  
for 4 groups coffee machines




ASTORIA CMA 17151

ASTORIA CMA 17153

ASTORIA CMA 4617153

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
in universal carbo  
for heating element



ASTORIA CMA



Suitable for:

**1755609 HEATING ELEMENT 6000W 240V**  
 immersed length 565 mm - 6 poles  
 distance between fixing holes 42 mm  
 with bulb sheath - flange  $\varnothing$  75/53 mm  
 for 3 groups COFFEE MACHINES



ASTORIA CMA 17102

ASTORIA CMA 17102001

**1786215 FLAT GASKET CARBO 50x40x2 mm**  
 of universal carbo  
 for heating element



ASTORIA CMA

Suitable for:

**1186156 ASBESTOS FREE FLAT GASKET  $\varnothing$  50x40x2 mm**



ASTORIA CMA

**1186608 PTFE FLAT GASKET  $\varnothing$  50x40x2 mm**  
 for heating element



ASTORIA CMA 12017

**1755610 HEATING ELEMENT 6000W 240V**  
 immersed length 340 mm - 6 poles  
 distance between fixing holes 42 mm  
 with bulb sheath - flange  $\varnothing$  75/53 mm  
 for 2 groups COFFEE MACHINES



ASTORIA CMA 17052

**1786215 FLAT GASKET CARBO 50x40x2 mm**  
 of universal carbo  
 for heating element



ASTORIA CMA

**1186156 ASBESTOS FREE FLAT GASKET  $\varnothing$  50x40x2 mm**



ASTORIA CMA

**1186608 PTFE FLAT GASKET  $\varnothing$  50x40x2 mm**  
 for heating element



ASTORIA CMA 12017

**1755073 HEATING ELEMENT 7000W 230/240V**  
 immersed length 770 mm - 4 poles  
 distance between fixing holes 75 mm  
 with bulb sheath - flange 95x57 mm  
 for 4 groups coffee machines



ASTORIA CMA 17152

**1186606 FLAT CARBO GASKET  $\varnothing$  57x43x3 mm**  
 in universal carbo  
 for heating element




ASTORIA CMA



Suitable for:

**1186179 PTFE FLAT GASKET  $\varnothing$  57x43x3 mm**  
for heating element



# ASTORIA CMA



Suitable for:

## Hose-end fittings

**3315106 HOSE END FITTING 3-WAYS  $\varnothing$  10 mm**



ASTORIA CMA 15422010

**1315026 T-HOSE END FITTING  $\varnothing$  6 mm**



ASTORIA CMA 15422001

**1315020 T-SHAPED HOSE END FITTING  $\varnothing$  10 mm**



ASTORIA CMA 15422017

**5067240 Y-HOSE END FITTING  $\varnothing$  8 mm**



ASTORIA CMA 15422005

## Hydraulic piping

**1449500 PTFE PIPE  $\varnothing$  2x4 mm - 10 m**  
food-safe  
max 35 bar



ASTORIA CMA 15452001

**1449282 SILICONE HOSE  $\varnothing$  5x8 SHORE 60 - 100 m**  
food-grade



ASTORIA CMA 15477011

**1449687 SILICONE HOSE  $\varnothing$  8x10 SHORE 60 - 10 m**  
food-grade



ASTORIA CMA 15478002

## Ignitors

**3001005 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is needed for the assembly  
faston M  $\varnothing$  2.4 mm



ASTORIA CMA

**3001007 PIEZO IGNITER**  
a  $\varnothing$  22 mm hole is needed for the assembly  
faston M  $\varnothing$  2.4 mm



ASTORIA CMA 15010

**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber



## Indicator lights

**5036358 INDICATOR LAMP RED 230V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm



ASTORIA CMA 21023

**3221132 INDICATOR LIGHT GREEN 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ASTORIA CMA 21011

**1221014 INDICATOR LIGHT ORANGE 400V**  
 $\varnothing$  head 15 mm -  $\varnothing$  hole 10 mm - 120°C



ASTORIA CMA 21012

**1341314 INDICATOR LIGHT RED A LED**  
mounting hole 8 mm - head  $\varnothing$  10 mm



ASTORIA CMA 22625

**1221059 INDICATOR LIGHT RED 125V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm



ASTORIA CMA 21004



Suitable for:

# ASTORIA CMA



**3221159 INDICATOR LIGHT RED 250V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  13 mm - 120°C  
M faston 6.3x0.8 mm  
universal application



**3221169 INDICATOR LIGHT GREEN 250V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  13 mm - 120°C  
faston M 6.3x0.8 mm  
universal application



ASTORIA CMA 21030

**3221677 INDICATOR LIGHT ORANGE 250V**  
 $\varnothing$  head 16 mm -  $\varnothing$  hole 13 mm - 120°C  
faston M 6.3x0.8 mm  
universal application



**3221678 INDICATOR LIGHT TRANSPARENT 250V**  
 $\varnothing$  head 16 mm -  $\varnothing$  hole 13 mm - 120°C  
faston M 6.3x0.8 mm  
universal application



**1341313 LED INDICATOR LIGHT GREEN**  
mounting hole 8 mm - head  $\varnothing$  10 mm



ASTORIA CMA 22623

## Inlet hoses

**1449417 FLEX HOSE  $\varnothing$  1/4" Fc x Fc 350 mm**  
reinforced silicone tube  
external tube  $\varnothing$  10 mm  
max. temperature 90°C  
max. pressure 10 bar



**1449418 FLEX HOSE  $\varnothing$  1/4" Fc x Fc 460 mm**  
reinforced silicone tube  
external tube  $\varnothing$  10 mm  
max. temperature 90°C  
max. pressure 10 bar




ASTORIA CMA 4630402001

ASTORIA CMA 4630402002

**1449269 FLEX HOSE  $\varnothing$  1/4" Fc x Fc 280 mm**  
tubo DN6 ( $\varnothing$  6x10 mm)  
NSF certified (U.S.A.)



**1449708 FLEX HOSE  $\varnothing$  1/8" Fp x Fp 300 mm**  
EPDM hose covered in stainless steel  
hose external  $\varnothing$  10 mm  
max temperature 90°C  
max pressure 20 bar



ASTORIA CMA

ASTORIA CMA 30405



Suitable for:

**1449268 FLEX HOSE  $\varnothing$  1/8" Fp x Fp 1000 mm**  
 tubo DN6 ( $\varnothing$  6x10 mm)  
 NSF certified (U.S.A.)



Suitable for:

**1449267 FLEX HOSE  $\varnothing$  1/8" Fp x Fp 370 mm**  
 tubo DN6 ( $\varnothing$  6x10 mm)  
 NSF certified (U.S.A.)



ASTORIA CMA

**1449725 FLEX HOSE  $\varnothing$  3/8" Fc x Fc 1500 mm**  
 EPDM hose covered in stainless steel  
 hose external  $\varnothing$  12 mm  
 max temperature 90°C  
 max pressure 10 bar



ASTORIA CMA

**1449722 FLEX HOSE  $\varnothing$  3/8" Fc x Fc 500 mm**  
 EPDM hose covered in stainless steel  
 hose external  $\varnothing$  12 mm  
 max temperature 90°C  
 max pressure 10 bar



ASTORIA CMA 30408

**1449710 FLEX HOSE  $\varnothing$  3/8" Fp x Fc 300 mm**  
 EPDM hose covered in stainless steel  
 hose external  $\varnothing$  12 mm  
 max temperature 90°C  
 max pressure 10 bar



ASTORIA CMA

**1449711 FLEX HOSE  $\varnothing$  3/8" Fp x Fc 500 mm**  
 EPDM hose covered in stainless steel  
 hose external  $\varnothing$  12 mm - DN8  
 max temperature 90°C  
 max pressure 10 bar  
 DVGW approved



ASTORIA CMA 30403

**1449229 FLEX HOSE  $\varnothing$  3/8" Fc x Fc 1000 mm**  
 hose DN8 ( $\varnothing$  8x12 mm)  
 NSF certified (U.S.A.)



ASTORIA CMA 30404

ASTORIA CMA 30404002

**1449723 FLEX HOSE  $\varnothing$  3/8" Fc x Fc 1000 mm**  
 EPDM hose covered in stainless steel  
 hose external  $\varnothing$  12 mm  
 max temperature 90°C  
 max pressure 10 bar



ASTORIA CMA 4630407

ASTORIA CMA 30407



Suitable for:

# ASTORIA CMA



**1449292 FLEX HOSE  $\varnothing$  3/8" Fc x Fc 1500 mm**  
hose DN8 ( $\varnothing$  8x12 mm)  
NSF certified (U.S.A.)



ASTORIA CMA 4630408

Suitable for:

**1449275 FLEX HOSE  $\varnothing$  3/8" Fc x Fc 330 mm**  
hose DN8 ( $\varnothing$  8x12 mm)  
NSF certified (U.S.A.)




ASTORIA CMA 4630403

**1449276 FLEX HOSE  $\varnothing$  3/8" Fc x Fc 450 mm**  
hose DN8 ( $\varnothing$  8x12 mm)  
NSF certified (U.S.A.)



**1449293 FLEX HOSE  $\varnothing$  3/8" Fc x Fc 450 mm + PVC**  
tubo DN8 ( $\varnothing$  8x12 mm) PVC covered  
NSF certified (U.S.A.)



ASTORIA CMA 4630404

ASTORIA CMA 46304002

**1449277 FLEX HOSE  $\varnothing$  3/8" Fc x Fc 530 mm**  
hose DN8 ( $\varnothing$  8x12 mm)  
NSF certified (U.S.A.)




**1449278 FLEX HOSE  $\varnothing$  3/8" Fc x Fc 630 mm**  
hose DN8 ( $\varnothing$  8x12 mm)  
NSF certified (U.S.A.)




ASTORIA CMA

ASTORIA CMA

**1449360 FLEXIBLE HOSE  $\varnothing$  3/8" Fc x Fc 230 mm**  
EPDM hose - stainless-steel coated  
DN8 hose ( $\varnothing$  8x12 mm)  
max temperature 90°C  
max pressure 10 bar  
NSF certified (USA)



**5054951 HOSE FLEX  $\varnothing$  1/8" Fp x Fp 1000 cm**  
stainless steel coated  
fittings F flat  
external hose  $\varnothing$  10 mm



ASTORIA CMA 463040003

ASTORIA CMA 30406

**1449298 HOSE FLEX  $\varnothing$  3/8" Fc x Fc 330 mm**  
hose of EPDM st/steel covered  
hose DN8 ( $\varnothing$  8x12 mm)  
temperature max 90°C  
pressure max 10 bar  
DVGW approved



ASTORIA CMA

## Ironmongery (screws, nuts, washers)

**1528047 BLIND HEXAGONAL NUT M6**  
stainless steel - height 10.5 mm - UNI 5721 - DIN



ASTORIA CMA 28530026

**1186446 BRASS WASHER  $\varnothing$  28x17x2 mm FLAT**  
for water/steam hub



ASTORIA CMA 25651

**1186376 BRASS WASHER  $\varnothing$  12x8x1 mm FLAT**



ASTORIA CMA 25655

**1186035 BRASS WASHER  $\varnothing$  18x12x1 mm FLAT**



ASTORIA CMA 25652

**1528095 BRASS WASHER FLAT  $\varnothing$  15.4x9x1 mm**



ASTORIA CMA 25653

**1250217 CLASP  $\varnothing$  5x20 mm**  
in burnished iron alloy  
UNI 6873 - DIN 1481 - ISO 8752



ASTORIA CMA 10701

**1528623 COUNTERSUNK FLAT HEAD SCREWS M4x6**  
cross recessed - stainless steel  
UNI 7688 - DIN 965 - ISO 7046



ASTORIA CMA 35WY0072

**1455034 CYLINDER HEAD SCREW M4x10**  
stainless steel - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762



ASTORIA CMA 23560

**1184012 CYLINDER HEAD SCREW M5x10**  
stainless steel - with hexagon socket  
UNI 9327 - DIN 7984



ASTORIA CMA 23552

**1184804 CYLINDER HEAD SCREW M6x8**  
stainless steel - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762



ASTORIA CMA 23558




# ASTORIA CMA



Suitable for:

**1528167 CYLINDER-HEAD SCREW THIN M4x6**  
stainless steel - hexagonal hollow  
UNI 9327 - DIN 7984



ASTORIA CMA 23563

Suitable for:

**1528139 ELASTIC WASHER  $\varnothing$  14.2 mm**  
external  $\varnothing$  14.2 mm  
internal  $\varnothing$  7 mm  
thickness 1 mm  
for water/steam tap



ASTORIA CMA 23260018

**1349061 GLASS FASTENING NUT  $\varnothing$  1/2" F HOLE 12 mm**  
nut height 18 mm - nut 24 mm



ASTORIA CMA 25383

**1184008 HEXAGON HEAD SCREW M8x25**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



ASTORIA CMA 23406902

**1528166 HEXAGONAL NUT THICK M3**  
stainless steel - UNI 5587 - ISO 4033



ASTORIA CMA 23029

**1348025 HEXAGONAL NUT M3**  
brass - UNI 5587 - ISO 4033



ASTORIA CMA 23050

**1184006 LOW CYLINDER HEAD SCREW M4x12**  
stainless steel - with hexagon socket  
UNI 9327 - DIN 7984



ASTORIA CMA 23551

**1348035 NUT  $\varnothing$  1/8"**



ASTORIA CMA 25395

**1349042 NUT  $\varnothing$  3/8" F H6 KEY 22 PITCH 1.33**



ASTORIA CMA 25356

**1348453 NUT M 26x1.5**



ASTORIA CMA 25384





Suitable for:

**1528056 S/STEEL SCREW T.C.E.I. M10x20**  
stainless steel - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762



ASTORIA CMA 23556

Suitable for:

**1528054 SHAPED S/STEEL WASHER  $\varnothing$  12x5x1 mm**  
for brew group



ASTORIA CMA 23260014

**1528011 SHOWER SCREW M5x20**  
cross recessed - stainless steel  
UNI 7688 - DIN 965 - ISO 7046



ASTORIA CMA 23514

**3528075 SPIRAL SPRING WASHER M8**  
internal/external  $\varnothing$  8.4/14.4 mm - thickness 4 mm  
stainless steel - UNI 1751 - DIN 127 B



ASTORIA CMA 23271

**1528055 STUD  $\varnothing$  8x40 mm STAINLESS STEEL**




ASTORIA CMA 23133

**1184009 STUD M8x1.25 L25 mm STAINLESS STEEL**  
hole for hexagonal socket 4 mm



ASTORIA CMA 23134

**5047799 STUD M8x1.25 STAINLESS STEEL**  
overall length 41.5 mm  
for heating element-boiler



ASTORIA CMA 23132001

**1186330 WASHER FLAT M3**  
internal/external  $\varnothing$  3,2/7 mm - thickness 0,5 mm  
messing - UNI 6592 - DIN 125 A - ISO 7089



ASTORIA CMA 27421011

## Knobs

**1241095 CAP FOR KNOB**



ASTORIA CMA 15029051

**1241201 KNOB FOR STEAM TAP**



ASTORIA CMA 15251



Suitable for:

# ASTORIA CMA



**1241202 KNOB FOR STEAM TAP**



ASTORIA CMA 15277997

ASTORIA CMA 15277997+10459

Suitable for:

**1241234 KNOB FOR TAP WATER/STEAM OF WALNUT**  
hole with square pin 6x6 mm  
ø ext. 64 mm



ASTORIA CMA


**1241203 KNOB FOR WATER TAP**



ASTORIA CMA 15277998

ASTORIA CMA 15277998+10459

**1241247 KNOB FOR WATER/STEAM FAUCET**



ASTORIA CMA 15278058

**1241401 KNOB M8x1,25**



ASTORIA CMA 15400

**1241010 KNOB SELECTOR SWITCH BLACK ø 33 mm**  
hole for square pin 5x5 mm



ASTORIA CMA 15271

**5067699 KNOB WALNUT WOOD M8**  
ø 28x46 mm



ASTORIA CMA

**1241463 SELECTOR SWITCH KNOB**



ASTORIA CMA 15277999

**1241089 STEAM TAP KNOB**



ASTORIA CMA 15272

**1241451 STEAM TAP KNOB**  
square pin hole 6x6 mm



ASTORIA CMA 15254

**1241452 STEAM TAP KNOB**  
hole for square pin 6x6 mm - with clip



ASTORIA CMA 15265

ASTORIA CMA 15265+10459

**5085993 STEAM TAP KNOB BLACK**



ASTORIA CMA 83150026R



# ASTORIA CMA



Suitable for:

**5066916 STEAM TAP KNOB CHROME-PLATED**



ASTORIA CMA 83150028R

Suitable for:

**1241468 WATER TAP HANDLE**



ASTORIA CMA 15264

**1241090 WATER TAP KNOB**



ASTORIA CMA 15273

**1241453 WATER TAP KNOB**



ASTORIA CMA 15253

**5047209 WATER TAP KNOB**



ASTORIA CMA 15250

**5066917 WATER TAP KNOB**



ASTORIA CMA 83150029R

**1241094 WATER/STEAM TAP KNOB**



ASTORIA CMA 15029050

## Level balls

**1323006 BLACK LEVEL BALL  $\varnothing$  7 mm**



ASTORIA CMA 15300

**1323001 RED LEVEL BALL  $\varnothing$  5.8 mm**



ASTORIA CMA

**1323200 STAINLESS STEEL BALL  $\varnothing$  12 mm**



ASTORIA CMA 25050



Suitable for:

# ASTORIA CMA



Suitable for:

## Level gauges

**1201011 COLORLESS TUV LEVEL GAUGE PLATE**  
dimensions 85x36 mm - shaped



ASTORIA CMA 21202

**1201013 COLORLESS TUV LEVEL GAUGE PLATE**  
dimensions 87x32 mm - shaped



ASTORIA CMA 21200

**1520006 LEVEL GLASS ø 11x154 mm SILK-SCREEN PRIN**



ASTORIA CMA 21300001

**1520506 LEVEL GLASS ø 11x170 mm**




ASTORIA CMA 21300

**1520511 LEVEL GLASS ø 11x170 mm**



ASTORIA CMA

**1201012 PLEXIGLASS LEVEL GAUGE PLATE**  
dimensions 140x56 mm



ASTORIA CMA 21203

**1244501 SIGHTGLASS HOUSING**



ASTORIA CMA 44002

## Level probes

**5030757 LEVEL PROBE ø 1/4"M-100 mm**



ASTORIA CMA 20261

ASTORIA CMA 4920261

**1341750 LEVEL PROBE ø 1/4"M-125 mm**



ASTORIA CMA 20251

ASTORIA CMA 4820251

**1341751 LEVEL PROBE ø 1/4"M-150 mm**



ASTORIA CMA 20258

**1341315 LEVEL PROBE ø 1/4"M-255 mm**



ASTORIA CMA 20252



## Level regulators

**1341603 LEVEL REGULATOR RL/1E/2C/F 115V**



ASTORIA CMA 18081001

**1341311 LEVEL REGULATOR RL/1E/2C/F 230/240V**  
230/240V 50/60Hz



ASTORIA CMA 18080

ASTORIA CMA 18080001

**1054571 LEVEL REGULATOR RL01E/1S/4C/F 240V**



ASTORIA CMA 18045

**1341304 LEVEL REGULATOR RL30/1E/2C/11 230V**  
230V 50/60HZ 5A



ASTORIA CMA

**1341700 LEVEL REGULATOR RL30/1E/8 230/240V**  
230/240V 50/60HZ 5A



ASTORIA CMA

**1341308 LEVEL REGULATOR RL40/1E/11 230/240V**  
230/240V 50/60HZ 10A



ASTORIA CMA 18402

**1341307 LEVEL REGULATOR RL40/1E/11 24V**  
24V 50/60Hz 10A



ASTORIA CMA

## Lip seals

**5075444 LIP SEAL  $\varnothing$  14,5x7,5x4 mm**  
FKM



ASTORIA CMA 12204052

**1186491 LIP SEAL  $\varnothing$  14x7x5 mm**  
for steam tap



ASTORIA CMA 12205



Suitable for:

# ASTORIA CMA



Suitable for:

**1186197 LIP SEAL  $\varnothing$  52x40x7 mm**  
black colour



ASTORIA CMA 12201


## Microswitches, mechanical

**1803036 MICROSWITCH CROUZET U831613**  
16(4)A 250V



ASTORIA CMA 18250004

**3240123 MICROSWITCH ROLD VRSRB1DA1**  
16A 250V



ASTORIA CMA 28165

ASTORIA CMA 28500053

## Motors

**1240410 CLAMP MOTOR RPM 330W 230V**



ASTORIA CMA 4656406

**1240702 MOTOR RPM WITH CLAMP CONNECTION 165W**  
model 11002728  
power supply 165W 230V 50/60Hz  
capacitor 10  $\mu$ f  
for rotary vane pump



ASTORIA CMA 18300

**1240703 MOTOR RPM WITH CLAMP CONNECTION 165W**  
model 11002755  
power 165W 220V 50Hz  
capacitor 10  $\mu$ f  
with connection box  
for rotary vane pump



ASTORIA CMA 18301

ASTORIA CMA 18312

**1240606 RPM CLAMP MOTOR 310W**  
model C042300  
power 310W 110/120V 50/60Hz  
capacitor 25  $\mu$ f  
for volumetric pump



ASTORIA CMA 18315

ASTORIA CMA 56407



Suitable for:

**1240610 RPM MOTOR WITH CLAMP CONNECTION 120W 230**  
 model C013728  
 power 120W 230V 50Hz 1.15A  
 capacitor 8  $\mu$ f  
 for rotary vane pump



ASTORIA CMA 18303

ASTORIA CMA 18303+25770100

Suitable for:

**1240607 RPM MOTOR WITH CLAMP CONNECTION 330W 230**  
 model C042204  
 power 330W 220/240V 50/60Hz 1.6/1.4A  
 capacitor 7  $\mu$ f  
 for volumetric pump



ASTORIA CMA 56402

ASTORIA CMA 56406

## Non-return and expansion valves


**1523403 EXPANSION AND NON-RETURN VALVE**  
 fittings  $\varnothing$  1/4"M-1/4"M-3/8"M



ASTORIA CMA 20361

ASTORIA CMA 4620361

**1720046 EXPANSION AND NON-RETURN VALVE**  
 fittings  $\varnothing$  1/4 "M-1/4 "M-3/8 "M  
 with filter



ASTORIA CMA 83200011R

**1720045 EXPANSION VALVE  $\varnothing$  1/8"M-1/4"M-1/4"**



ASTORIA CMA 4656210003

**1523440 EXPANSION VALVE  $\varnothing$  1/8"M-1/8"M**



ASTORIA CMA 56300

**1523410 EXPANSION VALVE  $\varnothing$  1/8"M-1/8"M-1/8"**



ASTORIA CMA 4656210

ASTORIA CMA 56210

**1523404 NON-RETURN VALVE**



ASTORIA CMA 20353

**1523700 NON-RETURN VALVE  $\varnothing$  1/8"M-1/8"M GAS**  
 fittings  $\varnothing$  1/8"M GAS/BSP



ASTORIA CMA 20358

**1720019 VALVE EXPANSION  $\varnothing$  1/4"M-3/8"M**



ASTORIA CMA 56152



Suitable for:

# ASTORIA CMA



Suitable for:

## Nozzles

**1500009** JET M5x1 HOLE  $\varnothing$  1.0 mm  
for delivery group



ASTORIA CMA 10300B

**1500300** NOZZLE M5x1 HOLE  $\varnothing$  0.7 mm  
for brew group



ASTORIA CMA 1030001

**1500004** NOZZLE M5x1 HOLE  $\varnothing$  0.8 mm  
for brew group



ASTORIA CMA 10300

**5060654** NOZZLE ST. STEEL  $\varnothing$  6x31 mm HOLE  $\varnothing$  0.5 mm  
for volumetric flow meter



ASTORIA CMA 25789321

**1500028** UGELLO M5x0,8 FORO  $\varnothing$  0,7 mm  
per gruppo erogazione



ASTORIA CMA 4810300001

ASTORIA CMA 4910300001

## Nozzles for coffee groups

**1501007** BREW GROUP SPRAY NOZZLE  $\varnothing$  30 mm M10x1  
via hole M5



ASTORIA CMA 27105000

**1501300** BREW GROUP SPRAY NOZZLE  $\varnothing$  31.5mm M18x2-M5



ASTORIA CMA 25422004

ASTORIA CMA 25422008

ASTORIA CMA 4825422008

**1501301** BREW GROUP SPRAY NOZZLE M20x1.5  
hole M5




ASTORIA CMA 25739500



## O-Ring and ORM gaskets

**3786884 GASKET OR 0158 SILICONE - 10 PCS**  
ring thickness 3.53 mm -  $\varnothing$  internal 53.98 mm



ASTORIA CMA LF-1186461

**1786219 O-RING 0050-15 EPDM**  
ring thickness 1.5 mm - internal  $\varnothing$  5.0 mm  
for steam pipe diffuser



ASTORIA CMA 12662000

**3186287 O-RING 0123 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  17.86 mm



ASTORIA CMA 12300026

**1186198 O-RING 0161 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  57.15 mm



ASTORIA CMA 12302

**1186199 O-RING 0162 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  58.74 mm



ASTORIA CMA 12301

**1186861 O-RING 02018 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  4.48 mm



ASTORIA CMA 12299002

ASTORIA CMA 12300029

**1186612 O-RING 02025 FKM**  
ring thickness 1.78 mm - internal  $\varnothing$  6.07 mm



ASTORIA CMA 12305

**1186611 O-RING 02025 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  6.07 mm



ASTORIA CMA

**1186717 O-RING 02031 FKM**  
ring thickness 1.78 mm - internal  $\varnothing$  7.66 mm



ASTORIA CMA 12329

**1186803 O-RING 02037 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  9.25 mm



ASTORIA CMA 12306



# ASTORIA CMA



Suitable for:

**1186352 O-RING 02050 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  12.42 mm



ASTORIA CMA 12300012

Suitable for:

**1186223 O-RING 02056 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  14.00 mm



ASTORIA CMA 12330

**3186343 O-RING 02106 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  26.70 mm



ASTORIA CMA 28159305

**1186631 O-RING 02112 FKM**  
ring thickness 1.78 mm - internal  $\varnothing$  28.30 mm



ASTORIA CMA 12315

**7102065 O-RING 02187 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  47.35 mm



ASTORIA CMA 12300054

**1186318 O-RING 03043 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  10.78 mm



ASTORIA CMA 12300

**1186762 O-RING 03056 SILICONE**  
ring  $\varnothing$  2.62 - internal  $\varnothing$  13.95 mm



ASTORIA CMA 12609

**3186247 O-RING 03112 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  28.25 mm



ASTORIA CMA 12650

**1186767 O-RING 03137 FKM**  
ring thickness 2.62 mm - internal  $\varnothing$  34.60 mm



ASTORIA CMA 12300034

**1186184 O-RING 03156 FKM**  
ring thickness 2.62 mm - internal  $\varnothing$  39.34 mm



ASTORIA CMA 12300000



Suitable for:

**1186766 O-RING 04075 FKM**  
ring thickness 3.53 mm - internal  $\varnothing$  18.64 mm



ASTORIA CMA 12024

Suitable for:

**1186905 O-RING 04150 RED SILICONE**  
ring thickness 3.53 mm - internal  $\varnothing$  37.69 mm  
for coffee group



ASTORIA CMA 12316

**3186175 O-RING 04175 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  44.04 mm



ASTORIA CMA 12300040

**1186190 O-RING 04187 FKM**  
ring thickness 3.53 mm - internal  $\varnothing$  47.22 mm



ASTORIA CMA 12304

**1186550 ORM GASKET 0060-10 RED SILICONE**  
ring thickness 1.0 mm - internal  $\varnothing$  6.0 mm



ASTORIA CMA 12300013

**1186773 ORM GASKET 0170-30 NBR**  
ring thickness 3.0 mm - internal  $\varnothing$  17.0 mm



ASTORIA CMA 12336000

**1186772 ORM GASKET 0250-40 NBR**  
ring thickness 4.0 mm - internal  $\varnothing$  25.0 mm



ASTORIA CMA 12300027

ASTORIA CMA 12336001

## Paper seals

**1190101 PAPER SEAL  $\varnothing$  64x53x0.7 mm**



ASTORIA CMA

**1190021 PAPER SEAL  $\varnothing$  66x58x0.8 mm**



ASTORIA CMA



Suitable for:

**1190051 PAPER SEAL  $\varnothing$  70x57x0.8 mm**



ASTORIA CMA

Suitable for:

**1190007 RUBBER PIECE  $\varnothing$  64x53x1 mm EPDM**



ASTORIA CMA

**1190003 RUBBER SHIM  $\varnothing$  70x57x1 mm EPDM**



ASTORIA CMA

## Pilot burners and accessories

**3020101 BRACKET CLAMP 2 POSITIONS FOR PILOT SIT**



ASTORIA CMA 10750

**3020100 BRACKET 2 POSITIONS SIT**



ASTORIA CMA 10751

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm  
for PILOT BURNER SIT**



ASTORIA CMA 23410

## Pins

**1324202 AL GROUP 12 BAR FORK PIN**



ASTORIA CMA 27301

**1324013 DELIVERY VALVE PIN**



ASTORIA CMA 27421005



# ASTORIA CMA



Suitable for:

**5086911 LEVER PIN FOR TAP**  
overall length 76 mm  
of stainless steel



ASTORIA CMA 25309050

**1324201 PIN FOR FORK**



ASTORIA CMA 27301A

**1324076 TAP PIN  $\varnothing$  8x35.6 mm**  
for water inlet tap



ASTORIA CMA 25315

Suitable for:

**1324200 PIN FOR BEARING**



ASTORIA CMA 27302

**1324189 PIN FOR TAP**



ASTORIA CMA 25385052

**1324077 WATER/STEAM TAP PIN**



ASTORIA CMA 25309

ASTORIA CMA 4625309

## Pipes for coffee and vending machines

**1449202 INJECTOR PIPE**  
pipe  $\varnothing$  10 mm - length 125 mm



ASTORIA CMA 4652000119

ASTORIA CMA 52000119

**1349017 INJECTOR PIPE  $\varnothing$  1/4"M-1/4"M**  
tube  $\varnothing$  6 mm - length 80 mm  
for boiler cts



ASTORIA CMA 25686001

ASTORIA CMA 52002788

**1449200 INJECTOR PIPE GRUPPO EROGAZIONE**  
pipe  $\varnothing$  12 mm - length 140 mm  
made of brass CW510L (OT57)  
low-lead



ASTORIA CMA 4652000120

ASTORIA CMA 52000120

**1550041 PIPE FOR INJECTOR  $\varnothing$  1/4"M-1/4"M**



ASTORIA CMA 4952002788



# ASTORIA CMA



Suitable for:

**5032457 PIPE FOR VOLUMETRIC FLOW METERS**  
ø 8 mm - length 215 mm



ASTORIA CMA 4652000320

ASTORIA CMA 52000320

Suitable for:

**5081685 RECIRCULATION RESTRICTION ø 2.5 mm**



ASTORIA CMA 23293000

ASTORIA CMA 4923293000

**1449024 SUCTION PIPE**  
pipe ø 12 mm - length 180 mm  
for brew group



ASTORIA CMA 4652000122

ASTORIA CMA 52000122

**1550079 SUCTION PIPE ø 1/4" M**  
tube ø 6 mm - length 80 mm  
overall length 104 mm



ASTORIA CMA 4652002197

ASTORIA CMA 52002197

**1449092 SUCTION PIPE ø 3/8" M**  
pipe ø 10 mm - length 125 mm



ASTORIA CMA 4652000118

ASTORIA CMA 52000118

**5109773 SUCTION PIPE ø 3/8" M**  
pipe ø 10 mm - length 109 mm  
made of brass CW510L (OT57)  
low lead content  
T.E.A. treated



ASTORIA CMA 4952001612

ASTORIA CMA 52001612

**1324049 SUCTION PIPE M8**  
pipe ø 6x8 mm - length 75 mm  
for brew group



ASTORIA CMA 15451011

ASTORIA CMA 15451018

**5153970 SUCTION PIPING ø 3/8" M-3/8" M**  
hose ø 6 mm - tube length 89 mm



ASTORIA CMA 4652002012

ASTORIA CMA 4952002012

ASTORIA CMA 52002012

**5111923 TUBAZIONE PESCANTE ø 1/4" M-1/4" M**  
ø tubo 6 mm - lunghezza tubo 80 mm  
lunghezza totale 110 mm



ASTORIA CMA 4952000410

ASTORIA CMA 52000410



## Pressure gauges

**1245100 BOILER PRESSURE GAUGE  $\varnothing$  41 mm 0÷2.5 bar**  
single scale 0÷2.5 bar - connection  $\varnothing$  1/8" M  
frame  $\varnothing$  44 mm - case  $\varnothing$  41 mm



ASTORIA CMA 21105

**1245507 BOILER PRESSURE GAUGE  $\varnothing$  52 mm 0÷3 bar**  
single scale 0÷3 bar - connection  $\varnothing$  1/4" M  
frame  $\varnothing$  57 mm - case  $\varnothing$  52 mm



ASTORIA CMA 21101

**1245021 BOILER PRESSURE GAUGE  $\varnothing$  62 mm 0÷3 bar**  
single scale 0÷3 bar - connection  $\varnothing$  1/4" M  
rim  $\varnothing$  64 mm - body  $\varnothing$  62 mm



ASTORIA CMA 21111

**1245033 BOILER PRESSURE GAUGE  $\varnothing$  62 mm 0÷3 bar**  
single scale 0÷3 bar - connection  $\varnothing$  1/4" M  
rim  $\varnothing$  64 mm - body  $\varnothing$  62 mm



ASTORIA CMA 21113

ASTORIA CMA 4621113

**1245502 BOILER-PUMP PRESSURE GAUGE  $\varnothing$  60 mm**  
double scale 0÷2.5/0÷16 bar - connections  $\varnothing$  1/8" M  
rim  $\varnothing$  65 mm - body  $\varnothing$  60 mm



ASTORIA CMA

**1245503 BOILER-PUMP PRESSURE GAUGE  $\varnothing$  60 mm**  
double scale 0÷2.5/0÷15 bar - connections  $\varnothing$  1/8" M  
rim  $\varnothing$  65 mm - body  $\varnothing$  60 mm



ASTORIA CMA

**1245504 BOILER-PUMP PRESSURE GAUGE  $\varnothing$  60 mm**  
double scale 0÷2.5/0÷16 bar - fittings  $\varnothing$  1/8" M  
frame  $\varnothing$  65 mm - case  $\varnothing$  60 mm



ASTORIA CMA 21100

ASTORIA CMA 21104

**1245505 BOILER-PUMP PRESSURE GAUGE  $\varnothing$  60 mm**  
double scale 0÷2.5/0÷16 bar - connections  $\varnothing$  1/8" M  
rim  $\varnothing$  65 mm - body  $\varnothing$  60 mm



ASTORIA CMA

**1245032 BOILER-PUMP PRESSURE GAUGE  $\varnothing$  63 mm**  
double scale 0÷3/0÷15 bar - connections  $\varnothing$  1/8" M  
rim  $\varnothing$  70 mm - body  $\varnothing$  63 mm



ASTORIA CMA 21112

**1245532 BOILER-PUMP PRESSURE GAUGE  $\varnothing$  63 mm**  
double scale 0÷2.5/0÷15 bar - connections  $\varnothing$  1/8" M  
rim  $\varnothing$  70 mm - body  $\varnothing$  63 mm



ASTORIA CMA



Suitable for:

# ASTORIA CMA



**1245111 PRESSURE GAUGE FOR BOILER-PUMP  $\varnothing$  63 mm**  
double scale 0÷3/0÷15 bar - fittings  $\varnothing$  1/8"M  
frame  $\varnothing$  69 mm - body  $\varnothing$  63 mm  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 4621115005

Suitable for:

**5125291 PRESSURE GAUGE FOR BOILER-PUMP  $\varnothing$  63 mm**  
double scale 0÷3/0÷15 bar - connections  $\varnothing$  1/8 "M  
frame  $\varnothing$  70 mm - body  $\varnothing$  63 mm



ASTORIA CMA 4621112

**1245110 PRESSURE GAUGE FOR PUMP  $\varnothing$  62 mm 0÷16 bar**  
single scale 0÷16 bar - fitting  $\varnothing$  1/4"M  
frame  $\varnothing$  64 mm - body  $\varnothing$  62 mm  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 4621115006

**5066350 PRESSURE GAUGE FOR PUMP  $\varnothing$  62 mm 0÷16 bar**  
single scale 0÷16 bar - connection  $\varnothing$  1/4 "M  
frame  $\varnothing$  64 mm - body  $\varnothing$  62 mm



ASTORIA CMA 21114

ASTORIA CMA 4621114

## Pressure reducers

**1350531 GAS REGULATOR DK 2 BAR  $\varnothing$  1/4"FF**



ASTORIA CMA 51003

## Pressure switches

**1320533 MEMBRANE KIT FOR PRESSURE SWITCH**  
model P302-6  $\varnothing$  55 mm



ASTORIA CMA

**1320037 PRESS. SWITCH XP111-L 0.5-1.5 BAR 1/8"M**  
connection  $\varnothing$  1/8 "M - 0.1A 125/250V  
pre-calibrated to 1.4 bar



ASTORIA CMA 4720155001

**1320018 PRESSURE SW.MBS1900 0/16 bar 4.5/5.5VDC**  
fitting  $\varnothing$  1/4"M - scale 0÷16 bar



ASTORIA CMA 18255050

**1320019 PRESSURE SWITCH ES31 1.5 BAR  $\varnothing$  1/8"M**  
fitting  $\varnothing$  1/8"M - 0.5A 250V  
EPDM seal



ASTORIA CMA 20158





Suitable for:

**1320020 PRESSURE SWITCH ES31 2 BAR  $\varnothing$  1/8" M**  
fitting  $\varnothing$  1/8" M - 0.5A 250V  
EPMD seal



ASTORIA CMA 20157

Suitable for:

**1320541 PRESSURE SWITCH PARKER 3-POLES 25A**  
CEI-UL approved  
connection  $\varnothing$  1/4"  
scale 0.5 ÷ 1.4 bar  
differential 0.18 ÷ 0.03 bar  
maximum pressure 2.1 bar  
maximum temperature 140°C



ASTORIA CMA

**1320531 PRESSURE SWITCH P302/6 3-POLES 30A**  
CE-SEV-ASE-UL approved  
ISO 228 G connection 1/4" M for pipe  $\varnothing$  4x6 mm  
adjustable scale 0.5 ÷ 1.4 bar  
fixed differential 0.15 ( $\pm$  0.06) bar  
fluid temperature max : 140°C  
max contact load : 220V 7KW (30A)  
400V 12KW (30A)



ASTORIA CMA 20150

**1320533 MEMBRANE KIT FOR PRESSURE SWITCH**  
model P302-6  $\varnothing$  55 mm



ASTORIA CMA

**1320546 PRESSURE SWITCH 0.5-1.2 BAR 1/8"**  
connection  $\varnothing$  1/8" M - 15A 250V  
precalibrated 1 bar



ASTORIA CMA 20155

**1320032 PRESSURE SWITCH MBS1900 0/4bar 4.5/5.5VDC**  
fitting  $\varnothing$  1/4" M - scale 0 ÷ 4 bar



ASTORIA CMA 18255051

## Probes

**1397052 TEMPERATURE PROBE NTC**  
bulb  $\varnothing$  5.5 mm - fitting  $\varnothing$  1/8" M  
for delivery group



ASTORIA CMA 20306

**1397053 TEMPERATURE PROBE NTC**  
bulb  $\varnothing$  5.5 mm - fitting  $\varnothing$  1/8" M  
for delivery group



ASTORIA CMA 20306006



Suitable for:


# ASTORIA CMA



Suitable for:

## Relays

**3351158 BASE UNDECAL FINDER 90.83.3**  
11 poles - 10A 400V



ASTORIA CMA 18600

**3351053 RELAY ZETTLER AZ2280-1C-240AF**  
20A/10A 28VDC NO/NC  
30A/20A 277VAC NO/NC



ASTORIA CMA 18460001

**1351020 STATIC RELAY RAM1A60A50G 50A 600V**



ASTORIA CMA 18460005

ASTORIA CMA 18460011

## Rotary vane pumps

**1330012 ROTARY VANE PUMP PROCON  $\varnothing$  3/8" NPT**  
clamp connection  
flow rate 180 l/h  
with balanced bypass  
connection  $\varnothing$  3/8" conical NPT  
NSF certified



ASTORIA CMA 26302

**1349100 PUMP CONNECTION  $\varnothing$  3/8" M NPT-3/8" M GAS**  
3/8" M CONICAL (NPT)- 3/8" M STRAIGHT (GAS)  
made of brass CW510L (OT57)  
low lead content



**1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP**



ASTORIA CMA 26310003



# ASTORIA CMA



Suitable for:

Suitable for:

## 1330021 ROTARY VANE PUMP ROTOFLOW $\varnothing$ 3/8" GAS

clamp connection  
flow rate 50 L/h  
with balanced bypass  
length 74 mm  
fittings  $\varnothing$  3/8" GAS/BSP  
N.S.F. approved  
model COMPACT PLUS



ASTORIA CMA 26303002


ASTORIA CMA 4626303002

## 1349103 FITTING $\varnothing$ 3/8" M-3/8" M



ASTORIA CMA 25687


## 1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



ASTORIA CMA 26310003

## 1330026 ROTARY VANE PUMP ROTOFLOW $\varnothing$ 3/8" GAS

clamp connection  
flowrate 200 L/h  
equipped with bypass  
fittings  $\varnothing$  3/8" GAS/BSP  
NSF - WRAS certified  
model STANDARD  
length without pin 82.5 mm




ASTORIA CMA 26303

## 1349103 FITTING $\varnothing$ 3/8" M-3/8" M



ASTORIA CMA 25687

## 1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



ASTORIA CMA 26310003



Suitable for:

# ASTORIA CMA



## 1330001 ROTARY VANE PUMP ROTOFLOW $\varnothing$ 3/8" NPT

clamp connection  
flowrate 100 L/h  
equipped with balanced bypass  
connection  $\varnothing$  3/8" conical NPT  
NSF - WRAS certified  
model STANDARD  
length without pin 82.5 mm



ASTORIA CMA 26303001


## 1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



ASTORIA CMA 26310003


## 1330002 ROTARY VANE PUMP ROTOFLOW $\varnothing$ 3/8" NPT

clamp connection  
flowrate 200 L/h  
equipped with balanced bypass  
NSF - WRAS certified  
model STANDARD  
length without pin 82.5 mm



ASTORIA CMA

## 1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP




ASTORIA CMA 26310003

Suitable for:

## 1349100 PUMP CONNECTION $\varnothing$ 3/8" M NPT-3/8" M GAS

3/8" M CONICAL (NPT)- 3/8" M STRAIGHT (GAS)  
made of brass CW510L (OT57)  
low lead content



1349100

## PUMP CONNECTION $\varnothing$ 3/8" M NPT-3/8" M GAS

3/8" M CONICAL (NPT)- 3/8" M STRAIGHT (GAS)  
made of brass CW510L (OT57)  
low lead content






Suitable for:


**1330101 ROTARY VANE PUMP ROTOFLOW  $\varnothing$  3/8" NPT**

flange connection  
 flowrate 100 L/h  
 with balanced by-pass  
 fitting  $\varnothing$  3/8" conical NPT  
 NSF approved  
 model STANDARD  
 length without pin 82.5 mm  
 PUMP VERSION ECO-BRASS  
 made of BRASS CW510L (OT57)  
 low in lead  $\leq 0.25\%$



ASTORIA CMA


**1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP**



ASTORIA CMA 26310003

**1330102 ROTARY VANE PUMP ROTOFLOW  $\varnothing$  3/8" NPT**

flange connection  
 flowrate 200 L/h  
 with balanced by-pass  
 fitting  $\varnothing$  3/8" conical NPT  
 NSF approved  
 model STANDARD  
 length without pin 82.5 mm  
 PUMP VERSION ECO-BRASS  
 made of BRASS CW510L (OT57)  
 low in lead  $\leq 0.25\%$



ASTORIA CMA

**1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP**




ASTORIA CMA 26310003

Suitable for:

**1349100 PUMP CONNECTION  $\varnothing$  3/8" M NPT-3/8" M GAS**

3/8" M CONICAL (NPT)- 3/8" M STRAIGHT (GAS)  
 made of brass CW510L (OT57)  
 low lead content



**1349100 PUMP CONNECTION  $\varnothing$  3/8" M NPT-3/8" M GAS**

3/8" M CONICAL (NPT)- 3/8" M STRAIGHT (GAS)  
 made of brass CW510L (OT57)  
 low lead content





Suitable for:

# ASTORIA CMA




## 1330040 VOLUMETRIC PUMP ODE $\varnothing$ 3/8" GAS/BSP

TECNOPOLIMER PPS body  
clamp connection  
flowrate 150 litri/h  
with balanced bypass  
fittings  $\varnothing$  3/8" GAS/BSP st.steel  
NSF approved - FOOD-SAFE



ASTORIA CMA


## 1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



ASTORIA CMA 26310003

## 1330104 VOLUMETRIC PUMP ROTOFLOW $\varnothing$ 3/8" GAS

clamp fitting  
capacity 100 L/h  
with balanced by-pass  
fitting  $\varnothing$  3/8" GAS/BSP  
NSF approved  
STANDARD model  
length without pin 82.5 mm  
PUMP VERSION ECO-BRASS  
made of BRASS CW510L (OT57)  
low lead content  $\leq 0.25\%$



ASTORIA CMA 4626303001

## 5109998 VOLUMETRIC PUMP ROTOFLOW $\varnothing$ 3/8" GAS

clamp fitting  
capacity 200 L/h  
with balanced by-pass  
fitting  $\varnothing$  3/8" GAS/BSP  
NSF certified  
model STANDARD  
length without pin 82.5 mm  
VERSION OF THE PUMP ECO-BRASS  
made of brass CW510L (OT57)  
low in lead  $\leq 0.25\%$



ASTORIA CMA 4626303

Suitable for:

## 1349103 FITTING $\varnothing$ 3/8" M-3/8" M



ASTORIA CMA 25687

## 1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



ASTORIA CMA 26310003

## 1349103 FITTING $\varnothing$ 3/8" M-3/8" M




ASTORIA CMA 25687



Suitable for:

1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



ASTORIA CMA 26310003

# ASTORIA CMA



Suitable for:

## Rubberpieces for steam-water taps

1186180 BURN PREVENTING RUBBER GRIP FOR PIPES  $\emptyset$



ASTORIA CMA 15296001

1186339 BURN PREVENTING RUBBER GRIP FOR PIPES  $\emptyset$



ASTORIA CMA

1449172 BURN PREVENTING RUBBER GRIP FOR PIPES  $\emptyset$



ASTORIA CMA 15295


1549009 BURN PREVENTING RUBBER GRIP FOR PIPES  $\emptyset$



ASTORIA CMA 15296000

## Seals for level glasses


1186206 EPDM FLAT GASKET  $\emptyset$  16x10x8 mm  
for level glass



ASTORIA CMA 12200

## Selector switches

5111893 COMMUTATOR 0-2 POSITIONS 600V 32A  
square pin 5x5 mm



ASTORIA CMA 8318105R

7124683 SELECTOR SWITCH 0-1 POSITIONS 20A 400V  
square pin 5x5 mm



ASTORIA CMA 8318201R



Suitable for:

**1319001** SELECTOR SWITCH 0-1 POSITIONS 20A 690V  
square pin 5x5 mm



ASTORIA CMA 18201

ASTORIA CMA 18211

ASTORIA CMA 28167001


Suitable for:

**1057541** SELECTOR SWITCH 0-1 POSITIONS 32A 690V  
square pin 5x5 mm




ASTORIA CMA 18207

**1057050** SELECTOR SWITCH 0-2 POSITIONS 20A 600V  
square pin 5x5 mm



ASTORIA CMA 8318104R

**1057542** SELECTOR SWITCH 0-2 POSITIONS 25A 690V  
square pin 5x5 mm



ASTORIA CMA 18104

**1057543** SELECTOR SWITCH 0-2 POSITIONS 32A 690V  
square pin 5x5 mm



ASTORIA CMA 18105

## Shower screens for brew group

**1460210** PRECISION SHOWER SCREEN  $\varnothing$  48 mm  
middle hole 5 mm - 63 holes  $\varnothing$  3 mm  
Aisi 316 steel - food-safe certified  
integrated membrane 200  $\mu$ m  
suitable for machines ASTORIA/CMA-SAN MARCO-WEGA



ASTORIA CMA

**1460212** PRECISION SHOWER SCREEN  $\varnothing$  48 mm  
middle hole 5 mm - 80 holes  $\varnothing$  2 mm  
Aisi 304 steel - food-safe certified  
wire membrane 35  $\mu$ m  
suitable for machines ASTORIA/CMA-SAN MARCO-WEGA



ASTORIA CMA

**1460200** PRECISION SHOWER SCREEN  $\varnothing$  51.5 mm  
middle hole 5 mm - 98 holes  $\varnothing$  3 mm  
Aisi 301 steel - food-safe certified  
integrated membrane 200  $\mu$ m  
suitable for machines ASTORA-BEZZERA-BFC  
BRASILIA-CARIMALI-CASADIO-CIMBALI-ECM-ELEKTRA  
FAEMA-FIORENZATO CS-FRACINO-gIMAC-RENEKA  
ROYAL-SAB ITALIA-SANREMO-SCALA  
VICTORIA ARDUINO-WEGA



ASTORIA CMA

**1460205** PRECISION SHOWER SCREEN  $\varnothing$  51.5 mm  
middle hole 5 mm - 119 holes  $\varnothing$  2 mm  
steel Aisi 304 - food-safe certified  
wire membrane 35  $\mu$ m  
suitable for machines ASTORIA/CMA-BEZZERA-BFC  
BRASILIA-CARIMALI-CASADIO-CIMBALI-ECM-ELEKTRA  
FAEMA-FIORENZATO CS-FRACINO-GRIMAC-LELIT  
RENEKA-ROYAL-SAB ITALIA-SANREMO-SCALA  
VICTORIA ARDUINO-WEGA



ASTORIA CMA





Suitable for:

**1081118 PRECISION SHOWER SCREEN NANOTEC ø 48 mm**  
 non-stick NANOQUARTZ coating  
 increases the resistance to corrosion  
 and to chemical reaction  
 middle hole 5 mm - 63 holes ø 3 mm  
 Aisi 316 steel - food-safe certified  
 integrated membrane 200 µm  
 suitable for machines DASTORIA/CMA-SAN MARCO-WEGA



ASTORIA CMA

Suitable for:

**1081600 PRECISION SHOWER SCREEN NANOTEC ø 51.5mm**  
 non-stick NANOQUARTZ coating  
 increases the resistance to corrosion  
 and to chemical reaction  
 middle hole 5 mm - 98 holes ø 3 mm  
 Aisi 301 steel - food-safe certified  
 integrated membrane 200 µm  
 suitable for machines ASTORIA/CMA-BEZZERA-BFC  
 BRASILIA-CARIMALI-CASADIO-CIMBALI-ELEKTRA-FAEMA  
 FIORENTATO CS-FRACINO-gIMAC-RENEKA-ROYAL  
 SAB ITALIA-SANREMO-SCALA-VICTORIA ARDUINO-WEGA



ASTORIA CMA LF-1081400


ASTORIA CMA

**1081041 SHOWER SCREEN ø 48 mm**




ASTORIA CMA 27100001

**1081002 SHOWER SCREEN ø 51.5 mm**



ASTORIA CMA

**1081006 SHOWER SCREEN ø 51.5 mm**



ASTORIA CMA 27100

**1081007 SHOWER SCREEN ø 51.5 mm**  
 for Reneka machines produced until 2016



ASTORIA CMA

**1081003 SHOWER SCREEN ø 57.5 mm**



ASTORIA CMA 27101

## Showerholder diffusers

**1086047 LOWERED SHOWER HOLDER SPRAYER**  
 external ø 52 mm - height 9.5 mm - hole ø 5.5 mm  
 made of OT58 brass  
 T.E.A. treated



ASTORIA CMA 25627005

ASTORIA CMA 4825627005

**1086501 SHOWER HOLDER DIFFUSER**  
 external ø 59 mm - height 9.5 mm - hole ø 5.5 mm



ASTORIA CMA 25627

ASTORIA CMA 43106

ASTORIA CMA 4825627




Suitable for:

# ASTORIA CMA



Suitable for:

**1086046 SHOWER HOLDER SPRAYER**  
external  $\varnothing$  52 mm - height 10.5 mm - hole  $\varnothing$  5.5 mm



ASTORIA CMA 25627004

## Solenoid valves

**5109548 COIL ASCO/SIRAI ZA10XET 220/240V 17VA**  
width 30 mm - height 39 mm  
depth 36.5 mm



ASTORIA CMA 18001002

**1120363 COIL LUCIFER 483510S5 9W 115V 50/60Hz**  
width 32 mm - height 37.5 mm  
length 43.5 mm




ASTORIA CMA

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
width 32 mm - height 38 mm  
length 43 mm



ASTORIA CMA

**5058746 COIL ODE BDV08230AY 16VA 230V 50/60Hz**  
width 30 mm - height 39 mm  
depth 42 mm



ASTORIA CMA

**1120336 COIL PARKER ZB09 9W 110/120V 50/60Hz**  
width 34 mm - height 33 mm  
length 43 mm



ASTORIA CMA

**3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz**  
width 34 mm - height 33 mm  
length 43 mm



ASTORIA CMA

**3120034 CONNECTOR LARGE F-FITTING**  
for coils



ASTORIA CMA 18110

**1120480 SOLENOID VALVE LUCIFER 2 W. 220/240V 9W**  
121ZH1025 - connections  $\varnothing$  1/8" FF - max 19 bar  
FKM seal - orifice  $\varnothing$  2.5 mm  
with 483510S6 XS03XS6 F 9W 220/240V 50/60Hz coil  
fluid temperature -30°C+140°C



ASTORIA CMA



Suitable for:

**5116947 SOLENOID VALVE LUCIFER 3-WAY 220/240V**  
 E131FS1690 - outlet  $\varnothing$  1/8" conical - max 20 bar  
 RUBY seal - orifice  $\varnothing$  1.5 mm  
 with coil 483510S6 9W 220/240V 50/60Hz  
 fluid temperature -40°C+140°C



ASTORIA CMA 834918151R

Suitable for:

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
 width 32 mm - height 38 mm  
 length 43 mm



ASTORIA CMA

**1120240 SOLENOID VALVE ODE 2 WAYS  $\varnothing$  1/4" 230V**  
 FKM seal- orifice  $\varnothing$  4,5 mm  
 with coil ADA08230AS 230/240V 50/60Hz 14,5VA  
 temperature -40°C+140°C  
 brass body OT57 low lead content



ASTORIA CMA 18161977


ASTORIA CMA 4618161977

**1120248 SOLENOID VALVE ODE 2 WAYS  $\varnothing$  1/4" 230V**  
 EPDM seal - orifice  $\varnothing$  3.0 mm  
 with coil BDV08230AY 230/240V 50/60Hz 8W  
 temperature -10°C+80°C



ASTORIA CMA 4618161981

**5058746 COIL ODE BDV08230AY 16VA 230V 50/60Hz**  
 width 30 mm - height 39 mm  
 depth 42 mm




ASTORIA CMA

**1120268 SOLENOID VALVE ODE 3 WAYS 230V 50/60Hz**  
 TECNOPOLIMER PPS body  
 RUBY seal - orifice  $\varnothing$  1.5 mm  
 CONICAL connection  
 with coil BDV08230AY 230/240V 50/60Hz 16VA  
 fluid temperature -40°C +180°C  
 NSF certified



ASTORIA CMA

**5058746 COIL ODE BDV08230AY 16VA 230V 50/60Hz**  
 width 30 mm - height 39 mm  
 depth 42 mm



ASTORIA CMA



Suitable for:

# ASTORIA CMA



Suitable for:

**1120247 SOLENOID VALVE OLAB 2 WAYS  $\varnothing$  1/8" F 230V**  
 coil 6000BH/K5FV 230V 50Hz 9/12VA  
 adjustable



ASTORIA CMA 18161988

**5111909 SOLENOID VALVE PARKER 3-WAY 110/120V 13W**  
 3019F1GRG7 - outlet  $\varnothing$  1/8" F - max 14 bar  
 RUBY seal - orifice  $\varnothing$  1.5 mm  
 with coil 491514P3 D4F 13W 110/120V 50/60Hz  
 stainless steel solenoid valve - NSF  
 fluid temperature -40°C+140°C



ASTORIA CMA 834718181015R

**1786221 GASKET KIT FOR SOLENOID VALVE**  
 for liquipure solenoid valves



ASTORIA CMA 12299001

**1120422 SOLENOID VALVE SIRAI 3-WAY 230V 50Hz**  
 L334C18C - outlet  $\varnothing$  1/8" conical - max 13 bar  
 RUBY seal - orifice  $\varnothing$  1.5 mm  
 coil ZA10XET 17VA 220/230V 50Hz 208/240V 60Hz



ASTORIA CMA 18160002

ASTORIA CMA 4618160002

ASTORIA CMA 4618160003

**5109548 COIL ASCO/SIRAI ZA10XET 220/240V 17VA**  
 width 30 mm - height 39 mm  
 depth 36.5 mm



ASTORIA CMA 18001002

**1120466 SOLENOID VALVE 2-WAYS LUCIFER 115V 60Hz**  
 7121ZBG1LV00 - fittings  $\varnothing$  1/8" FF - max 10 bar  
 FKM seal - orifice  $\varnothing$  2.5 mm  
 with coil 483510S5 F 9W 110/115/120V 50/60Hz  
 fluid temperature -10°C+140°C



ASTORIA CMA 18195

**1120363 COIL LUCIFER 483510S5 9W 115V 50/60Hz**  
 width 32 mm - height 37.5 mm  
 length 43.5 mm



ASTORIA CMA



Suitable for:

**1120460 SOLENOID VALVE 2-WAYS LUCIFER 240V 50Hz**  
 7121ZBG1LV00 - fittings  $\varnothing$  1/8"FF - max 10 bar  
 FKM seal - orifice 2.5 mm  
 with coil 483510 9W 220/240V 50/60Hz  
 fluid temperature -40°C+140°C



ASTORIA CMA 18162002

ASTORIA CMA 18162004

ASTORIA CMA 4618162004

Suitable for:

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
 width 32 mm - height 38 mm  
 length 43 mm



ASTORIA CMA

**1120701 SOLENOID VALVE 2-WAYS PARKER 220/240V 9W**  
 2019F1GRG7 - max 20 bar  
 RUBY seal - orifice  $\varnothing$  1.5 mm  
 with coil 483510S6 XS03XS6F 9W 220/240V 50/60Hz  
 STAINLESS STEEL solenoid valve housing - NSF  
 fluids temperature -40°C+140°C



ASTORIA CMA 18159002

ASTORIA CMA 4718159002

ASTORIA CMA 4718159003

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
 width 32 mm - height 38 mm  
 length 43 mm



ASTORIA CMA

**5034989 CYLINDER HEAD SCREW M4x8**  
 stainless steel - with hexagon socket  
 UNI 5931 - DIN 912 - ISO 4762  
 $\varnothing$  head 7 mm - overall length 12 mm



**1786221 GASKET KIT FOR SOLENOID VALVE**  
 for liquipure solenoid valves



ASTORIA CMA 12299001

**1120355 SOLENOID VALVE 2-WAYS PARKER 230V 50/60H**  
 VE14021R - fittings  $\varnothing$  1/8"FF - max 10 bar  
 RUBY seal - orifice  $\varnothing$  2.5 mm  
 with coil ZB09 9W 220/230V 50/60Hz  
 fluid temperature -30°C+140°C



ASTORIA CMA 18161

ASTORIA CMA 18162

**3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz**  
 width 34 mm - height 33 mm  
 length 43 mm



ASTORIA CMA



# ASTORIA CMA



Suitable for:

**1120102 SOLENOID VALVE 3-WAYS LUCIFER 115V 60Hz**  
E131F4304 - drain  $\varnothing$  1/8" conical - max 10 bar  
RUBY seal - orifice  $\varnothing$  1.5 mm  
with coil 483510S5 9W 110/115/120V 50/60Hz  
fluid temperature -40°C+140°C



ASTORIA CMA 18150

Suitable for:

**1120363 COIL LUCIFER 483510S5 9W 115V 50/60Hz**  
width 32 mm - height 37.5 mm  
length 43.5 mm



ASTORIA CMA

**1120334 3-WAY MECHANICAL COMPONENT LUCIFER**  
E131F4304G - drain  $\varnothing$  1/8" conical - max 10 bar  
RUBY seal - orifice  $\varnothing$  1.5 mm  
fluid temperature -30°C+140°C



ASTORIA CMA

**1120330 SOLENOID VALVE 3-WAYS LUCIFER 240V 50Hz**  
E131F4304 - drain  $\varnothing$  1/8" conical - max 10 bar  
RUBY seal - orifice  $\varnothing$  1.5 mm  
with coil 483510S6 9W 220/240V 50/60Hz  
fluid temperature -40°C+140°C



ASTORIA CMA 18151

ASTORIA CMA 18153

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
width 32 mm - height 38 mm  
length 43 mm



ASTORIA CMA

**1120334 3-WAY MECHANICAL COMPONENT LUCIFER**  
E131F4304G - drain  $\varnothing$  1/8" conical - max 10 bar  
RUBY seal - orifice  $\varnothing$  1.5 mm  
fluid temperature -30°C+140°C



ASTORIA CMA

Suitable for:

Suitable for:

## 1120239 SOLENOID VALVE 3-WAYS ODE $\varnothing$ 1/4" 230V

FKM seal- orifice  $\varnothing$  3.0 mm  
with coil ADA08230AS 230V 50Hz  
temperature -10°C+140°C



ASTORIA CMA 18161976

ASTORIA CMA 4618161976

## 1120101 SOLENOID VALVE 3-WAYS PARKER 115V 50/60H

VE1281R - drain  $\varnothing$  1/8" conical - max 20 bar  
RUBY seal - orifice  $\varnothing$  1.3 mm  
with coil ZB09 9W 110/120V 50/60Hz  
fluid temperature -40°C+140°C



ASTORIA CMA 18161997

## 1120336 COIL PARKER ZB09 9W 110/120V 50/60Hz

width 34 mm - height 33 mm  
length 43 mm



ASTORIA CMA

## 1120339 3-WAY MECHANICAL COMPONENT PARKER

VE1281R - drain  $\varnothing$  1/8" conical - max 20 bar  
CW617N (OT58)  
RUBY seal - orifice  $\varnothing$  1,3 mm  
fluid temperature -30°C+140°C



ASTORIA CMA

## 1120750 SOLENOID VALVE 3-WAYS PARKER 220/240V 9W

3019F1GRG7 - drain  $\varnothing$  1/8" F - max 14 bar  
RUBY seal - orifice  $\varnothing$  1.5 mm  
with coil 483510S6 XS03XS6 F 9W 220/240V 50/60Hz  
STAINLESS STEEL solenoid valve housing - NSF  
fluids temperature -40°C+140°C



ASTORIA CMA 4718151

## 1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz

width 32 mm - height 38 mm  
length 43 mm



ASTORIA CMA



Suitable for:

**5034989 CYLINDER HEAD SCREW M4x8**  
stainless steel - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762  
ø head 7 mm - overall length 12 mm



# ASTORIA CMA



Suitable for:

**1786221 GASKET KIT FOR SOLENOID VALVE**  
for liquipure solenoid valves



ASTORIA CMA 12299001

**1120335 SOLENOID VALVE 3-WAYS PARKER 230V 50/60H**  
VE1281R - drain ø 1/8" conical - max 20 bar  
RUBY seal - orifice ø 1.3 mm  
with coil ZB09 9W 220/230V 50/60Hz  
fluid temperature -30°C+140°C



ASTORIA CMA 18157

ASTORIA CMA 18161996

**3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz**  
width 34 mm - height 33 mm  
length 43 mm



ASTORIA CMA

**1120339 3-WAY MECHANICAL COMPONENT PARKER**  
VE1281R - drain ø 1/8" conical - max 20 bar  
CW617N (OT58)  
RUBY seal - orifice ø 1,3 mm  
fluid temperature -30°C+140°C



ASTORIA CMA

**1120356 VALVE LUCIFER 2 WAYS 220/240V 9W**  
121ZS1692 - fittings ø 1/8"FF - max 19 bar  
FKM seal - orifice ø 2.5 mm  
with coil 483510S6 XS03XS6 F 9W 220/240V 50/60Hz  
fluid temperature -30°C+140°C



ASTORIA CMA 18172

ASTORIA CMA 4618162002

ASTORIA CMA 4618162005

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
width 32 mm - height 38 mm  
length 43 mm



ASTORIA CMA

ASTORIA CMA 4918162005





Suitable for:

**1120334 3-WAY MECHANICAL COMPONENT LUCIFER**  
 E131F4304G - drain  $\varnothing$  1/8" conical - max 10 bar  
 RUBY seal - orifice  $\varnothing$  1.5 mm  
 fluid temperature -30°C+140°C



ASTORIA CMA

Suitable for:

**1120339 3-WAY MECHANICAL COMPONENT PARKER**  
 VE128IR - drain  $\varnothing$  1/8" conical - max 20 bar  
 CW617N (OT58)  
 RUBY seal - orifice  $\varnothing$  1,3 mm  
 fluid temperature -30°C+140°C



ASTORIA CMA

## Sparking and detection plugs

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 M faston M4x1 mm  
 overall length 65 mm



ASTORIA CMA 20030

## Springs

**1250332 KNOB SPRING 9x12 mm**



ASTORIA CMA 10459

**1250357 LEVER GROUP SPRING**  
 external  $\varnothing$  46 mm - height 131 mm



ASTORIA CMA 27250

**1250001 SPRING  $\varnothing$  11.4x18 mm FOR STEAM PIPE**



ASTORIA CMA 10465

**1250372 SPRING  $\varnothing$  11,4x16 mm**  
 for water/steam pipe



ASTORIA CMA 10452

ASTORIA CMA 10465001

**1250546 SPRING  $\varnothing$  14x44 mm**  
 for inlet tap



ASTORIA CMA 10451

**1250542 SPRING  $\varnothing$  15x20 mm**



ASTORIA CMA 10452051



Suitable for:

# ASTORIA CMA



Suitable for:


**1250437 TAP SPRING  $\varnothing$  16x20 mm**  
 $\varnothing$  int. 13 mm



ASTORIA CMA 10452050

## Steam taps and spares for coffee mach.

**1548064 BELLOWS 55x20x7 mm FOR TAP**



ASTORIA CMA 15259003

ASTORIA CMA 15259005

**1449100 CHROME HEXAGONAL NUT**  
thread  $\varnothing$  18 mm - total height 31 mm  
for water/stem pipe



ASTORIA CMA 25391

**1548107 COUPLING FOR FAUCET**  
made of brass CW510L (OT57)  
low lead content



ASTORIA CMA 4625678001

**1548111 DISC FOR TAP ROD  $\varnothing$  12x1 mm**




ASTORIA CMA 25655052

**1548115 FITTING FOR FAUCET**  
made of brass CW510L (OT57)  
low lead content  
T.E.A. treated



ASTORIA CMA 4925678001

**1548110 FITTING FOR TAP - CHROME-PLATED**



ASTORIA CMA 25678002

**1186377 GASKET HOLDER**



ASTORIA CMA 25461

ASTORIA CMA 4625461

**5111963 PISTON FOR TAP**  
made of brass CW510L (OT57)  
low lead content  
TEA treated



ASTORIA CMA 4925461

ASTORIA CMA 4925616



# ASTORIA CMA



Suitable for:

Suitable for:

**1548065 PISTON GASKET HOLDER**

**1548108 RING NUT FOR TAP - CHROME-PLATED**



ASTORIA CMA 25616050

ASTORIA CMA 4625616050

ASTORIA CMA 25378001

**5096985 STAINLESS STEEL SHAPED WASHER**  
for water/steam tap

**5069425 STEAM TAP**  
fitting for boiler tube  $\varnothing$  1/4" M  
fitting for steam tube  $\varnothing$  3/8" M




ASTORIA CMA 25655050

ASTORIA CMA 20233018

ASTORIA CMA 4920233018

**1348451 STEAM TAP BODY**  
connections  $\varnothing$  3/8" - 3/8"

**1548109 STEAM TAP BODY**  
fittings  $\varnothing$  3/8" M - 3/8" M  
made of brass CW510L (OT57)  
low lead content  
TEA treated



ASTORIA CMA 53003

ASTORIA CMA 4653003

ASTORIA CMA 4953003

**1349458 TAP COUPLING**

**1348458 TAP NUT**



ASTORIA CMA 25678001

ASTORIA CMA 43024

ASTORIA CMA 25385

ASTORIA CMA 25385001

**1324056 TAP PISTON**

**1548066 TAP ROD SLIDEWAY OF PTFE**



ASTORIA CMA 25616

ASTORIA CMA 15191050



# ASTORIA CMA



Suitable for:

**1186334 WASHER**  
for water/steam pipe



ASTORIA CMA 25657

Suitable for:

**1348321 WATER/STEAM TAP**  
connections  $\varnothing$  3/8" - 3/8"



ASTORIA CMA

**1348076 WATER/STEAM TAP PIN ROD**  
pin length 83 mm



ASTORIA CMA 561041


**1348077 WATER/STEAM TAP PIN ROD**  
pin length 54 mm



ASTORIA CMA 56102

ASTORIA CMA 56102R

**1348452 WATER/STEAM TAP PIN ROD**  
pin length 91 mm




ASTORIA CMA 56100

ASTORIA CMA 56100R

ASTORIA CMA 561001

**1548112 WATER/STEAM TAP PIN ROD**  
pin length 50 mm  
made of brass CW510L (OT57)  
low lead content  
T.E.A. treated



ASTORIA CMA 4956105011


**5088510 WATER/STEAM TAP PIN ROD**  
pin length 88 mm  
made of brass CW510L (OT57)  
low lead content  
T.E.A. treated



ASTORIA CMA 4956105002

ASTORIA CMA 56105002

**5123611 WATER/STEAM TAP PIN ROD**  
pin length 36 mm  
made of brass CW510L (OT57)  
low lead content  
T.E.A. treated



ASTORIA CMA 4956103101

## Steam-water pipes for coffee machines

**1449095 CHROME COMPLETE WATER PIPE  $\varnothing$  8 mm**  
wand developed length 255 mm



ASTORIA CMA 4656119006

ASTORIA CMA 56119006

**1449098 CHROME PL.STEAM WAND COMPLETE  $\varnothing$  8 mm**  
wand developed length 280 mm



ASTORIA CMA 56119107



Suitable for:

**1449106 CHROME PL.STEAM WAND COMPLETE  $\varnothing$  8 mm**  
wand developed length 320 mm



ASTORIA CMA 56119108

Suitable for:

**1449205 CHROME-PLATED STEAM WAND COMPLETE**



ASTORIA CMA 90313R

**1449820 CHROME-PLATED STEAM WAND COMPLETE**



ASTORIA CMA 90312

ASTORIA CMA 90312R

**1449821 CHROME-PLATED STEAM WAND COMPLETE**



ASTORIA CMA 90321

**1449203 COMPLETE STAINLESS STEEL STEAM WAND**



ASTORIA CMA 90310R

**1449206 COMPLETE WATER PIPE**



ASTORIA CMA 4656119024

ASTORIA CMA 56119024

**1549058 NOZZLE FOR WATER**



ASTORIA CMA 25763142

ASTORIA CMA 4725763142

**1449099 NOZZLE FOR WATER M10**



ASTORIA CMA 25761

ASTORIA CMA 4925761

**1449097 NOZZLE FOR WATER M10 /STAINL.STEEL**



ASTORIA CMA 25763002

ASTORIA CMA 4725763002

**1449116 NOZZLE FOR WATER PIPE M9  $\varnothing$  18 mm**  
total height 47 mm



ASTORIA CMA 30250

**1449204 ST.STEEL COMPLETE STEAM WAND  $\varnothing$  8 mm**  
wand developed length 330 mm - height 275 mm



ASTORIA CMA 90309R

**1449103 STAINLESS STEEL STEAM WAND COMPL.  $\varnothing$  10mm**  
wand developed length 255 mm



ASTORIA CMA 25763009

ASTORIA CMA 83250002R



# ASTORIA CMA



Suitable for:

**1449101 STAINLESS STEEL STEAM WAND COMPL.  $\varnothing$  8 mm**  
wand developed length 290 mm



ASTORIA CMA 25763310

Suitable for:

**1449102 STAINLESS STEEL STEAM WAND COMPL.  $\varnothing$  8 mm**  
wand developed length 325 mm



ASTORIA CMA 25763308

ASTORIA CMA 4925763308

ASTORIA CMA 56114100

**1449105 STAINLESS STEEL STEAM WAND COMPL.  $\varnothing$  8 mm**  
wand developed length 270 mm



ASTORIA CMA 25763304

**1449093 STEAM NOZZLE CHROME-PLATED M10**



ASTORIA CMA 25762

ASTORIA CMA 4625762

**5131365 STEAM NOZZLE M8 3 HOLES**



ASTORIA CMA 25763167

**1549008 STEAM NOZZLE M8 4 HOLES**



ASTORIA CMA 25763080

**5089216 STEAM NOZZLE ST. STEEL M10 4 HOLES**



ASTORIA CMA 25763074

**1449096 STEAM NOZZLE ST. STEEL M8**



ASTORIA CMA 25762A

**1549115 STEAM PIPE COMPLETE ST. STEEL  $\varnothing$  8 mm**  
tube length 310 mm - overall height 240 mm  
3-hole sprayer



ASTORIA CMA 25763118

**3549001 STEAM PIPE ST. STEEL COLD TOUCH**  
COLD TOUCH model:  
the PTFE tube inside the wand  
retains heat and prevents the operator  
from getting burnt during use  
easier to clean  
reduces milk fouling  
with PTFE external coating  
only clean with a soft cloth  
for machines ASTORIA model Argenta



ASTORIA CMA



# ASTORIA CMA



Suitable for:

**1549083 STEAM WAND COMPLETE ST/STEEL  $\varnothing$  8 mm**  
wand developed length 290 mm



ASTORIA CMA 25763354

ASTORIA CMA 4625763354

Suitable for:

**5106294 STEAM WAND COMPLETE ST/STEEL  $\varnothing$  8 mm**  
wand developed length 290 mm



ASTORIA CMA 25763091

**1449265 STEAM WAND COMPLETE STAINL. STEEL  $\varnothing$  8 mm**  
wand developed length 290 mm



ASTORIA CMA 25763097

**1449294 STEAM WAND COMPLETE STAINL. STEEL  $\varnothing$  8 mm**  
wand developed length 295 mm - height 220 mm



ASTORIA CMA 25763116

**5067294 STEAM WAND STAINLESS STEEL  $\varnothing$  8 mm**  
wand developed length 305 mm



ASTORIA CMA 25763063

**1549084 WATER PIPE COMPLETE STAINLESS STEEL**



ASTORIA CMA 25763192

## Switches

**1319787 AUXILIARY COFFEE DELIVERY BUTTON**



ASTORIA CMA 15373145

**3319154 BIPOLAR SWITCH BLACK 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with push-button cap - silk screen printing 0 - I  
mounting hole 22x30 mm



ASTORIA CMA 28530046

**3319780 BLOCK CONNECTION WHITE 22x30 mm**





Suitable for:

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



# ASTORIA CMA



Suitable for:

**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



ASTORIA CMA 19049

**3319296 BIPOLAR SWITCH BLACK 16A 250V**  
with red led indicator light  
max temperature 120°C  
mounting hole 22x30 mm



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



ASTORIA CMA 18263

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



ASTORIA CMA 19049

**1319240 BIPOLAR SWITCH LEVER SHAPE 3A 250V**



ASTORIA CMA 18249

ASTORIA CMA 22723C





Suitable for:

**3319016 BIPOLAR SWITCH RED 16A 250V**  
 16(4)A 250V - max temperature 120°C  
 with indicator light - silk screen printing 0 - 1  
 mounting hole 22x30 mm



ASTORIA CMA 18212

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319931 BIPOLAR SWITCH WHITE 16A 250V**  
 16(4)A 250V - with indicator light  
 silk-screen printing 0-1  
 max. temperature 120°C  
 mounting hole 22x30 mm



ASTORIA CMA

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



Suitable for:

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319866 PROTECTIVE SWITCH COVER**  
 external dimensions 29x36 mm  
 for switches with drilling template 22x30 mm



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**





Suitable for:

**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



# ASTORIA CMA




Suitable for:

**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



ASTORIA CMA 19049

**5500843 BIPOLAR SWITCH WHITE 16A 250V**  
16(4)A 250V - with indicator lamp  
silkscreen printing 0 - I  
max. temperature 120°C  
mounting distance 22x30 mm



ASTORIA CMA 18262

**1319005 BIPOLAR SWITCH 16A 250V**



ASTORIA CMA 18371057

**3319482 BUTTON ELLIPTICAL 17x13mm CHROME-PLATED**



ASTORIA CMA 15373057

**1319241 BUTTON F.PUSH-BUTTON PANEL**



ASTORIA CMA 15373066

**1319242 BUTTON F.PUSH-BUTTON PANEL**



ASTORIA CMA 15373059

**1319167 BUTTON FOR PUSH BUTTON PANEL**



ASTORIA CMA 15373060

**3319018 CHANGEOVER SWITCH 2 POLE RED 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light - mounting hole 22x30 mm



ASTORIA CMA 18135

**3319780 BLOCK CONNECTION WHITE 22x30 mm**





Suitable for:

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**5029031 ELLIPT. PUSH-BUTT. HOUSING 17x13mm CHR.**  
mounting hole 21x17 mm - chromed colour



ASTORIA CMA 15373058

**1319900 INTERRUPTORE UNIPOLARE NERO 10A 250V**  
dima di foratura 13x19 mm  
serigrafia "LUCE"  
faston 4,8x0,8 mm



ASTORIA CMA 18371143

**1319785 KEYPAD 7 BUTTONS**



ASTORIA CMA 83180028R

**1319782 KEYPAD 9 BUTTONS RIGHT-HAND**



ASTORIA CMA 18090226

ASTORIA CMA 18090269

# ASTORIA CMA



Suitable for:

**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319866 PROTECTIVE SWITCH COVER**  
external dimensions 29x36 mm  
for switches with drilling template 22x30 mm



**3319482 BUTTON ELLIPTICAL 17x13mm CHROME-PLATED**



ASTORIA CMA 15373057

**1319498 KEY SWITCH**  
mounting hole  $\varnothing$  12 mm



ASTORIA CMA 22723022

ASTORIA CMA 28410009

**1319783 KEYPAD 9 BUTTONS LEFT-HAND**



ASTORIA CMA 18090227

ASTORIA CMA 18090270



# ASTORIA CMA



Suitable for:

**3319015 PUSH-BUTTON BIPOLAR RED 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light - silk screen printing 0 - I  
mounting hole 22x30 mm



ASTORIA CMA 18268

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



Suitable for:

**3319780 BLOCK CONNECTION WHITE 22x30 mm**




**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319866 PROTECTIVE SWITCH COVER**  
external dimensions 29x36 mm  
for switches with drilling template 22x30 mm




**5084380 PUSH-BUTTON BOARD 5 BUTTONS**  
dimensions 94x42 mm



ASTORIA CMA 18371131

**5062301 PUSH-BUTTON PANEL MEMBRANE 7 BUTTONS**




ASTORIA CMA 20126045

**1319456 PUSH-BUTTON PANEL 1 BUTTON**



ASTORIA CMA 18371017

**1319441 PUSH-BUTTON PANEL MEMBRANE 5 BUTTONS**



ASTORIA CMA 20100

**1446556 PUSH-BUTTON PANEL TIMER 4 BUTTONS**



ASTORIA CMA 21274

**1319446 PUSH-BUTTON PANEL 2 BUTTONS**



ASTORIA CMA 18371019



Suitable for:

Suitable for:

**1319454 PUSH-BUTTON PANEL 2 BUTTONS**



ASTORIA CMA 18371018

**1319455 PUSH-BUTTON PANEL 2 BUTTONS**



ASTORIA CMA 18371021

**1319447 PUSH-BUTTON PANEL 3 BUTTONS**



ASTORIA CMA 18371022

**1319458 PUSH-BUTTON PANEL 3 BUTTONS**



ASTORIA CMA 18371020

**5068864 PUSH-BUTTON PANEL 4 TOUCH BUTTONS**  
body dimensions 91x42.5 mm  
frame dimensions 96x48 mm



ASTORIA CMA 18359100

ASTORIA CMA 18359101

**1319445 PUSH-BUTTON PANEL 5 BUTTONS**



ASTORIA CMA 18371008

**1319448 PUSH-BUTTON PANEL 5 BUTTONS**



ASTORIA CMA 18371010

**1319449 PUSH-BUTTON PANEL 5 BUTTONS**



ASTORIA CMA 18371016

ASTORIA CMA 18371025

**1319451 PUSH-BUTTON PANEL 5 BUTTONS**



ASTORIA CMA 18365

**1319452 PUSH-BUTTON PANEL 5 BUTTONS**



ASTORIA CMA 18354

ASTORIA CMA 20099001

**5136801 PUSH-BUTTON PANEL 5 BUTTONS**



ASTORIA CMA 18371204

**1319015 PUSH-BUTTON PANEL 6 BUTTONS**



ASTORIA CMA 18359001



Suitable for:

# ASTORIA CMA



**1319450 PUSH-BUTTON PANEL 7 BUTTONS**



ASTORIA CMA 18371026


Suitable for:

**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



ASTORIA CMA 19049

**1319082 SINGLE-POLE PUSH BUTTON 16A 250V**




ASTORIA CMA 18371058

**5070335 SWITCH DOUBLE POLE RED 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator lamp - silkscreen printed 0 - I  
drilling template 22x30 mm



ASTORIA CMA 18260

**1319784 WHITE BUTTON COFFEE DELIVERY**  
fixing hole  $\varnothing$  30 mm



ASTORIA CMA 18270004

**1319492 WHITE SINGLE-POLE PUSH-BUTTON 16A 250V**  
mounting hole  $\varnothing$  25 mm




ASTORIA CMA 18245

**1319505 7 BUTTONS COMPLETE PUSH-BUTTON PANEL**



ASTORIA CMA 83180011R

**1319504 7 BUTTONS PUSH-BUTTON PANEL**



ASTORIA CMA 18371079

**1319500 8 BUTTONS PUSH-BUTTON PANEL DX**



ASTORIA CMA 18371106

**1319499 8 BUTTONS PUSH-BUTTON PANEL SX**



ASTORIA CMA 18371107

## Tampers for coffee

1385002 NYLON COFFEE TAMPER  $\varnothing$  50/57 mm



ASTORIA CMA 15420

## Thermocouples and accessories

3440081 THERMOCOUPLE SIT QUICK M8x1 45 cm



ASTORIA CMA 18551


## Thermostats

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm



ASTORIA CMA 20314

2103907 THERMOSTAT THREE-PHASE 160°C  
with manual reset  
covered capillary 870 mm  
bulb  $\varnothing$  4x153 mm



ASTORIA CMA 2030001

ASTORIA CMA 20300019

1444509 THREE-PHASE THERMOSTAT 169°C  
with manual reset  
covered capillary 900 mm  
bulb  $\varnothing$  4x128 mm



ASTORIA CMA 20300015

ASTORIA CMA 56302101

ASTORIA CMA 56302102

ASTORIA CMA 56930000

## Tools

1505002 EXTRACTOR FOR FILTER S.STEEL WITH HOLE



ASTORIA CMA

3394906 INSPECTION MIRROR  $\varnothing$  30x165 mm  
telescopic - overall length 485 mm



ASTORIA CMA



Suitable for:

# ASTORIA CMA



Suitable for:

## Vibration insulators for motors

1313002 VIBRATION DAMPER  $\varnothing$  15x15 mm M4



ASTORIA CMA 15105

## Vibratory pumps

1349652 FITTING BAR 90°  $\varnothing$  1/8" F ULKA



ASTORIA CMA 25691002

ASTORIA CMA 4625691002

1391010 SHOCK ABSORBER FOR VIBRATORY PUMP  
for wire support




ASTORIA CMA 15313

1331023 SQUARE VIBRATION DAMPER EX-EP-EK-EA



ASTORIA CMA 26314001

1391001 SUPPORT WIRE  
support for pump mounting



ASTORIA CMA 26306

1122737 VIBRATORY PUMP EP5 48W 230V 50Hz


fittings  $\varnothing$  1/8"-  $\varnothing$  6 mm  
max pressure 15 bar  
max water temperature 20°C  
integrated diode (1N 4007P)  
connector terminal 6.3x0.8 mm  
NSF certified



ASTORIA CMA 26316

1122601 VIBRATORY PUMP EX5 41W 120V 60Hz

fittings  $\varnothing$  1/8"-  $\varnothing$  6 mm  
pressure max 15 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm  
NSF certified




ASTORIA CMA



**1122735 VIBRATORY PUMP EX5 48W 230V 50Hz**


fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
pressure max 15 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm  
NSF approved



ASTORIA CMA 26316001

**1331001 VIBRATORY PUMP FLUID-O-TECH 50W 240V**

208/240V 50/60Hz - fittings  $\varnothing$  1/8"  
without by-pass




ASTORIA CMA 26304

ASTORIA CMA 26312

**1030001 CONNECTOR FEMALE LARGE**  
for vibration pump fluid o tech  
with built-in diode  
cable length 550 mm**1391001 SUPPORT WIRE**

support for pump mounting



ASTORIA CMA 26306

**2102265 VIBRATORY PUMP PUMP EP5 41W 120V 60Hz**

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
max pressure 15 bar  
max water temperature 25°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm  
NSF certified



ASTORIA CMA 26315



Suitable for:

# ASTORIA CMA



Suitable for:

## Water containers for OCS HORECA

**1680088 GUARNIZIONE A SOFFIETTO**



ASTORIA CMA 15048502

**1680079 MANIFOLD FOR WATER CONTAINER**  
for water container



ASTORIA CMA 15006006

**1680078 WATER TANK COMPLETE**


body width 130 mm  
body depth 133 mm  
body height 300 mm  
complete with valve  
upper frame 134x143 mm



ASTORIA CMA 83150030R

## Water inlet taps

**1348459 INLET TAP**



ASTORIA CMA 61014

**1225401 TAP LEVER**  
for water inlet tap



ASTORIA CMA

**1225402 TAP LEVER**  
for water inlet tap



ASTORIA CMA 25202

**1348401 WATER INLET TAP**




ASTORIA CMA 61003

**1348457 WATER INLET TAP**




ASTORIA CMA 61006

**5086291 WATER INLET TAP**



ASTORIA CMA 61016001

1348456 WATER INLET TAP PISTON



ASTORIA CMA 25615

Suitable for:

## Water softeners

3010080 CAP COMPLETE ST/STEEL FOR WATER SOFTENER  
for DVA models



ASTORIA CMA 28205001

3010021 INLET FILTER  
for DVA models



ASTORIA CMA 28120

3010291 MANUAL WATER SOFTENER 5 L  $\varnothing$  3/8"  
for water treatment for TECHNICAL use  
st/steel bottle capacity 5 L  
fastening fitting 3/8"  
dimensions: h 300 mm -  $\varnothing$  190 mm  
resin content 3.5 L  
regeneration salt(NaCl-table salt)1 kg



ASTORIA CMA 26029

3010023 BASE BLACK FOR WATER SOFTENER DVA



3010080 CAP COMPLETE ST/STEEL FOR WATER SOFTENER  
for DVA models



ASTORIA CMA 28205001

3010018 GASKET FOR WATER SOFTENER CAP  
OR  $\varnothing$  74x6.5 mm



3010021 INLET FILTER  
for DVA models



ASTORIA CMA 28120

3010084 KNOB FOR WATER SOFTENER CAP





Suitable for:

**3010022** **OUTLET FILTER**  
for DVA models  
fittings 3/8" - external  $\varnothing$  73 mm



ASTORIA CMA 28121

**3010016** **PLASTIC JET M6**  
for DVA models



ASTORIA CMA 10320500

**3450116** **PVC PIPE  $\varnothing$  8x12 mm - 10 m**  
food-grade certified  
transparent - max temperature 60°C




**3010299** **SALT TABLETS FOR WATER SOFTENER 10 kg**  
FOR WATER SOFTENING SYSTEMS



ASTORIA CMA

**3010012** **TAP  $\varnothing$  3/4" M - 3/8" F**  
for models DVA  
for DISHWASHERS




# ASTORIA CMA



Suitable for:

**3010014** **PIPE FITTING  $\varnothing$  3/8" F x 3/4" M**  
for DVA models



**3450216** **PVC PIPE  $\varnothing$  8x12 mm - 100 m**  
food-grade certified  
transparent - max temperature 60°C



**3010300** **SALT TABLETS FOR WATER SOFTENER 25 kg**  
FOR WATER SOFTENING SYSTEMS




ASTORIA CMA

**3010322** **SANITIZING SALT TABLETS 8 kg**  
effective against bacteria developed during inactivity.  
replace the usual salt in the tank with the 8-kg pack of tablets and run a few regeneration cycles to ensure hygiene for the softener



**3010011** **TAP  $\varnothing$  3/8"**  
for DVA models



ASTORIA CMA 28284



Suitable for:

**3010015 TAP HANDLE OF PLASTIC**  
for DVA models



# ASTORIA CMA



Suitable for:

**3010001 MANUAL WATER SOFTENER 8 L  $\varnothing$  3/8"**  
for water treatment for TECHNICAL use  
STAINLESS STEEL cylinder capacity 8 L  
connection 3/8"  
dimensions: height 400 mm -  $\varnothing$  185 mm  
resin content 5.8 L  
regeneration salt(NaCl-table salt)1 kg



ASTORIA CMA

**3010080 CAP COMPLETE ST/STEEL FOR WATER SOFTENER**  
for DVA models



ASTORIA CMA 28205001

**3010021 INLET FILTER**  
for DVA models



ASTORIA CMA 28120

**3010022 OUTLET FILTER**  
for DVA models  
fittings 3/8" - external  $\varnothing$  73 mm



ASTORIA CMA 28121

**3010023 BASE BLACK FOR WATER SOFTENER DVA**




**3010018 GASKET FOR WATER SOFTENER CAP**  
OR  $\varnothing$  74x6.5 mm



**3010084 KNOB FOR WATER SOFTENER CAP**



**3010014 PIPE FITTING  $\varnothing$  3/8" F x 3/4" M**  
for DVA models





Suitable for:

**3010016 PLASTIC JET M6**  
for DVA models



ASTORIA CMA 10320500

**3450116 PVC PIPE  $\varnothing$  8x12 mm - 10 m**  
food-grade certified  
transparent - max temperature 60°C



**3010299 SALT TABLETS FOR WATER SOFTENER 10 kg**  
FOR WATER SOFTENING SYSTEMS



ASTORIA CMA

**3010012 TAP  $\varnothing$  3/4" M-3/8" F**  
for models DVA  
for DISHWASHERS



**3010015 TAP HANDLE OF PLASTIC**  
for DVA models



# ASTORIA CMA



Suitable for:

**3450216 PVC PIPE  $\varnothing$  8x12 mm - 100 m**  
food-grade certified  
transparent - max temperature 60°C



**3010300 SALT TABLETS FOR WATER SOFTENER 25 kg**  
FOR WATER SOFTENING SYSTEMS




ASTORIA CMA

**3010322 SANITIZING SALT TABLETS 8 kg**  
effective against bacteria developed during  
inactivity.  
replace the usual salt in the tank with the  
8-kg pack of tablets and run a few regeneration  
cycles to ensure hygiene for the softener



**3010011 TAP  $\varnothing$  3/8"**  
for DVA models



ASTORIA CMA 28284



Suitable for:

# ASTORIA CMA



**3010161 MANUAL WATER SOFTENER 8 L  $\phi$  3/8"**  
 for water treatment for TECHNICAL use  
 plasma welding  
 STAINLESS STEEL cylinder capacity 8 L  
 connection 3/8"  
 dimensions: height 400 mm -  $\phi$  185 mm  
 resin content 5.8 L  
 regeneration salt(NaCl-table salt)1 kg  
 inlet water maximum temperature 60°C



ASTORIA CMA

**3010114 CAP COMPLETE ST/STEEL FOR WATER SOFTENER**  
 for GS models



**3010016 PLASTIC JET M6**  
 for DVA models



ASTORIA CMA 10320500

**3450116 PVC PIPE  $\phi$  8x12 mm - 10 m**  
 food-grade certified  
 transparent - max temperature 60°C



**3010300 SALT TABLETS FOR WATER SOFTENER 25 kg**  
 FOR WATER SOFTENING SYSTEMS



ASTORIA CMA

Suitable for:  
**3010123 BASE FOR WATER SOFTENER GS**



**3010018 GASKET FOR WATER SOFTENER CAP**  
 OR  $\phi$  74x6.5 mm



**3450216 PVC PIPE  $\phi$  8x12 mm - 100 m**  
 food-grade certified  
 transparent - max temperature 60°C



**3010112 RESIN 5 L**  
 5 l package



ASTORIA CMA

**3010299 SALT TABLETS FOR WATER SOFTENER 10 kg**  
 FOR WATER SOFTENING SYSTEMS



ASTORIA CMA



Suitable for:

**3010322 SANITIZING SALT TABLETS 8 kg**  
effective against bacteria developed during inactivity.  
replace the usual salt in the tank with the 8-kg pack of tablets and run a few regeneration cycles to ensure hygiene for the softener



# ASTORIA CMA



Suitable for:

**3010119 TAP Ø 3/8"**  
for GS models



**3010015 TAP HANDLE OF PLASTIC**  
for DVA models



**3010022 OUTLET FILTER**  
for DVA models  
fittings 3/8" - external Ø 73 mm



ASTORIA CMA 28121

**3010016 PLASTIC JET M6**  
for DVA models



ASTORIA CMA 10320500

**3010267 RESIN 25 L**  
25 l package



ASTORIA CMA 28283

**3010112 RESIN 5 L**  
5 l package



ASTORIA CMA

**3010300 SALT TABLETS FOR WATER SOFTENER 25 kg**  
FOR WATER SOFTENING SYSTEMS



ASTORIA CMA

**3010299 SALT TABLETS FOR WATER SOFTENER 10 kg**  
FOR WATER SOFTENING SYSTEMS



ASTORIA CMA





Suitable for:

**3010011 TAP  $\varnothing$  3/8"**  
for DVA models



ASTORIA CMA 28284

# ASTORIA CMA



Suitable for:

**1010019 WATER SOFTENER BWT BESTCUP PREMIUM**  
for water treatment for TECHNICAL use  
MODEL BARISTA L  
ANTI-SCALE SYSTEM FOR MACHINES WITH  
ROUND TANK CONNECTION  
suitable for LAVAZZA LB2500



ASTORIA CMA 83260097R

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)