



Spare parts for:
Pizza ovens



Suitable for:

CUPPONE



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

CUPPONE



Suitable for:

Contactors


3446223 CONTACTOR AEG LS02K 6A 230V 2.2Kw
 coil 230V 50/60Hz
 4 normally open contacts
 no auxiliary contact



CUPPONE ME0000590

CUPPONE 91310155

3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact




CUPPONE ME0000354

CUPPONE ME0000595

CUPPONE 91310136

3446557 CONTACTOR LOVATO BG0901A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally closed auxiliary contact



CUPPONE ME0000592

CUPPONE 91310155

Door glasses for oven and accessories

3520051 OVEN DOOR GLASS 320x100x5 mm
 for Pizza oven electric (CUPPONE) BASE520
 BASE620 - BASE720.4 - BASE720.6 - MICRO



CUPPONE ADN00000

CUPPONE 91610010

Electrical gas valves and accessories

3526104 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷50 mbar
 with slow start
 room temperature 0÷60°C
 power supply 230V 50Hz
 for Pizza oven gas (CUPPONE)



CUPPONE ME0000431

CUPPONE 91310340



Suitable for:

Suitable for:

Electronic boxes

3091012 CONTROL BOX 503 EDF FOR TANDEM
 model SIT - 220/240V 50/60Hz 7VA
 for Pizza oven (CUPPONE)
 for Pizza oven gas (ZANUSSI) ZCBDG12 - ZCBDG18
 ZCBDG8




CUPPONE ME0000420

CUPPONE 91310280

Electronic printed-circuit boards

3390116 CONTROL ELECTRONIC BOARD 175x65 mm
 for Pizza oven (CUPPONE) - Series VIP
 for Pizza oven electric (CUPPONE) TECHNO/30
 TECHNO/35



CUPPONE ME0000480

CUPPONE 60020

CUPPONE 91310250

3390121 ELECTRON.POWER CIRCUIT BOARD 260x112 mm
 for Pizza oven electric (CUPPONE) VIP4 - VIP6



CUPPONE ME0000485

CUPPONE 60021

CUPPONE 91310300

3390123 ELECTRONIC CONTROL BOARD 210x93 mm
 for Pizza oven (CUPPONE) - Series EVOLUTION
 Series MAXDIGITALE



CUPPONE ME0000482

CUPPONE 91310255

CUPPONE 91310256

3390122 ELECTRONIC POWER CIRCUIT BOARD 200x180 m
 for Pizza oven electric (CUPPONE) VIP12 - VIP9




CUPPONE ME0000486

CUPPONE 60022

CUPPONE 91310301

3390124 ELECTRONIC POWER CIRCUIT BOARD 250x200 m
 for Pizza oven (CUPPONE) - Series EVOLUTION
 Series MAXDIGITALE - Series RAFFAELLO



CUPPONE ME0000487

CUPPONE 91310305



Suitable for:

CUPPONE



Suitable for:

Electronic thermostats and controllers

3445143 THERMOSTAT ATR111 PTC/NTC/TC/PT/NI100/1K
 power supply 230V 50/60Hz
 with free parameters setting
 1 exchange relay output 8(3)A 250V
 room temperature -5+65°C
 type probe PTC/NTC/TC/PT/NI100/1K (not included)
 connections by screwed terminal block
 front dimension 76x34x60 mm
 mounting hole 71x29 mm
 for Pizza oven electric (CUPPONE) EVOLUTION - MAX
 TECHNO30 - TECHNO35



CUPPONE ME0000299

CUPPONE 91310031

3445109 PROBE TCJ EC-SND-2312 3000 mm
 2 wires - temperature range -50+350°C
 error limits $\pm 0.75\%$ below 0°C
 30 seconds response time
 bulb $\varnothing 6 \times 100$ mm
 vetrotex cable



CUPPONE ME0000400

CUPPONE 057400

CUPPONE 91310211

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



CUPPONE ME0000410

CUPPONE 91310350

3445126 THERMOSTAT ATR111-AD PTC/NTC/PT100
 power supply 12/24V 50/60Hz
 thermostat setting range -150°+1350°C
 ON-OFF control with one actuation point
 1 relay output 10A 230V
 room temperature -5+55°C
 probe type PTC/NTC/PT100(not included)
 connections by screwed terminal block
 front dimension 74x32x59 mm
 mounting hole 71x29 mm
 for gas versions
 for Pizza oven (CUPPONE)



CUPPONE ME0000309

CUPPONE 91310030

3445109 PROBE TCJ EC-SND-2312 3000 mm
 2 wires - temperature range -50+350°C
 error limits $\pm 0.75\%$ below 0°C
 30 seconds response time
 bulb $\varnothing 6 \times 100$ mm
 vetrotex cable



CUPPONE ME0000400

CUPPONE 057400

CUPPONE 91310211



CUPPONE



Suitable for:

Suitable for:

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



CUPPONE ME0000410

CUPPONE 91310350

3445073 THERMOSTAT EVK411 TCJ
 power supply 12Vca/dc 1.5VA
 thermostat setting range 0+600°C
 ON-OFF control with one actuation point only
 1 changeover relay output 16A
 alarm buzzer
 access to configuration parameters through
 password - TTL serial port
 room temperature 0+60°C
 thermocouple TCJ type probe (not included)
 connections by screw terminal block
 front dimensions 74x32x65 mm
 mounting hole 71x29mm



CUPPONE ME0000307

3445109 PROBE TCJ EC-SND-2312 3000 mm
 2 wires - temperature range -50+350°C
 error limits $\pm 0.75\%$ below 0°C
 30 seconds response time
 bulb \varnothing 6x100 mm
 vetrotex cable



CUPPONE ME0000400

CUPPONE 057400

CUPPONE 91310211

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



CUPPONE ME0000410

CUPPONE 91310350

Handles

3242343 HAND GUARD WASHER



CUPPONE MP0000030

CUPPONE 91510060

3242346 OVEN DOOR HANDLE \varnothing 23x55 mm M8 BLACK
 for Pizza oven electric (CUPPONE) MICRO



CUPPONE MP0000022

CUPPONE 91510020



Suitable for:

CUPPONE



Suitable for:

3242337 OVEN DOOR HANDLE ø 26x80 mm M10
 for Pizza oven electric (CUPPONE) BASE520
 BASE620 - BASE720.4 - BASE720.6 - BRUTUS



CUPPONE MP0000020

CUPPONE 91510010

3242343 HAND GUARD WASHER



CUPPONE MP0000030

CUPPONE 91510060

3242336 OVEN DOOR HANDLE ø 29x90 mm M10
 for Pizza oven electric (CUPPONE) MAX



CUPPONE MP0000021

CUPPONE 91510011

3242343 HAND GUARD WASHER



CUPPONE MP0000030

CUPPONE 91510060

3242344 OVEN DOOR HANDLE RED
 for Pizza oven (CUPPONE) - Series EVOLUTION
 Series MAX
 for Pizza oven electric (CUPPONE) TECHNO/30
 TECHNO/35



CUPPONE MP0000026

CUPPONE 91510000

Heating elements

3755781 HEATING ELEMENT 1000W 230V
 for DECK
 length 690 mm - width 185 mm
 flange 220x30 mm
 for Pizza oven electric (CUPPONE) PA26 - PA6



CUPPONE ME0000002

CUPPONE 91711901

3755784 HEATING ELEMENT 1000W 230V
 for DECK
 length 990 mm - width 135 mm
 fittings ø 13 mm
 per FORNO PIZZA V6-TECHNO
 for Pizza oven electric (CUPPONE) TECHNO/30 - V6



CUPPONE ME0000012

CUPPONE 91711021



CUPPONE



Suitable for:

Suitable for:

3355741 HEATING ELEMENT 1400W 230V
 for CEILING
 length 575 mm - width 160 mm
 flange 220x30 mm
 for Pizza oven electric (CUPPONE)
 for Pizza oven electric (ZANUSSI) ZCBME12
 ZCBME18 - ZCBME8 - ZCMME4 - ZCMME6 - ZCMME9

3755785 HEATING ELEMENT 1400W 230V
 for CEILING
 overall length 990 mm
 inner length 900 mm
 width 135 mm - fittings \varnothing 12 mm
 for Pizza oven electric (CUPPONE) TECHNO/30 - V6



CUPPONE ME0000003

CUPPONE 91711911

CUPPONE ME0000013

CUPPONE 91711031

3755747 HEATING ELEMENT 1500W 230V
 UPPER-LOWER
 length 375 mm - width 245 mm

3755762 HEATING ELEMENT 1500W 230V
 for DECK
 length 870 mm - width 150 mm
 flange 220x30 mm
 width 150 mm - flange 220x30 mm
 for Pizza oven electric (CUPPONE) PA29 - PA9



CUPPONE ME0000035

CUPPONE 91711940

CUPPONE ME0000004

CUPPONE 91711902

3755766 HEATING ELEMENT 1500W 230V
 for DECK
 overall length 990 mm
 inner length 895 mm
 width 250 mm - fittings \varnothing 12 mm
 for Pizza oven electric (CUPPONE)
 Series EXELSIOR - TECHNO/30 - Series VIP

3755777 HEATING ELEMENT 1500W 230V
 for CEILING
 length 440 mm - width 370 mm
 fittings \varnothing 10 mm
 for Pizza oven electric (CUPPONE) MICRO



CUPPONE ME0000014

CUPPONE 91711023

CUPPONE ME0000026

CUPPONE 91711005

3755749 HEATING ELEMENT 1600W 230V
 UPPER-LOWER
 complete with cables

3755761 HEATING ELEMENT 2000W 230V
 for CEILING
 length 1000 mm - width 240 mm
 for Pizza oven electric (CUPPONE) TECHNO/30
 VIP29 - VIP9



CUPPONE ME0000040

CUPPONE 91711080

CUPPONE ME0000015

CUPPONE 91711033



Suitable for:

CUPPONE



3755763 HEATING ELEMENT 2000W 230V
 for CEILING
 length 870 mm - width 175 mm
 flange 220x30 mm
 width 175 mm - flange 220x30 mm
 for Pizza oven electric (CUPPONE) PA29 - PA9 - P9
 P99



CUPPONE ME0000005

CUPPONE 91711912


3755748 HEATING ELEMENT 2500W 230V
 UPPER-LOWER
 length 470 mm - width 365 mm



CUPPONE ME0000036

CUPPONE 91711941

3755765 HEATING ELEMENT 2600W 230V
 UPPER-LOWER
 external \varnothing 445 mm
 complete with cables



CUPPONE ME0000043

CUPPONE 91711083

3755779 HEATING ELEMENT 600W 230V
 for DECK
 length 680 mm - width 130 mm
 flange 160x22 mm
 for Pizza oven electric (CUPPONE) PA24 - PA4



CUPPONE ME0000000

CUPPONE 91711900

3755782 HEATING ELEMENT 600W 230V
 for DECK
 overall length 695 mm
 internal part length 600 mm
 width 130 mm - couplings \varnothing 12 mm
 for Pizza oven electric (CUPPONE) TECHNO/30 - V4



3755778 HEATING ELEMENT 800W 230V
 for DECK
 length 440 mm - width 370 mm
 fittings \varnothing 10 mm
 for Pizza oven electric (CUPPONE) MICRO



CUPPONE ME0000010

CUPPONE 91711020

CUPPONE ME0000025

CUPPONE 91711000

3755780 HEATING ELEMENT 800W 230V
 for CEILING
 length 680 mm - width 130 mm
 flange 160x22 mm
 for Pizza oven electric (CUPPONE) PA24 - PA4



3755783 HEATING ELEMENT 800W 230V
 for CEILING
 overall length 695 mm
 internal length 600 mm
 width 130 mm - fittings \varnothing 12 mm
 for Pizza oven electric (CUPPONE) TECHNO/30 - V4



CUPPONE ME0000001

CUPPONE 91711910

CUPPONE ME0000011

CUPPONE 91711030

Knobs

3241517 BLACK KNOB \varnothing 45 mm
 D-shaped hole 6x4.6 mm
 for thermostat
 for Pizza oven electric (ZANUSSI) ZCBME12
 ZCBME18 - ZCBME8 - ZCMME4 - ZCMME6 - ZCMME9



CUPPONE MP0000000

CUPPONE 91510071

3241339 BLACK KNOB \varnothing 50 mm
 square hole 5x5 mm
 for Pizza oven electric (OEM) 22 - 23 - 32 - 33
 34



CUPPONE MP0000013

CUPPONE 91510096

1241542 BLACK KNOB FOR CONVERTER
 square hole 5x5 mm



CUPPONE MP0000014

CUPPONE 91510110

3241516 RED KNOB \varnothing 33 mm
 square hole 5x5 mm
 for selector switch
 for Pizza oven electric (CUPPONE) TECHNO/30
 TECHNO/35



CUPPONE MP0000010

CUPPONE 91510090

Lamps

3221349 GLASS F.OVEN RECEPTACLE LAMP \varnothing 72 mm
 for Pizza oven electric (MORETTI) PIZZY D105.65
 PIZZY D60.60 - PIZZY D65.105 - PIZZY M105.65
 PIZZY M60.60 - PIZZY M65.105 - P120EB - P120EC
 P60E - P80EB - P80EC - P80EK - RHB - RHC - RHK
 for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30
 ZMMDE4 - ZMMDE6
 for Pizza oven gas (MORETTI) PC/GAS - P110GAS
 for Pizza oven gas (ZANUSSI) ZMBDG12 - ZMBDG8
 ZMMDG4 - ZMMDG6



CUPPONE ADN000003

CUPPONE 61004

CUPPONE 91610021

3221132 GREEN INDICATOR LAMP 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



CUPPONE ME0000320

CUPPONE 91310110

3221034 GREEN INDICATOR LAMP 400V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



CUPPONE ME0000321

CUPPONE 91310111

3221331 GREEN INDICATOR LIGHT 110V/230V
 head \varnothing 6 mm - hole \varnothing 8 mm - 150°C
 for Pizza oven (CUPPONE)
 for Pizza oven electric (FORNITALIA) BIJOU 40
 BIJOU 60



CUPPONE ME0000322

CUPPONE 91310115

CUPPONE 91310115+91510250



Suitable for:

CUPPONE



3221351 LAMP RECEPTACLE GASKET ø 70 mm

for Pizza oven (CUPPONE)
for Pizza oven (ZANUSSI)



CUPPONE

Suitable for:

3221649 LAMP RECEPTACLE WITH GLASS E14

WITHOUT BULB
lamp glass ø 72 mm
mounting hole ø 68 mm
max temperature 300°C
for Pizza oven (CUPPONE)
for Pizza oven (PIZZA GROUP)
for Pizza oven (WHIRLPOOL)
for Pizza oven (ZANUSSI)



CUPPONE ME0000360

CUPPONE 91310180

CUPPONE ME0000361

CUPPONE 91310186

CUPPONE 57152

3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V

lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C
for Pizza oven (CUPPONE)
for Pizza oven (TORNATI FORNI)



CUPPONE ME0000363

CUPPONE 91310185

3221382 NEUTRAL HALOGEN LAMP G9 42W 230V

for Pizza oven (PIZZA GROUP) - Series ENTRY
Series PROFESSIONAL
for Pizza oven electric (CUPPONE) TH430/2M
TH430M



CUPPONE 91310206

3221041 OVEN LAMP E14 15W 230V

max temperature 300°C
for OVEN - PIZZA OVEN



CUPPONE ME0000375

CUPPONE 91310190

3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
for Pizza oven electric (CUPPONE) PA24



CUPPONE ME0000370

CUPPONE 91310191

2110636 OVEN LAMP RECEPTACLE GLASS

thread ø 34 mm - overall height 36 mm
for Pizza oven electric (TORNATI FORNI) EUROPA66
EUROPA69



CUPPONE ADN00005



Microswitches

1240805 MICROSWITCH G26 16A 250V



CUPPONE ME0000491

CUPPONE 91310420

1240120 MICROSWITCH MKV11D15 16A 250V



CUPPONE ME0000490

CUPPONE 91310430

Probes

3445109 PROBE TCJ EC-SND-2312 3000 mm
 2 wires - temperature range -50+350°C
 error limits $\pm 0.75\%$ below 0°C
 30 seconds response time
 bulb \varnothing 6x100 mm
 vetrotex cable



CUPPONE ME0000400

CUPPONE 057400

CUPPONE 91310211

3397116 TEMPERATURE PROBE TCK
 2 wires
 probe length 240 mm - \varnothing probe 3 mm
 cable length 1460 mm
 for Pizza oven electric (CUPPONE) TECHNO30
 TECHNO35



CUPPONE ME0000401

CUPPONE 91310215

Rating-plates


3390117 ADHESIVE ELECTRONIC PLATE 80x180 mm
 for Pizza oven electric (CUPPONE) TECHNO/30
 TECHNO/35VIP



CUPPONE ADN00050

CUPPONE 91611040


3390126 GREEN ELECTRONIC PLATE 423x105 mm
 for Pizza oven (CUPPONE) - Series EVOLUTION
 Series MAX



CUPPONE ADN00150

CUPPONE 91611080

3390127 GREEN ELECTRONIC PLATE 760x108 mm
 for Pizza oven (CUPPONE) - Series EVOLUTION
 Series MAX



CUPPONE ADN00151

CUPPONE 91611090



Suitable for:


CUPPONE



Suitable for:

Relays

3351021 RELAY 62.82 16A 230V 50/60Hz
2 switching contacts



CUPPONE ME0000345

CUPPONE 91310165

Rotary switches

3057119 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 32A 690V - max 75°C
square pin 5x5 mm
for Pizza oven (CUPPONE)



CUPPONE


3057131 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 20A 500V - max 75°C
square pin 5x5 mm
for Pizza oven electric (CUPPONE) TECHNO/35
TECHNO/40
for Pizza oven electric (ZANUSSI) ZCBME12 - ZCBME8
ZCBM18 - ZCMME4 - ZCMME6 - ZCMME9



CUPPONE ME0000310

CUPPONE 91310060

5030542 SELECTOR SWITCH 2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Pizza oven (CUPPONE) BS430/1M
for Pizza oven electric (CUPPONE) BASE520
BASE620 - BASE720.4 - BRUTUS - TZ420/1M
TZ425/1M - TZ425/2M - TZ430/1M - TZ430/2M
TZ435/1M - TZ435/2M



CUPPONE 91310095

Sparking and detection plugs

3020247 IONIZER ROUND SPARKING PLUG \varnothing 9x40 mm
with cable length 1300 mm
overall length with cable 1450 mm
for Pizza oven electric (CUPPONE) MAX
for Pizza oven gas (CUPPONE) G9/33S



CUPPONE ME0000471

CUPPONE 057461

CUPPONE 91310490

3020246 ROUND SPARKING PLUG \varnothing 10x40 mm
with cable length 800 mm
overall length with cable 900 mm
for Pizza oven electric (CUPPONE) MAX
for Pizza oven gas (CUPPONE) G9/33S



CUPPONE ME0000470

CUPPONE 057460

CUPPONE 91310480



Suitable for:

CUPPONE



Suitable for:

Switches

3319012 GREEN BIPOLAR SWITCH 16A 250V
with indicator light and switch cover
screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm
for Pizza oven electric (ZANUSSI)



CUPPONE

3319967 GREEN SINGLE-POLE SWITCH 16A 250V
max temperature 120°C
mounting hole 11x30 mm



CUPPONE ME0000330

CUPPONE 91310080

1319202 GREEN TWO-POLE SWITCH 16A 250V
with indicator lamp
silk-screen printing 0 - I
temperature max 120°C
mounting hole 22x30 mm
for Pizza oven electric (MORETTI) AHB - AHC - AHK
AMALFI B - AMALFI C - AMALFI K - BAKY - MHB
MHC - MHK - PIZZY DUO105.105 - PIZZY DUO105.65
PIZZY DUO65.105 - PIZZY D105.105
PIZZY D105.65 - PIZZY D65.105
PIZZY MONO105.105 - PIZZY MONO105.65
PIZZY MONO65.105 - PIZZY M105.105
PIZZY M105.65 - PIZZY M65.105 - RHB - RHC
RHK
for Pizza oven gas (MORETTI) PC/GAS - P110GAS



CUPPONE ME0000331

CUPPONE 91310085

3319015 RED BIPOLAR PUSH BUTTON 16A 250V
with indicator lamp
silk-screen print 0 - I
max temperature 120°C
mounting hole 22x30 mm



CUPPONE ME0000332

CUPPONE 91310090

Telethermometers

3441058 WHITE TELETHERMOMETER \varnothing 60 mm 0-500°C
metal sheath
capillary length 700 mm
bulb \varnothing 9x50 mm
for Pizza oven electric (CUPPONE) BASE520
BASE620 - BASE720.4 - BASE720.6



CUPPONE MM0000000

CUPPONE 91410020



Suitable for:

CUPPONE



Suitable for:

Thermostats

3444305 SINGLE-PHASE THERMOSTAT 50-500°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x230 mm
for Pizza oven electric (FIMAR) FMEW6 - FMEW66
FME4 - FME44 - FME6 - FME66 - FME9 - FME99
FMLW6 - FMLW66 - FML4 - FML44 - FML6 - FML66
FML9 - FML99 - FYE4 - FYE44 - FYE6 - FYE66
FYL4 - FYL44 - FYL6 - FYL66 - MINI



CUPPONE ME0000300

CUPPONE 91310003

3444301 SINGLE-PHASE THERMOSTAT 500°C

with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x230 mm
for Pizza oven electric (OEM) MF1 - MF10 - MF11
MF15 - MF2 - MF3 - MF4 - MF5 - MF8 - 109 - 111
22 - 23 - 32 - 33 - 34 - 66 - 69 - 77 - 96
99



CUPPONE

3444580 SINGLE-PHASE THERMOSTAT 60-200°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb \varnothing 6x74 mm



CUPPONE ME0000303

CUPPONE ME0000304

CUPPONE 91310001

3444792 SINGLE-PHASE THERMOSTAT 85-450°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x230 mm
for Pizza oven (CUPPONE) BS430.1M



CUPPONE ME0000305

CUPPONE 91310050

3444714 THREE-PHASE THERMOSTAT 50-500°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1200 mm - 16A 380V
bulb \varnothing 4x228 mm
for Pizza oven electric (TORNATI FORNI) BABY2/50



CUPPONE

3444399 THREE-PHASE THERMOSTAT 580°C

with manual reset
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 4x165 mm
for Pizza oven (CUPPONE)
for Pizza oven (ZANUSSI)



CUPPONE ME0000306

CUPPONE 91310020

Timers

3446085 MULTIFUNCTIONAL TIMER 24V/230V 50/60Hz

1.5W - 0 ÷ 0.5 seconds



CUPPONE ME0000571

CUPPONE 91310580

CUPPONE 91310581



Suitable for:

CUPPONE



Suitable for:

Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



CUPPONE ME0000410

CUPPONE 91310350